
Version 18.1

Cape Pack

By Esko

Copyright Notice

© Copyright 2019 Esko Software BVBA, Gent, Belgium

All rights reserved. This material, information and instructions for use contained herein are the property of Esko Software BVBA. The material, information and instructions are provided on an AS IS basis without warranty of any kind. There are no warranties granted or extended by this document. Furthermore Esko Software BVBA does not warrant, guarantee or make any representations regarding the use, or the results of the use of the software or the information contained herein. Esko Software BVBA shall not be liable for any direct, indirect, consequential or incidental damages arising out of the use or inability to use the software or the information contained herein.

The information contained herein is subject to change without notice. Revisions may be issued from time to time to advise of such changes and/or additions.

No part of this document may be reproduced, stored in a data base or retrieval system, or published, in any form or in any way, electronically, mechanically, by print, photoprint, microfilm or any other means without prior written permission from Esko Software BVBA.

This document supersedes all previous dated versions.

Microsoft and the Microsoft logo are registered trademarks of Microsoft Corporation in the United States and other countries.

All other product names are trademarks or registered trademarks of their respective owners.

Correspondence regarding this publication should be forwarded to:

Esko Software BVBA

Kortrijkssteenweg 1095

B – 9051 Gent

info.eur@esko.com

Contents

Version 18.1	i
Copyright Notice	ii
Installing Cape Pack	13
System Requirements	13
Installing the Program.....	13
Exploring Cape Pack	23
Introduction	23
Getting Started.....	23
Start the program.....	25
Analysis types.....	29
Default Settings	29
Cape Pack Suite of Programs	29
Cape Pack Essentials.....	30
Cape Pack Advanced	30
Accessories Programs.....	31
Which Program to Use.....	32
Named User Subscription License	32
Esko Cloud License Managing Program	32
Exploring the Front Menu	34
Introduction	34
Choosing which program to run.....	34
File Menu	37
Open Input Data	37
Open CIF	38
Open Viewer/Open Saved Solutions	40
WebCenter Connector Browser.....	41
Program Settings	42
Open Cape Pack Administrator	44
Change Private Path.....	44
Exit.....	44
Programs Menu	44
Make a New Shape Menu	45
Databases Menu.....	45
Resolutions Menu	46
Internet Menu.....	46
Publisher Menu.....	47
Help Menu	47
Contents	47
Search for Help on	47
Glossary.....	47
About Cape Pack 16.....	47
Display Cape License	47
Pallet Group	48
Introduction	48
The Problem	48
Considerations	48
Data Input	50
Case Information	53
Pallet Information.....	53

Truck Information.....	55
Saving Data	57
Evaluating Results	59
Reviewing Graphics for Other Solutions.....	59
Comparing Statistics.....	60
The Best Solution	61
Loading the Truck	61
Formatting the Pallet Load	65
Alternating Layers.....	65
Adding a Top Cap.....	67
Adding Layer Pads	69
Adding Corner Posts.....	70
Adding Strapping	71
Sharing Data.....	74
Setting up the Screen	74
Page Setup	77
Adding Annotations.....	79
Printing the Graphical Report	82
Exporting Cape Reports	82
Conclusion	83
Data Input Features	83
Right Clicking Options in Data Entry	83
Using Multiple Pallet Types	84
Floor Loading into Containers	87
Changing Package Color.....	89
Custom Colors for Package.....	90
Adding Graphics to Packages	92
Primary Packages in your Shipper	93
Ounce to Pound Conversion Feature.....	97
Convert Weight.....	97
Zero Package Weights	97
Special Secondary Pack Types.....	97
Palletizing Cylinders or Drums	100
Recessed Objects.....	101
Interlocking Pallet Layers	103
Secondary Package Database	103
Converting Product Volume to Net Weight.....	103
Printing Input Data	104
Overhang and Underhang	104
Calculating the Maximum Load Height.....	105
Using Master Pallets.....	106
Customizing your Pallet Style List	109
Setting a Default Pallet	111
Customizing Your Truck Style List.....	112
Setting a Default Truck	113
Multi-Viewer Graphics Features	113
Exporting to the Packaging Information Database (PID).....	113
Packaging Report	113
Reviewing Objects in the Load	114
Multi-Dimensional Loading	116
Pallet Maximizer	118
Changing the Product Name and Product Code in graphics.....	119
Changing the Number of Decimal Places in Graphics	120
Changing Content of Dimension Labels	121
Dimension Labels and Outside or Inside Dimensions.....	122
Review Product Quantity	123
Dimension Labels	124
Rotate Layers 90 degrees	124

Editing your Layer Pattern	125
Rotating Objects	126
Displaying the Case Front around the Pallet	126
Show Contents	127
Open Flaps	128
Exporting from Print Preview	128
Right Clicking Options in Multi-Viewer Graphics	129
Arrange Group – Creating New Case Sizes	131
Introduction	131
The Problem	131
Data Input	133
Input Settings	133
Product Name and Product Code	135
Carton Information	136
Case Information	137
Pallet Information	140
Truck Information	142
Saving Data	143
Evaluating your Results	144
Comparing Statistics	145
Reviewing Graphics	146
Reviewing Different Pallet Patterns	146
Sharing Data	147
Setting up your Graphics	147
Printing Graphical Reports	152
Printing Custom Reports	154
Saving your Graphics	154
Uploading to the Cape Pack cloud database	154
Other Arrange Group Features	155
Data Input Options	155
Interlocking Patterns Inside the Case	155
Inverted Cylinders and Trapezoids	158
Blister Packs	159
Minimum/Maximum Case Count	163
Round to nearest 1/16 th inch (IDs)	163
Showing Product Inside the Primary Pack	164
Analyses with No Outer Packaging	167
Bundling Your Primary Packs	167
Reviewing Bundle Dimensions	170
Changing Package Color	170
Changing Divider Color	171
Zero Package Weight	171
Adding Extra Weight for items in the Carton	171
Multi-Viewer Graphics Options	173
RePalletizing a Case	173
Design Group – Designing New Package Sizes	178
Introduction	178
The Problem	178
Considerations	178
Evaluating Different Primary Package Sizes	181
Saving Data	183
Evaluating Results	184
Reviewing Graphics	185
Viewing other Pallet Patterns	185
Comparing Statistics	185
Sharing Data	186
Folding Carton Arrange (FCA) Programs	187
Folded Carton Arrangement (FCA) Programs	187

New Case Sizes	188
Fixed Case Sizes.....	195
Folding Carton Arrange	200
Case Cube Utilization	200
KDF Group – Knocked Down Flat Cartons	202
Introduction	202
Starting the KDF Programs	202
Modifying Formulas	204
Editing Formulas.....	205
Adding Formulas.....	205
Running a Flatblank Analysis	205
Adding Straps to the Bundle	208
Pallet Information for Flatblanks	210
Truck Information for Flatblanks	211
Saving Flatblank Data.....	212
Reviewing Solution Statistics.....	213
Formatting the Load.....	214
Loading the Truck	215
Sharing your Results	217
Running a Made-up Case Analysis	217
Pallet Information for Made-Up Cases	219
Truck Information for Made-Up Cases	220
Saving Made-Up Case Data.....	220
Running a Bale Analysis.....	221
Bale Information.....	223
Truck Information for Bales	224
Saving Bale Data.....	225
Display Pallet – Club Store Displays	226
Introduction	226
The Problem	227
Considerations	227
Data Input	229
Optimization Type.....	231
Algorithm Type/Parameters.....	232
Packaging Loading Rules	233
Packages Tab.....	235
Package 1 – Bagged Chips in a Case	236
Package 2 – Boxed Crackers in a Case.....	239
Package 3 – Candy Pouches in a Case	242
Package 4 – Bottles of Lemonade.....	245
Package 5 – Cans of Coffee.....	247
Pallet Information.....	249
Truck Information.....	250
Saving Data	251
Evaluating Results	252
Comparing Statistics.....	253
Reviewing Graphics for Other Solutions.....	253
The Best Solution	253
Formatting the Pallet Load	253
Adding a Top Cap	253
Adding Corner Posts.....	254
Loading the Truck	255
Sharing Data	257
Setting up the Screen	257
Graphics Options	259
Printing the Graphical Report	262
Exporting Cape Reports	263
Emailing Results	263

Calculating Loads with Layers.....	263
Database Import	266
Display Pallet on the Cloud	270
Menus and Options.....	272
Special Display Pallet Features	273
Solution Details Button	273
Solution Report Button	273
Format Load Button	274
Customizing Packages	276
Customizing the Load	279
Export Options	281
ASCII Solution Export	281
Exported Database File (CDI extension)	282
Exploring the Pattern Editors.....	284
Introduction	284
Layer Editor	284
Editing Layers	284
Viewer Toolbar.....	286
Selecting Cases.....	287
Selecting a Single Case	287
Selecting a Block of Cases	287
Moving Cases	289
Lifting Cases	290
Rotating Cases	292
Creating New Layer Patterns	293
Adding Cases	297
Expanding Overhang	298
Deleting Cases	300
Deleting Layers from your Load	300
Copying Layers.....	301
Moving Layers up or down in the load.	302
Display Pallet Load Editor	303
Calculation Settings Button	303
Editor and Viewer Windows.....	305
Viewer Toolbar.....	305
Editing Loads	306
Selecting a Box	306
Selecting a Block of Boxes	307
Placing a New Box onto a Pallet	307
Copying a Box or Block	308
Moving a Box or Block	308
Lifting a Box or Block	308
Creating Gaps within a Block	309
Function Keys in the Load Editors.....	309
Up and Down Buttons.....	309
Load Restrictions Violations	310
Layer Editor Dialog Box	310
Menu Options	311
Casefill Group – Case Consolidation.....	312
Introduction	312
Casefill Databases.....	314
The Problem	314
Input Settings	314
Product Name and Code	315
Primary Package Information	315
Fill Restrictions	317
Saving Data	319
Reviewing Graphic Solutions.....	321

Reviewing Statistics.....	322
Expanded Solution Report.....	322
Formatting Diagrams for your Report.....	324
Palletizing in Casefill.....	325
Casefill for Cylinders.....	326
Primary Package Input	327
Fill Restrictions Input	328
Multi-Viewer Graphics Screen	328
Recessed Cylinders.....	329
Varying Carton Size in Casefill	330
Primary Package Input	330
Fill Restrictions Input	331
Casefill Hints and Tips	331
Data Restrictions	332
Object Tips.....	332
Fill Tips	333
Cape Pack Databases	334
Introduction	334
Package Databases.....	334
Secondary Package Database	335
Create New Database	335
Navigating the Database	337
Maintaining Databases	338
Exporting Database Information	338
Purging Duplicate Records from your Database	339
Importing Databases.....	340
Primary Package Database.....	340
Create New Database	340
PP Database Fields	341
Maintaining Databases	342
Exporting Database Information	343
Bundle Database	345
Create New Database	345
Bundle Database Fields	349
Maintaining Databases	349
Using your Bundle Database	350
Working with a Casefill Database	351
Navigating the Casefill Database	352
Creating and Maintaining Databases	354
Exporting Database Information	356
Purging Duplicate Records from your Database	357
Importing Databases.....	357
Creating Databases from an Excel Spreadsheet	358
Display Pallet Databases.....	359
Create New Package Database	359
Navigating the database	360
Adding Packages to the Database	362
Creating Databases from an Excel Spreadsheet	362
Packaging Information Database	364
Introduction	364
Getting Started with PID	366
Select Group Functions	366
PID Setup	366
Exporting Information to a PID Database	367
Arrange and Design Group Solutions.....	372
Exporting Casefill Solutions to PID	373
Exporting from PID	373
Corrugated Compression Strength.....	375

Imperial Version of the Program.....	375
Accessing the Strength Program.....	375
Navigating the Strength Program	376
File Menu	376
Options Menu	377
Right-Click Options	378
Understanding the Strength Program.....	378
Updating your data	379
Material Factors Database	379
Data Input Fields.....	380
Modifying Material Factor Information	381
Single Wall and Double Wall Materials Databases	381
Data Fields.....	382
Changing Board Information.....	383
Adding Board Grades	383
Deleting Board Grades	383
Deactivating Boards in the Database without Deleting Them	384
Case Configuration Factors Database	385
Data input fields	385
Modifying Case Configuration Factors	386
Storage Environment Database	386
Data input fields	386
Modifying Storage Environment Factors	387
Using a Custom Formula	387
Determining the Strength of a Single Case	389
Determining the Strength of a Palletized Case	390
Data Fields.....	392
Determining Strength for a Cape Pack Solution.....	394
Data Fields.....	396
Reviewing the Results	397
Solution Report Information.....	398
Printing Results.....	398
Establishing Safety Factors	400
Order Solutions.....	401
Load Data	401
Exporting Solution Data	401
Metric Version of the Program.....	402
Creating new Compression Strength Formulas	402
Getting Started.....	404
Board Grade Combination Database?	405
Modifying your boards	406
Storage Environment Factors	407
Data Fields.....	407
Case Configuration	408
Calculating Strength of a Cape solution?	409
Reviewing Your Results	411
Calculating the strength of a single case	412
Opening Saved Graphics Files	414
Introduction	414
Saving Graphics	415
Opening your Saved Graphics file	416
Points to remember about Saved Solutions	417
Data Import and Export	418
Introduction	418
Automating Your Input Data	418
Running Cape Pack using CIF Files.....	420
Use of Command Line Instructions	420
Opening CIF Files for Data Input.....	421

Saving CIF Files	422
CIF Files Structure.....	423
File Format for Pallet - Rectangle/Oval	423
File Format for Pallet - Bag.....	426
File Format for Pallet - Trapezoid	432
File Format for Arrange - Cylinder / Bottle.....	439
File Format for Arrange - Trapezoid	443
File Format for Design - Box / Bag / Bottle	451
File Format for Design - Cylinder/Bottle	455
File Format for Design - Trapezoid.....	459
File Format for Casefill - Box/Bag/Bottle(Fixed)	464
File Format for Casefill - Cylinder/Bottle(Fixed)	465
File Format for Casefill - Box/Bag/Bottle(Variable).....	466
File Format for KDF-Flatblank	468
File Format for KDF-Made-up Case	471
File Format for Display Pallet	473
Export Features	475
Export Features	476
Export Options	477
Export Information Only.....	477
Export Cape Diagram	477
Export Cape Report.....	478
Export to Databases	478
Robot	478
Export to Esko	478
SAP.....	478
Export Information Only.....	478
Pallet Load	478
ASCII Solution Information	478
XML.....	484
Comma-Separated Values	484
Exporting Cape Diagrams	484
Diagram Only.....	484
Diagram and ASCII.....	485
Single Diagrams and ASCII	485
Cape's Web Page (Html format).....	485
3D PDF Output	485
Create a .PDF Diagram	485
Exporting Cape Reports	485
Report Only.....	486
Cape Report and ASCII.....	486
Web Page (Html format).....	486
Create a PDF Report	486
Other Export Options	486
Using the Clipboard	486
Exporting Graphics from Print Preview.....	487
Exporting Information from the Solution Report	487
Exporting Information for a Palletizing Robot	488
Robotic Interface.....	488
Cape Robotic Interface File Format.....	489
Orientation Guide for Robotic Interface (CRF)	494
Exporting Information use in CAD Programs	494
Export to Esko	495
Export to KASEMAKE.....	498
Export to ImpactCAD/WEBcnx	498
Other Features of Cape Pack.....	499
Data Input Features	499
Open Input Data	499

Inside/Outside Dimensions	499
Show Flap Indicator	499
Bulge Allowed	500
Additional Palletizing Input	503
Dimension Label Decimal Places	504
Glue Flap Allowed.....	504
Vary Volume/Weight.....	505
Customizing the Pack Names List.....	507
Customizing the Material Thicknesses List	509
Change Pallet Weight	511
Change Pallet Color.....	511
Right-Click Shortcuts	512
Multi-Viewer Graphics Features	513
Formatting your Graphics	513
Diagram Types and Views.....	514
Inverting the contents of the Secondary Pack	515
Customizing Materials for Top Caps, Corner Posts and Layer Pads/Trays	515
Formatting the Objects in the Load	516
Zoom.....	518
Default Graphics View	518
Set Dimension Label to	519
Right-Click Shortcuts	519
Calculation of Weights in Cape Pack	522
Adding or Changing Print Languages for Reports.....	523
Changing Languages Lists	525
Creating a New Language for Printing	526
Adding Graphics With 3D Imaging	530
Introduction	530
Graphic File Types.....	530
Image Sizes	531
Types of 3D Imaging Wizards	532
Quick Wizard	532
Standard Wizard	535
Using 3D Image Files	540
Labeling Bottles	542
Menu Options	546
Using Image Files	548
Use an existing Graphics File	548
Use a Screen Capture Program	548
Use a Scanner	548
Size and Resolution of Graphics Files.....	549
3DI ImageWrap Panel - Masking Techniques	549
Moving the Mask.....	550
Resizing the Mask	550
Composite Images.....	551
Pallet Audit.....	554
Introduction	554
Getting Started.....	554
Creating a New Database	555
Calculating Results	559
Reviewing the Results	560
Database Sorting and Searching.....	562
Comparing Solutions Across Criteria	564
Calculating Load Dimensions	565
Calculating Pallet Load	567
Printing and Exporting	569
Notes on Using the Audit Program	570
Making New Shapes.....	571

Introduction	571
Shape Files Storage	572
Designing Cases.....	573
Making the Opposite Face the Same	577
Partial Top Flaps Cases	577
Number of Material Thicknesses	579
Saving Your Case.....	579
Designing Trays.....	580
Making the Opposite Face the Same	582
Straightening the Sides of a "Cut-Out Panel"	584
Coloring the Tray	586
Coloring Tray Panels	586
Number of Material Thicknesses	587
Saving the Tray.....	587
Designing Cylinders and Round Bottles	588
Designing Bags.....	594
Designing Gable-End Shapes	597
Designing Rectangular or Square Bottles	599
Designing Oval Bottles	602
Designing Blister Pack Shapes	606
Designing Pallet Blocks	607
Designing Trucks or Shipping Containers	608
Designing Pallet Bins.....	609
Designing Pallet Crates	611
Designing Pallet Displays	613
Making New Collada Files	614
Making New Pallet Base Styles	621
Designing New Pallets.....	621
Features of the Pallet Builder	632
File Menu	632
View Menu	632
Format Menu	633
Tools Menu	633
Colors Menu	634
Economic Analysis.....	635
Introduction	635
Input Data	637
Volume/Usage Data.....	637
Logistics Costs.....	638
Material Costs	638
Reviewing Results	639
Printing Results.....	642
Tips and Background Information.....	642
Cape's Web Page Publisher	643
Introduction	643
Web Page Structure	643
Numerical Information (XML).....	644
Catalog Site Map	644
Document Type Description for the Site Map	645
Web Page Publisher Paths	645
Location	646
Changing the Shared Path	646
Unlocking Catalogs in Shared Paths	647
Unlocking Catalogs in a Global Path	649
The Web Page Publisher Options	649
Create a Web Page	650
Web Page Publisher Program	650
Creating Web Pages.....	650

Using the Web Page Publisher Program.....	650
File menu	652
Options menu	652
Sort menu	653
FTP menu	653
Help menu	653
Deleting Catalogs	653
Web Page Publisher Tutorial.....	654
Viewing Your Catalog in a Browser.....	657
Viewing individual web pages in browser.....	658
Printing Web Pages	659
Reviewing the Cape Graphics	659
Moving web pages up/down within a catalog	659
Creating Web Pages from Cape Saved Solution files.....	659
Deploying Catalogs to a Web Site Address	661
Cape's FTP Program	661
Examples of XML Data.....	662
XML Solution Data for the Pallet Group - Rectangle/Oval/Bag	662
XML Solution Data for the Pallet Group – Cylinder/Bottle.....	663
XML Solution Data for the Pallet Group – Trapezoid	665
XML Solution Data for the Arrange/Design Group – Box/ Bag/Bottle	666
XML Solution Data for the Arrange/Design Group – Cylinder/Bottle.....	668
XML Solution Data for the Arrange/Design Group - Trapezoid.....	671
XML Solution Data for the Casefill Group – Box/Bag/Bottle.....	673
XML Solution Data for the Casefill Group – Cylinder/Bottle	674

Installing Cape Pack

System Requirements

Cape Pack runs on Microsoft Windows Vista, 7, 8 or 10. To install this program in any NT-based system, you must have ADMINISTRATIVE PRIVILEGES/RIGHTS.


To run the program, you will need the following:

Computer set up	Windows operating systems
Windows Client	When running Cape Pack on a single PC you must run with Microsoft Windows 7 (32/64 bit) Windows 8 (32/64 bit), Windows 10 (32/64 bit), or Vista (32/64 bit).
Web Browser	The web application component of Cape Pack 18.1.1 requires an up to date version of one of the following browsers (minimum version in brackets): Firefox (40+), Chrome (42+), Internet Explorer (11+), Safari (8+). You may need to enable WebGL in your browser. See http://superuser.com/questions/836832/how-can-i-enable-webgl-in-my-browser
Internet	A broadband internet connection is required. The Cape Pack web application cannot be used offline.
Graphics	Cape Pack uses a 3D technology called WebGL to allow 3D graphics to be displayed in your browser. For this to work you need a recent 3D graphics card (look for confirmation that your card supports WebGL) and you may also need to explicitly enable WebGL in your browser. It is also important that you update the drivers for your graphics card to the latest version. In some cases your GPU may be blacklisted by your browser. Please refer to https://www.khronos.org/webgl/wiki/BlacklistsAndWhitelists for more information. 3D viewing may not work correctly on virtual machines due to the use of GPU emulation. For best results, ensure the VM emulates a non black listed GPU if possible.
Printers	Cape Pack prints through Windows.
RAM	Cape Pack requires that your computer has at least 1 Gbyte of RAM.
Hard Disk	Cape Pack will occupy approximately 600 Mbytes of space on your hard disk for program storage. Additional space will be needed as you add data files and save Solution/Graphics files.


Installing the Program

You can download the program from mysoftware.com Double click on the downloaded file.


Select **Install Software** and you will see the following screen.




Click on **Next**, and you will see the End User License Agreement.




Click on **I accept the terms in the License Agreement** and then click on **Next** and you will see the **Cape Pack 18.1.1 Setup** screen.



Accept the default folder or select the folder you wish to use and click on **Next**. You will see the **Select Setup Features** screen.




This screen allows you to choose which pallet styles you want to install and which program language you prefer. Make your selections and then click on **Next**. You will see the following screen.





Click on **Install** to begin the installation.

The installer will then check to see if you have the latest version of Esko's Local License Manager. If it does not, then you will see the following installation screens for that utility.




Click on **Next** to continue.


If you want to update your LLM, click on **Yes**. It is recommended that you upgrade this component so that your Named User Subscription will work properly. If you choose to upgrade you will see some status screens like the following.




And then you will be asked to click **Finish**.




Then the installer will check for Microsoft components. Depending on your machine, you may see this message.




This is a subroutine to install the essential Microsoft components. Click on **I agree to the license terms and conditions** and then on **Install**. You will see a progress screen.




Then you will see the completion screen.



Click on **Close** to continue. The installation process for Cape Pack 18.1.1 will begin. This could take several minutes and you will see progress screens during the process.



When all the files have been installed you will see this screen.



Click on **Finish**.


The installation will create a shortcut on your desktop for Cape Pack and add it to your Start menu.

If you have a current Cape Pack v2.16 subscription, you will want to deactivate that subscription license before you launch Cape Pack 18.1.1. Then your Cape Pack 18.1.1 license will automatically activate when you log in to Cape Pack.


When you double click on your Cape Pack icon, you will see this screen.




Then you will be asked to log in to your program with your EskoID.




When completed you will see this screen. Click on **Start Working**.



The Front Menu of Cape Pack will appear.



To review your license information, click on the **Help** menu and then **About Cape Pack 18.1.1**. You will see the details for your subscription.



To log out of Cape Pack and exit click on **File, Sign out & Exit**.

Exploring Cape Pack

Introduction

Cape Pack is a 32-bit, standard Windows convention program that has been designed to operate in a similar style to other programs, such as Microsoft Word. The program is easy to use, with pull-down menus, toolbars, right-click menus and tabbed data input screens.

Like Word, Cape Pack is a comprehensive system, catering to a wide range of needs. We understand that not everyone will want to use all of its features at first. However, a lot of people will grow to use many parts of the program over a period of time.

So, don't be overwhelmed by every feature or option that is available in the program. Just concentrate on the features you want to use for your own circumstances. Like any large system, the finer points can be learned as and when you need them or when you have the time to experiment.


Cape Pack is a group of programs designed to help you solve most of your packaging problems.

- What is the best way to load this product onto a pallet?
- How do I design the best size primary pack (product), case (shipper) size and pallet load?
- How many boxes can I fit on a pallet?
- How will the pallet load fit in a truck?
- How can I draw all the packaging components and load diagrams?
- Which load is more economical?
- How do I create realistic packaging components for my specifications?
- How can I put surface graphics on my packaging components?
- How can I communicate the results to my colleagues/customers?


By running one or more of the program groups you have the ability to evaluate many different packaging alternatives quickly. You no longer have to sit for hours with paper, pencil and calculator trying to decide how best to load a case, pallet or a truck.

Getting Started


Simply select the package type you need from the drop down lists on the Front Menu. Then click on **Go** to launch that program.



Or if you have already run one program, you can select another program from the **Programs** menu on any of the input screens.



Or you can customize your Front Menu using the ReArrange Program Groups option on the **Programs** menu.




Using any of these methods, the program will load with your Default Settings. You then just enter the data you need to change, choose a save option and then the program calculates and displays a range of solutions. You then evaluate the different solutions using the on-screen graphics and a number of text reports.


The on-screen graphics allow you manipulate the diagrams to suit your own requirements so that you can save those results, print them, or export them for use in another program application (i.e., packaging specifications, databases or Word documents).

Start the program

Start Cape Pack from your desktop by double-clicking on the icon.



Choose the appropriate program and package type and click on the **Go** button. You move forward to the data entry area with the **Default Settings** already filled out. The following is an example of the Pallet Group.



Create Data

Modify your Default Settings with your specific package and loading requirements.


Save Data

Save the data and calculate the results.


Save/Calc.

Your Default Settings will be maintained, but your data will be saved to a filename of your choice. You will then be presented with a range of solutions, in the graphics portion of the program.

View the results in Multi-Viewer Graphics.




Evaluate the different solutions, select a solution, and customize your results with screen, layer or object formatting. Then save the graphics for later use.



Share Data


Cape Pack has many sharing options.

Print your reports from the desktop to manually share your information.




Upload to WebCenter to save your data in a Project and share with other WebCenter users in your organization.






Send your data to ArtiosCAD for use in that program and reporting.



Or upload your data to the Cape Pack cloud for wider collaboration with improved reporting and graphics.



Analysis types

There are three types of analysis you can use in the program groups:

1. Use My Default Settings which load automatically whenever you start a program group.
2. Start from a completely New data file. Once the program group has loaded, you can select New from the File menu to “clear” the data input screen of all previous information. If you have identified a default pallet or truck style, this will appear with each new analysis.
3. Open a saved data input file and modify the data entries in that file. You can then either save over the existing file to update it, or save the file as a new name, preserving the existing file.

Using your own Default Settings is by far the easiest way to create a new data file as the data fields are already filled out. All you have to do is modify them. Starting a New data file means you have to enter all the data.

Whether you launch the program from the pictorial sections on the Front Menu or from the Programs menus, the appropriate program will begin with Default Settings already loaded.

Default Settings

Default Settings are simply your chosen default parameters for the module. Your program is supplied with preset Default Settings. These should be modified to suit your needs and then saved by clicking on **File, Save My Default Settings**. These settings are a template or master set of information for the program. Because the program loads these Default Settings automatically, all you need to do is make necessary changes for the particular analysis, enter your product name and product code, and calculate your answers.

For example, if you loaded the Pallet Group for cases, all you might need to do is enter a new case size and weight and then calculate your answers. The pallet information and/or truck information would mostly likely remain the same.

Default Settings are also an easy way for you to see the type of information required by any of the Cape Pack program modules. They offer an ideal way for you to work with the different program groups and familiarize yourself with the software and how it works. You can open the Default Settings, change the data and run an analysis. You can resave them, but you cannot create any additional templates.

There is only one template for each program module as follows.

PALLET GROUP	Rectangle/Oval, Cylinder/Bottle, Trapezoid, Bags
ARRANGE GROUP	Box/Bag/Bottle, Cylinder/Bottle, Trapezoid
DESIGN GROUP	Box/Bag/Bottle, Cylinder/Bottle, Trapezoid
CASEFILL GROUP	Box/Bag/Bottle – Fixed, Box/Bag/Bottle- Variable, Cylinder/Bottle - Fixed
KDF GROUP	Flatblank, Made-up Case
FCA GROUP	New-Nested Cartons in Bundles, New-Nested Bundles in Cases, Fixed-Nested Cartons in Bundles (all Patterns), Fixed-Nested Cartons in Bundles (Row/Column), Fixed-Nested Bundles in Cases (Row/Column)
DISPLAY PALLET	Single Product, Order Fulfillment

Cape Pack Suite of Programs

Cape Pack contains two types of programs: the Analytical programs and the Accessories programs. These are divided into 2 subscription levels: Cape Pack Essentials and Cape Pack Advanced.

Cape Pack Essentials

Cape Pack Essentials includes the Pallet Group, Display Pallet, Casefill Group and KDF Group programs.

Pallet Group

If you have a fixed sized object, which you want to load onto a pallet or into a truck, you should run this program to see how that object can be loaded, based on the restrictions you apply. The object can be a rectangle, oval, bag, cylinder or trapezoid, or an object you create within the Make a new Shape feature. You can load the object onto a variety of pallet styles or into a variety of truck styles. Use this program to compare the different alternatives for loading an object onto a maximum of three different pallet sizes.

Display Pallet

If you have different sizes of boxes to load on the same pallet, you would use this program. Once designed, you can then place your loads into a truck. Display Pallet allows you to combine up to 40 different box sizes, with a maximum load of up to 500 boxes. There is also a powerful load editor for fine-tuning your load.

KDF Group

These programs are specifically for use by corrugated companies where the user wants to start with either a flat blank of a case or a made-up case (an erected corrugated case). They select a formula and the program automatically converts the flat blank or made-up case dimensions to a KDF (knocked down flat/flat-glued case). They enter a minimum and maximum number of KDFs per bundle and the program creates the bundle size. Finally, they choose a pallet and truck type and the program does the rest.

Casefill Group

If you need to fill an existing case size with a product or primary package, use this program. First, set up a database of case or tray sizes that exist within your operation. Then specify the size and shape of the primary package as well as the cases/trays you want to consider loading. The program searches for the case that yields the best fit. In addition, Variable Casefill will allow for changes in the primary pack size to fit more efficiently in an existing case. This program does not palletize the case because it assumes that the palletization for this case is acceptable to you. Use this program to help in consolidating the number of existing case sizes your company uses. The rule that 20% of the product supports 80% of the business might apply to this analysis.

Cape Pack Advanced

Cape Pack Advanced includes Cape Pack Essentials plus Arrange Group, Design Group and Folding Carton Arrange Group programs.

Arrange Group

If you have a fixed-sized product or primary package you need to arrange in a case and then palletize for shipping, you should run this program. You specify the shape and size of the primary package, how many you want in a case and (if required) how it should be bundled in groups. The program will calculate a case size, which it will then palletize. The object of this program is to fit the highest number of primary packages on the pallet, based on the loading restrictions you specified.

Design Group

If you have a new product to design or primary package you need to resize and pack in a case, and then palletize, you should run this program. You specify the shape and size of the primary package, how much the size can vary, how many you want in a case and (if needed) how it should be packed in bundles. The program will then calculate new primary package sizes, a

variety of package arrangements and new case sizes, which will then be palletized. The object of this program is to calculate the best primary package size in order to fit the maximum number of primary packages onto the pallet.

Folding Carton Arrange (FCA)

The Folding Carton Arrange programs are for building bundles of flat folded cartons, and then arranging these bundles into cases, and then putting these cases onto pallets. There are two modules for new case sizes and 3 modules for existing case sizes. The New Case size options will design you new cases based on your bundle counts and case parameters. The Fixed Case Size options will evaluate your cartons in bundles compared to a database of existing cases.

Accessories Programs

Use these optional programs to enhance or customize your results from the main analytical programs and then communicate them to others.

Pallet Audit

Introducing Pallet Audit. Pallet Audit has been designed to allow the user to enter very simple input information so the program can create a database of all possible 2 dimensional case footprint sizes, for all Cape's pallet patterns, on up to four different pallet sizes. The completed Audit Database contains a wealth of information at a glance.

Web Page Publisher

Use this program to create web pages and catalogs that can be uploaded to a web address to provide a single source for your palletizing specifications. You can then allow access to these pages via the Internet anytime day or night by anyone in the world, based on your security settings.

Make a New Shape programs

These programs allow you to create rectangular, cylindrical, trapezoidal, ovals and gable-end shaped packages. Bottles, cans, milk cartons, various bag shapes and sloping sided shapes can also be created.

You can also color either the entire package in one color or different colors for different parts of the package for greater realism. So, a green wine bottle with a red top seal is very easy to create.

You can also create display cases and trays, pallet base styles, pallet crates, pallet blocks, container sizes and pallet bins for use in the analytical programs.

Packaging Information Database

Cape Pack has a powerful database feature called the Packaging Information Database. This special database allows you to save the information from any solution you create in Pallet, Arrange, Design, KDF or Casefill and then sort, review or group that information. You can even recall your saved graphics from within the database.

Strength

This program calculates the compression strength of a case based on case size, board grades, and environmental factors. The results are calculated using the McKee formula, which is based on strict laboratory conditions. Use Strength to work out how your particular case performs under different conditions.

Add-on Graphics (3D Imaging)

This program allows you to transfer scanned images or artwork files onto the surfaces of the packaging components (primary, tray, secondary package) available in the analytical programs or onto those packages created using the Make a new Shape feature. Full documentation for this program is available on your Application CD in the Documentation folder.

Which Program to Use

To determine which program you need, all you have to do is to ask the question "What am I trying to do?" Here are some guidelines.

- Building pallet patterns: If you want to put a case onto a pallet, choose the **Pallet Group** and the appropriate shape you want to use (i.e., a case, a cylinder).
- Creating a new case size: If you have a fixed size primary package and you want to arrange it in different case counts to create a new case size, then choose the **Arrange Group** and the appropriate shape of primary package.
- Designing a new size primary package: If you have already run the Arrange Group for a fixed primary package size and then want to change the dimensions to design a new primary package, choose the **Design Group** and the appropriate shape of primary package.
- Case consolidation: If you have a primary package and a number of existing, fixed, case sizes and you want to see how many primary packages you can fill into each one of those different case sizes, you will be "filling cases". Therefore, choose the **Casefill Group** and an appropriate primary package shape.
- If you have cases that you want to ship in a knocked-down form, bundled onto pallets, use the **KDF Group**. This group can take either a flat case and fold it up to achieve the KDF size, or it can take the erected case size and convert it to a KDF.
- Folding Carton Arrange: If you are trying to determine a case size for flat folded cartons, you would use the **Arrange Group** for either Fixed or New case sizes.
- If you have more than one size of case that needs to be placed onto the same pallet at the same time, you should use the **Display Pallet** program. This program can consolidate up to 40 different sizes of packages onto the same pallet, and then display the finished pallets loaded into a truck or container.

The program names correspond to the type of analysis you need to run. So just think about what you are trying to do and the name of the appropriate program group will become obvious.

Named User Subscription License

This is a new form of subscription licenses that allows for greater flexibility of license Management. Cape Pack 16 will use this new form of Licensing. A big benefit of this type of subscription is that you don't have to activate them – that is done automatically when you log in to the desktop or cloud program.

Esko Cloud License Managing Program

This portal is accessed through mysoftware.com with your EskoID. At least one user in your Company will have administrative privileges on this portal. You use this portal to assign named user subscription licenses to individual users. This can be changed as required.

English ▾ Kim Karl ▾

ESKO My Software DOWNLOADS LICENSES SUBSCRIPTIONS HOTFIXES FAQ

Manage Subscriptions

Here you can assign and unassign your subscriptions. If you want to review your order, your invoices or your payment details or if you want to purchase additional subscriptions please go to the [Esko Store](#).

UNASSIGNED SUBSCRIPTIONS	ASSIGNED SUBSCRIPTIONS		
ORDER NR	PRODUCT	QUANTITY	ACTIONS
Test Order	ArtiosCAD Design Prime	5	Assign
Test Order	ArtPro+ Essentials	4	Assign
Test Order	Cape Pack Advanced	4	Assign
Test Order	DeskPack Advanced for Illustrator	5	Assign
Test Order	DeskPack Flexo Tools for Photoshop	5	Assign
Test Order	Dynamic Content Advanced for Illustrator	5	Assign
Test Order	Studio Essentials	5	Assign

© Esko 2012-2016 - Packaging and printing pre-production solutions - [Disclaimer](#)

See FAQs on this page for more information on using the portal to assign and reassign your Company subscription licenses.

Exploring the Front Menu

Introduction


The Front Menu is the entry point of the program. It lets you choose where you want to go in the program.

It is also designed to provide easy access to certain functions that will affect the overall program (i.e. screen resolution settings) and let you connect to our web site, access the Packaging Information Database and help you navigate around Cape Pack.


Choosing which program to run

The Front Menu is where you can choose the group you need for your particular analysis.


You select your package type from the **Type of Package** list, then click on the **Go** button to launch that program.



If your program is not showing on the Front Menu, you can either launch it directly from the programs menu as shown below:




Or you can use the new Front Menu setup feature to rearrange how your program groups appear on your screen. Click on the **Programs** menu and **Rearrange Program Groups**.




The following screen will appear.



Select the groups you want to appear by clicking on the appropriate check mark in the Show Group column, then setup the order you prefer in the order column. Here is an example.




And the results would look like this.



Pallet Group has been replaced with Display Pallet, Arrange and Design Group has been replaced with FCA and Casefill has been replaced with the KDF Group. The program will remember this options as your default until you change them.


Design Group

If the Arrange/Design Group is active on your Front menu, you can change it by clicking on the **Vary** field under Arrange/Design Group, then select your package type and click on the **Go** button.



File Menu


Here is the **File** menu.



Open Input Data


This is a standard Windows Open function to open a selected input data file.

Click on **Open Input Data** and the following dialog box will appear.



Select the filename and click on **Open**. This will launch the program module that was used to create this file. The input screens will then appear with all of the appropriate data fields filled in.


In the event that your input data also contains saved solutions/graphics, you will be prompted with the following message.




If you click on **Yes** you will retrieve your saved graphics. If you click on **No** your input data will open.

Open CIF


This new feature of Cape Pack allows you to open specially formatted text files called Cape Interface Files (CIF). The open feature will work in the same manner as Open Input Data. The correct program group will open along with the input data. However, with CIF files, the calculation process can be made automatic. So when you open the file, the program will automatically calculate answers for your data.



You will see a file open box.




You select the file you wish to use and open it, the program will then load the program group, data and the next thing you will see is the Multi-Viewer Graphics screen with your solution.




Open Viewer/Open Saved Solutions

When you run a Cape analysis, you have the option to save the on-screen graphics and to view them at a later date. This special option has been located at the Front Menu to make it easy for you to open the saved files.

Click on **Open Viewer/Open Saved Graphics**, select either cape pack or Display Pallet (Club-store), and then select **Solution Dialog**.



You will then see a Saved Solution Open Dialog box.




Only those files with Saved Solutions will appear in the list and their details are provided to help you locate the file you want.

Highlight the file containing your saved graphics and click on **Select**. Your graphics will then appear.


Alternatively, you can click on **Open Viewer/Open Saved Graphics** and select **Standard Dialog**.

The following dialog box appears, which lists all of your CLF files, not just those with saved solutions.



WebCenter Connector Browser

WebCenter Connector is a feature that allows you to connect to your company's WebCenter to automatically upload your Cape Pack files. From the Front Menu in Cape Pack, this feature also allows you to download saved CLF files in WebCenter.




Program Settings


Select **Settings** from the **File** menu and you will have three choices.

Program Language

You can choose between English, French, German, Spanish, Swedish or Italian as the language to run your program with.




Selecting any of these will change the language on the menus, buttons and reports. Here is an example of Spanish.



More Settings

Selected from the **Program Settings** menu will display the following screen.



Choose any of these options if you wish to use them.

- **Enable Specifi Export**: if you have the Specifi program and would like an automatic interface to it.
- **Export Solution Information** adds the ability to export an ASCII file with information about a particular solution to the Export option in Print Preview.
- **Activate CIF** turns on or off the export to CIF file format.
- **Skip Animated Video** turns off the movie that plays during calculation.

- **Activate Accelerate Interface** turns on the menu option for exporting to Accelerate for Folding Cartons.
- **Desktop Refresh** works in conjunction with the new option for creating shortcuts to establish shortcuts on your desktop.
- **Enable WebCenter Browser Log** turns on a log to help keep track of WebCenter Connector actions.

Transfer Help Files to my Local Drive


Will make a copy of your program help files on your hard drive so the program can access them.

Open Cape Pack Administrator

A special program for managing and maintaining network installations.

Change Private Path

The Cape Pack program sets a default path called Private for you to save the data and results of your analyses. This path defaults to a folder within the overall Cape Pack directory. If you wish to change the location of your Private path, simply select this option and you will see the following screen:




Now click on the browse button (...) and select a new path. The Cape Pack programs will recognize this new path and display it in any **File Save** or **File Open** dialog box.

Exit

Selecting this option will completely exit Cape Pack and return you to Windows or to another program application you have open.

Programs Menu

The **Programs** menu is an alternative way to launch the program modules (Pallet, Arrange, Design, Casefill and KDF), or you can use it to select some of the other programs available in Cape Pack (Strength, Display Pallet, etc.).




The **Programs** menu is also available, on the input screens, in the major program modules to allow you to switch from one program to another. This approach means that you do not have to return to the Front Menu each time you want to switch programs.

The **Wizard** option on this menu allows you to activate the automatic calculation (**Auto Calc**) feature of the program. If activated, when you click on any **Go** button, the program will load whatever default settings are current for the program and then automatically calculate solutions, taking you straight to Multi-Viewer Graphics. Your options are:

- **Use My Default Settings** which will load the data input screens as normal.
- **Auto Calc** which will take you straight to Multi-Viewer Graphics.

Make a New Shape Menu


The **Make a New Shape** menu is a group of programs that lets you create a specific shape of primary, secondary packages and pallet/container styles to be used in the Pallet, Arrange, Design, Casefill and Display Pallet modules. You can choose between Cases, Trays, Cylinders, Bags, Oval shapes, Rectangular or Square bottles and Gable-end cartons; or you can make pallet base styles, pallet crates, pallet blocks, pallet bins or containers/truck styles.




The **Make a New Shape** menu is also available on the input screens in the Pallet, Arrange, Design, Display Pallet, KDF and Casefill program modules.

Databases Menu

Cape Pack has a powerful database feature called the Packaging Information Database. This special database allows you to save the information from any solution you create in the analysis modules.



By selecting the **Databases** menu and then **Packaging Information Database**, you will see the following screen.




From here you select the information you wish to review.

Resolutions Menu

The Resolutions menu is for switching between full-screen or partial screen versions of Cape Pack.

Select the **Resolutions** menu option.




You will see a list of resolutions that are available on your PC. Select one of these settings and your Cape Pack program will change to that resolution. This means you have the choice to set either a full or partial screen setting for your PC.

Once you select one of the resolution settings the program will then set itself by resizing this Front Menu screen. Setting the resolution here means that all of your Cape Pack screens will appear at that resolution. You can reset the screen resolution at any time, but only from the Front Menu.

Internet Menu

With the increasing use of the Internet and the need for people to keep up to date with program versions, news and “what’s new” with Cape, we have added this new menu item. It provides you with easy access to our website and the many options. Just remember you will need to be on-line or be able to get on-line to use these features.


Here are the **Internet** menu options.



You can now email the Help Desk for technical support or help with your analysis.

Publisher Menu

This menu is for using the Web Page Publisher feature.



Help Menu

We provide extensive on-line Help with the Cape Pack programs. Wherever you are in the programs the Help files are applicable only to that specific area. For example, when you are working on the input screens, the Help files relate to the input information only. When you get to the Multi-Viewer Graphics section of the program, the Help files relate to graphics, printing, exporting, etc.

Here are the options on the **Help** menu.

Contents

Allows you to see the contents of the Help file associated with the part of the program you are currently operating.

Search for Help on

Provides a detailed listing for you to select a subject:

Glossary

Generates a Help file with a listing and explanation of all the names and terms used in the **Cape Pack** programs.

About Cape Pack 16

Opens a standard Windows About screen.

Display Cape License

Click on this option to display the Cape Pack License screen..

Pallet Group

Introduction

The programs in the Pallet Group are designed to help you determine the best way to load a particular object onto a pallet or into a truck. That object cannot vary in size (unless it is a cylinder). However, it can be a rectangle, bag, cylinder, oval or trapezoid, or a shape created in the Make a New Shape feature.

Running an analysis for each type of object is basically the same, although some of the data you need to input will be different. For example, you would enter a diameter instead of a length and width for a cylinder. This tutorial will take you through running a rectangular product pack (a case).

This chapter is provided, as a Help file, under the **Help** menu with the name **Tutorial** on both the input screens and on the graphics screen. It also includes a section on additional Pallet Group features that lists a wide variety additional features and capabilities.

The Problem

Your colleague has just come to you with a problem. He does not think that your Widget product line is loaded or distributed to the maximum efficiency. The current pallet is only loaded at 66% capacity. He asks you to find a better way to load and transport these widgets. The specific widget he wants you to evaluate has the identification code 062469.

Considerations


Based on previous experience, you know that making changes to the way you package and load products can dramatically affect marketing, warehousing, logistics and distribution. You find out that:

- you must use a standard pallet base size, a US GMA 48x40 inches.
- fork-lift trucks can lift a maximum of 2000 pounds.
- you must use a 40 foot truck that has a 80,000 weight limit.
- you know the inside dimensions and weight of the widget shipping case.
- you know the type of shipping case.
- the product can only be loaded with the height dimension of the case vertical to the pallet.
- you have to add a layer pad, a top cap and corner posts.
- the layers on the pallet must be alternated to produce an interlocking load.


As you already know the secondary package size, pallet size, truck size and loading restrictions, you would like to look at a better method of loading and shipping your product.

After reading through the *Welcome* chapter, you establish that you will need the **Cases/Trays/Ovals** program in the **Pallet Group**.


Click on the **Type of Package** drop down list under the Pallet Group. Choose **Case**. Make sure that you have marked **Yes** for Pallets and **Yes** for Trucks, and then click on the **Go** button.



You can also select the **Programs** menu, **Pallet Group** and then click on the **Cases/Trays/Ovals** option.




The first Rectangle/Oval input data screen appears with your Default Settings already loaded. Notice that the first of the 3 pallet tabs is active as well as the truck tab.




Data Input

You know the outside dimensions of the shipping case for the widgets. You also know that you need to evaluate how the case is loaded onto a pallet, and in turn how that pallet is loaded into a truck. The dimensions you have are in English units of measure.


Click on the **Input Settings** button near the bottom of the screen. Or you can use the **Input** menu and then choose **Input Settings**.



The following screen appears.




Make sure the following items are marked: **Enter ID's**, **1 x Pallet**, **Objects onto Pallet into Truck**, and **in/lb**. Your Input Settings screen should now look like this.



Click on **OK**.


If you want the program to automatically alternate the pallet layers for you, select the **Alternate Layers** option on the **Input Settings** screen.

You can also use the right-click options for some of these settings.




Next we'll give the analysis a name.

Click on the **Product Name/Product Code** button and a dialog box appears.



Enter **Widget** in the *Product Name* field.

Enter **062469** in the *Product Code* field. Your screen should now look like this.



Now click on **OK** to begin your data entry.

Now that you have defined the problem, you can begin to input the data.

Case Information

Make sure you are on the tab labeled **Case**.

Press the **Tab** key on your keyboard to move from one input field to another. The heading will change to blue to indicate which field is active.

Choose **1: RSC (2,2,4)** from the *Pack Type* field. This is the type of shipping case you are using.

Choose **Case** from the *Pack Name* field. This is just a descriptive name for the secondary package. Alternatively, you can build your own list of names by selecting **Pack Names** from the **Tools** menu.


Use **125 C-Flute 26-26-26 Calip 0.153** from the *Thickness* field. The options in this list come from the Material Thickness' list. This is the thickness of the secondary package board.

For the inside dimensions, enter **16.125**, **15.125** and **5.867** in the *Length*, *Width*, and *Height* fields respectively.

In the *Dimension Vertical on Pallet* field make sure only **Height** is marked. This indicates which direction the case is turned on the pallet.


Enter **13** in the *Gross Weight* field. This is the weight of the shipping case plus the widgets inside it. It is used in determining any weight restrictions of the load.

Enter **12** in the *Net Weight* field. This is the weight of the widgets only. Your screen should now look like this:



Pallet Information

Click on the tab labeled **48x40** which is the name of the default pallet style.



Press the **Tab** key on your keyboard to move from one input field to another. The heading will change to blue to indicate which field is active.

From the *Pallet Base Style* field, you may choose a different pallet style, or you can use the default **48x40 US GMA 4-way Pallet**.

Notice how the *Pallet Dimension* fields are automatically filled in with data from the pallet style you chose.


Also note, you cannot access the pallet dimensions, nor can you make any changes to a pallet type you have selected.

Skip the *Maximum Overhang* field. This is any amount that a secondary package can extend over the edge of the pallet surface.


Enter **50** in the *Maximum Height* field. This is the height of the overall load, including the height of the pallet.

Enter **2000** in the *Maximum Weight* field. This is the weight of the overall load including the weight of the pallet.

Click on the button labeled **Select Pallet Pattern Styles Screen**. This button allows you to choose which basic style of pallet patterns you would like to consider. Make sure all pattern types are marked.




Your screen should now look like this.



Truck Information

Click on the tab labeled **40hicube** which is our default truck style.




In the *Truck Style* field choose **40 ft. long – High Cube**. Notice how many parts of the *Truck Internal Dimension* field are automatically filled in with the values for your truck style.

In the *Max. Weight* field, enter **45000**.

Make sure that **Simple**, **Complex** and **Partial Top Layer Permitted** *Loading Patterns* are marked. These are defined as follows:

- **Simple** means the Column and Interlock loading patterns will be applied to pallet loads being placed in the truck or container.
- **Complex** means the Trilock, Spiral, Diagonal and Expanded Spiral type patterns will be used.
- **Partial Top layer Permitted** means that the program will create a partial layer of pallet loads (top layer) in the container to take full advantage of the maximum load weight you allowed. The program will continue to load pallet loads until the maximum weight is reached.


Your screen should now look like the following.




Now that you have entered all of the information about the case, the pallet and the truck you want to see the results.

Saving Data

Choose **Save Input Data and Calculate** from the **File** menu, or click on the **Save/Calc.** in the lower right on the screen.




The Save As dialog box appears.



Make sure you have the Private folder showing in the *Save In* field. Type **Widget** in the *File name* box.


Click on **Save**. The program automatically begins calculating solutions and assembling the diagrams for your problem. The status window will show you a progress bar as well as a count of how many solutions have been found for your analysis.

When the calculations are finished you will see a new window, the Multi-Viewer Graphics, showing solution number 1.



The program has calculated a variety of solutions. It now displays the graphics for the solution with the simplest pattern and the maximum number of secondary packages per load, solution number 1.

Click on **Set-up Buttons**. This will display all the controls you need for setting up and creating your diagrams.



The **Summary Report** button is grayed out and is only used if you run an analysis with more than one pallet size.

Notice how the button now shows the **Quick Report**. This is used for displaying the solution information. You can toggle between the **Quick Report** and the **Set-up Buttons** just by clicking on this button. Click on **Quick Report** to bring back the solution information.

Evaluating Results

You can see the corner and top views of the pallet load, along with a view of one layer on the pallet and the secondary pack on its own.

You can easily review the numbers in the upper right-hand corner. The area efficiency is shown as 79.2%, which beats the goal of at least 75%. There are 6 secondary packs per layer, and there are 6 layers which amounts to a total of 36 secondary packs per load.

However, at this stage you cannot see how the layers need to be interlocked or how the pallet is loaded within the truck. You may also need to see the statistics about a number of solutions, so you can decide which is the best pallet pattern/load.

Click on **Set-up Buttons** to give you back the format controls.

Reviewing Graphics for Other Solutions

Although the results of solution number 1 appear perfectly satisfactory, you want to view other solutions.

Click on the greater than arrow button (\rightarrow) on the menu icon bar. This brings up the next solution in the list.

Click on the less than arrow button (\leftarrow). This brings up the previous solution in the list.


Click on the **Jump to a Solution arrow** button. Enter a particular solution number, and click on **OK**. That solution number appears.

If a particular arrow button is gray you are at the first or last solution in the list. Click on the opposite button or the **Jump to a Solution** button to switch solutions.

Comparing Statistics

After looking at the graphics solutions, you want to compare the actual statistics of each solution. It is difficult to remember all the data when switching between the graphics solutions.

Click on the **Solution Report button**. A window like this appears.



This is a thumbnail report of the plan views of all the solutions. If you would prefer a numerical report, click on the **Solution Report** button on this screen.

Numerical Solution Report (Pallet #1)												
Sol. No.	Pat. Type	# Per Load	# Per Layer	# of Layers	D V	Cube Eff.	Area Eff.	Length Under	Length Over	Width Under	Width Over	
1	C	36	6	6	H	69.2	79.2	0.85	0.00	3.57	0.00	
2	I	36	6	6	H	69.2	79.2	0.35	0.00	4.57	0.00	
3	T	36	6	6	H	69.2	79.2	0.85	0.00	4.07	0.00	
4	S	36	6	6	H	69.2	79.2	8.57	0.00	4.07	0.00	
5	I	30	5	6	H	57.7	66.0	7.57	0.00	4.07	0.00	
6	T	30	5	6	H	57.7	66.0	7.57	0.00	4.57	0.00	
7	T	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
8	S	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
9	C	24	4	6	H	46.1	52.8	7.57	0.00	4.57	0.00	
10	D	24	4	6	H	46.1	52.8	8.07	0.00	4.07	0.00	
-	-	-	-	-	-	-	-	-	-	-	-	

You can choose the default Solution Report format on the **View** menu by selecting **Default Solution Report** and then the option that you wish.

The solutions are listed in descending order of number of secondary packages per load. You notice that solution #5 is the method you are currently using. You would like to show your colleague the comparison between these different solutions.

Printing the Solution Report

From the **File** menu of the Solution Report choose **Print Solution Report** and then click on **OK**. If you wish to review the report before printing, click on **File** and then **Print Preview**.

Closing the Solution Report

From the **File** menu of the Solution Report, choose **Close** and you will be returned to Multi-Viewer Graphics.

The Best Solution


After analyzing the statistics and graphics you decide you like solution #2 best. It fits 36 secondary packages per load and has a good interlocking pattern style, which will be more stable than a column pattern when the layers are alternated.

So now you want to see how the truck is loaded and how the layers on the pallet will look when they are alternated. Then you can present this solution to your colleague, along with the statistics you printed previously.


If your solution does not need to be changed, you can print the default views in a report format directly from the **Print** or **Print Preview** functions of the **File** menu.

Loading the Truck


From the **Truck** menu, choose **Show my Truck**, or from the **Tools** menu, choose **Truck Analysis**.




You will then see a Truck Analysis Solution Report.



This solution report will show up to 40 different truck loads. You can select any load you wish, or you can change your truck restrictions by clicking on File, Change Truck Restrictions.




The following screen will appear.



You like solution number 1.

Click on **the File** menu and select **Save Current Load and Exit**.



You will return to Multi-Viewer Graphics with your truck diagram placed in the last active panel in the Multi-Viewer Graphics. We had the Pallet Load panel (panel 1) highlighted, so the truck appears in the top left corner of the Multi-Viewer screen.

Y


Keep in mind that this example of a truck analysis has pallet loads with the layers still stacked in columns **and** layer pads, etc. have not been added.

If you want the truck to be located in another panel, highlight the panel you want for the truck (where the Top View is currently showing, for example).

Click on **Set-up Buttons** to display the format controls.

Click on the **Format Panel** button.


We are highlighting panel number 2. Choose **truck 1 (#1) TRUCK** from the *Diagram Type* list box. The loaded truck will then appear in the appropriate panel.



You can now change the panel with the original truck in it (#1). Here is how to put the pallet load back in that panel.

Highlight the truck in the top left panel (panel #1).

Select **48x40 (#1)** from the *Diagram Type* list.




Formatting the Pallet Load

In order to achieve some level of stability you want to alternate (interlock) the layers of this load. This load also requires a top cap and corner posts. Cape Pack will be able to display all this for you.


Layer one is the bottom layer, i.e., the layer sitting on the surface of the pallet base.

Alternating Layers

First make sure the active panel is a pallet load diagram. Click on the button labeled **Format Load**. A new window will open allowing you to format the pallet load to your own specifications.




Since you want to form an interlocking load, you need to alternate all of the layers. Click on the **Select All** button. The whole spreadsheet will become highlighted.




Make sure the setting underneath the **Select All** button is marked for **Length**.

From the drop down list select **Alternate Layer(s)**.



Notice how the layers have become alternated and how layers 2, 4 and 6 in the spreadsheet have Length in the *Flip* column.

Now that you have alternated the layers you can use the **Twin Top-View** feature, under the *Diagram View* list, in Format Panel.




Adding a Top Cap

Make sure you have highlighted the panel with the **Pallet Load** and then click on the **Format Load** button.

Highlight layer 6 in the spreadsheet. This is the top layer.

Select **Add/Remove Top Cap(s)** from the drop down list and new fields appear in the bottom half of the screen.




In the *Weight* field, enter **2**. This is the weight in pounds of the top cap.

In the *Thickness* field, enter **0.25**. This is the thickness in inches of the top cap material.

In the *Height* field, enter **4**. This is the length of the lip of the top cap.

You can set your own defaults for these values and for Layer Pads/trays and Corner Post from the **Tools** menu at the top of the screen. For further details please refer to the "What else can I do?" section at the end of this tutorial.

Click on the button labeled **Accept Values**. A top cap will be drawn on top of layer 6, extending down over the cases the amount you entered in the *Height* field. Also in the spreadsheet, layer 6 will have a **Yes** in the column for Top Cap. Your screen should now look like this.



Notice in the small spreadsheet (bottom left) how the height and weight in the Product Dimensions have changed from the original calculations.

Layer trays are added the same way as top caps, however they are drawn on the bottom of the layer rather than the top.

Adding Layer Pads

When you add a layer pad, you are adding a pad **below** the layer you have highlighted.


Highlight layer 4 in the spreadsheet.

Select **Add/Remove Layer Pad(s)** from the drop down list and new fields appear in the bottom half of the screen.

In the *Weight* field, enter **2**. This is the weight in pounds of the layer pad.

In the *Thickness* field, enter **0.25**. This is the thickness in inches of the layer pad. The screen should look like the following.

Click on the button labeled **Accept Values**. A layer pad will be placed between layers 3 and 4 and an arrow will appear alongside layers 3/4. Also in the spreadsheet, layer 4 will have **Yes** in the column for Layer Pad. Your screen should now look like this.



As you add layer pads, top caps and corner posts, the small spreadsheet, in the bottom left hand corner of the screen, records the changes in **Product Dimensions** and **Weight**. When you click on **OK** to accept these changes, this information (i.e. the changes you made) will be updated in the file structure. The new dimensions/weight will be shown on the Multi-Viewer Graphics screen.

Adding Corner Posts


Select **Add/Remove Vertical Corner Posts** from the drop down list and new fields appear in the bottom half of the screen.

In the *Weight* field, enter **2**. This is the weight in pounds of each corner post.

In the *Thickness* field, enter **0.25**. This is the thickness in inches of the corner post material.


In the *Width* field, enter **4**. This is the length of the corner post side.

Click on the button labeled **Accept Values**. Four corner posts will be drawn at the corners of the pallet extending out over the cases by the amount you entered in the *Width* field. You will see the following screen.




Adding Strapping

Select **Add/Remove vertical straps** from the drop down list and new fields appear in the bottom half of the screen.



Specify how many straps you want across the length and width of the pallet and adjust the width of the straps to suit your load. The width of the straps is expressed as a percentage of the load dimensions. Enter **2** in the length and **2** in the width. Then enter in **3%** for the width of the straps, and select **Exclude Pallet Base**.


Click on **Add Straps**.




You can also choose to change the color of your straps if you wish.

You can also add Horizontal Corner Posts, horizontal straps, Layer Trays and a Top Board to suit the needs of your load. All of these formatting options are applied in a similar manner.


Click on **OK** to accept all your changes and the Multi-Viewer Graphics will return with the updated diagrams and dimensions.



Notice that the truck has disappeared. This is correct. By adding a layer pad, top-cap and corner posts, you changed the height, length and width dimensions and the weight of the pallet. In essence, you have created a new pallet load. Therefore, Cape Pack does not know if your new pallet load will fit the truck. You will need to rerun **Show my Truck** from the **Truck** menu.



Then use **File, Save Current Load and Exit** to bring your new truck into the Multi-Viewer Graphics.




Sharing Data


The first thing you must decide on is the layout and set-up of the screen report and printout, i.e., the type and quantity of diagrams you want to show. You know that the production floor workers like to see the corner and side views of the pallet load. It is not necessary to see the contents of the secondary package, so you do not want to show this on the report. However, you also want to show the truck. Thus, you need to set up the report to show three diagrams.

Setting up the Screen

Click on the button labeled **Format Screen**.



Click on the button labeled **3**. The Multi-Viewer returns with 3 diagrams.



Setting up the Diagrams

Click on the button labeled **Format Panel**.


Highlight panel #1. In the *Diagram Type* field, make sure it is set to **48x40 (#1)**.


In the *Diagram View* field, make sure it is set to **Corner View**.

Now highlight panel #2. In the *Diagram Type* field, make sure it is set to **truck1 (#1) TRUCK**.

Finally highlight panel #3. Select **48x40 (#1)**, and in the *Diagram Type* field make sure it is set to **Side Views**.

You may also use the right-click options here to change and manipulate the views of your diagrams as well as other features of the Multi-Viewer Graphics.







Now that you have the Multi-Viewer Graphics configured with the layout and types of diagrams you want, you can manipulate the pallet load and the screen settings to show how it will look when it is ready for shipment.

Page Setup


You can use **Page Setup** under the **File** menu in the Multi-Viewer.




Or you can access it by right-clicking on a pallet load diagram on your screen.




Cape Pack has 2 standard reports to choose from: New and Classic. The default for your program is the New format. To change the report format, click on the **View** menu, and **Report Type**.



Here is the Page Setup screen for the New Report format. You will notice that there are several grayed out options. These do not apply to the New format.



Here is the Page Setup screen for the Classic Report format.




Using this option and the other tabbed screens you can set up margin sizes, the date (on/off), whether you want the top specification, user text, overhang statement, net weight shown, if you want to use a logo on the printout and the quality and color of printing.

For further details, please refer to the *Page Setup* chapter.


Adding Annotations

You can use the special Annotation feature in Print Preview to add notes to your printouts in the Classic Report format.


Select **Print Preview** from the **File** menu and then click on the **Annotation** button. You will see the following screen with a yellow annotation box available for you to type in.




You can change the color of the text, the background and the border, and you can also change the font. Now type your text.




Click on **Place at new position**. The following message box appears.



Click on **OK**. The diagrams will quickly redraw. Now hold down the **Shift** key and using the left mouse button, draw a box.




You can now move the box by clicking on it and dragging it to a new location. You can also drag the arrow pointer to highlight anything on the screen.



Printing the Graphical Report

Now that you have formatted the screen to meet your specific requirements, you can print a report. However, you would first like to add a few comments to the printout.

From the **Page Setup** screen, choose **the User Text tab**.



Click on the **Clear** button. If there was any text in the box, it is now gone.

Make sure your cursor is blinking on the first line. If it is not, click the mouse pointer there. As you are typing, you must hit **Tab** at the end of every line.

Type **This report shows how the widget can be loaded onto a pallet and into a truck more efficiently than at present. To see how our current method compares to this, see the statistical solution report printout for solution #5.**

Then click on **OK**. You are returned to the Multi-Viewer.

From the **File** menu, choose **Print Preview**. A window will come up showing you how the printout will look.


Use the scroll bars to scroll around the entire page, or use the **Zoom** controls.

If everything looks okay, click on the **Print** button.

To exit the Multi-Viewer, select **File** and **Close**.

Exporting Cape Reports

You can use the **Edit** menu to take the diagram or a full Cape report to the Windows Clipboard. Or you can use the **Export** menu to export graphics files or text/numerical information.




Conclusion

You have just used the Rectangle/Oval program in the Pallet Group. There are, however, a wide range of very important and useful features.

Data Input Features

Right Clicking Options in Data Entry

Right-clicking with your mouse on any of the data entry screens will bring up the following pop menu.




You can change any of these options by clicking on the new choice.

Using Multiple Pallet Types

Select **Input Settings** from the **Input** menu, or use the **Input Settings** button, or the right-clicking option.

Click on the **2 x Pallet** option. Your screen should now look like this.




Click on **OK**.


Notice how the tab marked **Pallet 2** has become active.

Click on the **Pallet 2** tab.

Select the **Euro1.pa4 1200 x 800** pallet style from the drop down list. Enter the *Max Height* as **50** inches and the *Max Weight* as **2000** lb. Your screen should now look like this.



Now select **Save Input Data and Calculate** from the **File** menu or use the Save icon, or the **Save/Calc.** button. The Multi-Viewer Graphics screen will appear.



On the left side of the screen (larger picture) is Pallet load #1 and on the other side (smaller picture) is Pallet Load #2. Basic information for **both loads** is shown in the Quick Report area.

You can also click on the **Summary Report** button to see a combined report, or you can click on either Pallet Load and then click on the **Solution Report** button.

Here is the Summary Report.

Summary Solution Report												
Pallet #1				Pallet #2				Pallet #3				
Sol. No.	Pat Type	# Per Load	# Per Layer	# of Layers	Pat Type	# Per Load	# Per Layer	# of Layers	Pat Type	# Per Load	# Per Layer	# of Layers
1	C	36	6	6	C	24	4	6	-	-	-	-
2	I	36	6	6	C	18	3	6	-	-	-	-
3	T	36	6	6	I	18	3	6	-	-	-	-
4	S	36	6	6	C	12	2	6	-	-	-	-
5	I	30	5	6	C	12	2	6	-	-	-	-
6	T	30	5	6	C	6	1	6	-	-	-	-
7	T	30	5	6	-	-	-	-	-	-	-	-
8	S	30	5	6	-	-	-	-	-	-	-	-
9	C	24	4	6	-	-	-	-	-	-	-	-
10	D	24	4	6	-	-	-	-	-	-	-	-


Here is the Solution Report for Pallet Load #1.

Numerical Solution Report (Pallet #1)												
Sol. No.	Pat Type	# Per Load	# Per Layer	# of Layers	D V	Cube Eff.	Area Eff.	Length Under	Length Over	Width Under	Width Over	
1	C	36	6	6	H	69.2	79.2	0.85	0.00	3.57	0.00	
2	I	36	6	6	H	69.2	79.2	0.35	0.00	4.57	0.00	
3	T	36	6	6	H	69.2	79.2	0.85	0.00	4.07	0.00	
4	S	36	6	6	H	69.2	79.2	0.57	0.00	4.07	0.00	
5	I	30	5	6	H	57.7	66.0	7.57	0.00	4.07	0.00	
6	T	30	5	6	H	57.7	66.0	7.57	0.00	4.57	0.00	
7	T	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
8	S	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
9	C	24	4	6	H	46.1	52.8	7.57	0.00	4.57	0.00	
10	D	24	4	6	H	46.1	52.8	8.07	0.00	4.07	0.00	

Activate Panel 2 in the Multi-Viewer and click on the **Solution Report** button to see the report for Pallet Load #2.

Numerical Solution Report (Pallet #2)												
Sol. No.	Pat Type	# Per Load	# Per Layer	# of Layers	D V	Cube Eff.	Area Eff.	Length Under	Length Over	Width Under	Width Over	
1	C	24	4	6	H	59.8	68.2	7.19	0.00	0.32	0.00	
2	C	18	3	6	H	44.9	51.1	0.48	0.00	7.53	0.00	
3	I	18	3	6	H	44.9	51.1	7.69	0.00	7.53	0.00	
4	C	12	2	6	H	29.9	34.1	7.19	0.00	8.03	0.00	
5	C	12	2	6	H	29.9	34.1	8.19	0.00	7.53	0.00	
6	C	6	1	6	H	15.0	17.0	15.41	0.00	8.03	0.00	

When you click on **Set-up Buttons**, the **Diagram Type** options under Format Panel show the number for each individual Pallet Load.




You must click on the pallet load you want to work before you can use the normal program features. Once you have selected a pallet load, everything will operate for that load in the normal way. Just remember that each pallet load will be numbered appropriately (Pallet Load #1, Pallet Load #2, etc.).

You can work with a maximum of **three** different pallet sizes at one time.


Floor Loading into Containers

You can use the multiple pallet feature to consider a pallet load compared to floor (or bed) loading.


To activate this feature, click on **Input, Input Settings**, and then click on the field labeled **Enable Floor Loading** in the *Analysis Type* section.




Click on **OK**, and you will see that the pallet tabs have changed.



On each of the pallet tabs, you will have an additional list to choose from. You may select either a *Pallet Base Style* or a *Truck Base Style* on each of the tabs. Here is an example of a case run both as a pallet load and floor loaded into a truck.



Here is a comparison of the pallet loads loaded into a truck, with the same case floor loaded.



Changing Package Color

Click on the panel with a case or primary pack. Now select the **Colors** menu and then choose **Change Package Color**. You will be presented with the Windows color palette.




Now select the color you want and click on **OK**. The package will change to your chosen color.

You can return to the original box color by selecting **Change to Original Colors** from the **Colors** menu.

Custom Colors for Package


Select the **Colors** menu and choose **Set Custom Colors**.




Each panel has a letter (A-F). Select a panel letter and click on **OK**. The Windows Color Palette appears.



Select a color and click on **OK**.



Change as many panel colors as you wish, then click on **OK**. Your package will appear with all the selected colors displayed.




You can return to the original red, white and blue color by selecting **Change to Original Colors** from the **Colors** menu.


Adding Graphics to Packages

Yes. Cape Pack has the unique ability to add surface graphics to your packaging components (primary and secondary packs). Normally you would need to create the special 3D Image files to use this feature. However, your program is supplied with three 3DI files for you to experiment with.


Click on the panel with the case in it. Select the **Add Graphics** menu and then select **Add 3D Graphics**. The following screen will appear.



Click on **Case.3DI**. The case will then appear with graphics images on all six of its sides.



Now click on **OK** and the case with the images will appear in the picture window on the Multi-Viewer Graphics screen.




If you do not want to use these images, you can select **Remove Graphics** from the **Add Graphics** menu.


Primary Packages in your Shipper

You can show contents of your cases or trays by using the **Fill Wizard** option on the first input screen in Pallet Group – Cases/Trays/Ovals. This powerful feature unique to Cape Pack allows you to put the actual contents (products) inside the fixed size case/tray you specify. Great for communicating results with colleagues and customers!


Select the **Fill Wizard** menu and choose **Define/Review Arrangement**.




Or you can use the right-click option.




You will see the following screen.




Select a pack type from the *Pack Type* list box.



Now enter the arrangement of the cylinders as they might be in the “real world.” We will use an arrangement of **4 x 4 x 2**.




Dividers can be added if necessary.



Select **Close**. You will then be returned to the normal input screen and your case will reappear. The contents are inside the case, but will not be displayed.


You will not see the jars again until you reach the Multi-Viewer Graphics after the program has calculated the results.



This report shows the pallet load, the top view of the pallet, the case **and** our jars. You can then use the **Format Object** feature to display the contents of the case.

Ounce to Pound Conversion Feature

Right-clicking on the weight fields in data entry brings up the following conversion chart.



Make your selection from the list and the weight field is updated automatically.

Convert Weight

You can use this feature to convert between metric and imperial weights. For example, you can enter a weight in kilos and then convert that weight to pounds, and vice versa.


Zero Package Weights

Cape Pack allows you to enter a zero (0) for package weights. Entering a zero will affect the overall load information.

Special Secondary Pack Types


No Package

This package type allows you to palletize your product/primary pack without any outer packaging. Here is an example of the same bottle analysis but with the No Package type..



None


This package type provides a similar opportunity. However, it puts a “skin” on the items on a pallet. This is because, under some circumstances, selecting **No Package** might not let you clearly differentiate the individual items on the pallet load. Here is the same example, but using the package type **None**.



If you choose **None** or **No Package** you will not be able edit your pallet pattern with the Layer Editor.


Shrink Wrap

Select **Shrink Wrap** from the *Pack Type* list box. Here are wine bottles just shrink-wrapped on the pallet.



HSC (Half Slotted Container)


Select **HSC (2,2,2)** from the *Pack Type* list box. Here are wine bottles just shrink-wrapped on the pallet.




Palletizing Cylinders or Drums

When dealing with cylinders on pallets there is an extra feature that allows you to vary the diameter, height, volume and weight. This is called **Vary Cylinder Size** and is found under the **Input Settings** screen on the **Input** menu.

To vary the dimensions and weight you need to select the **Input** menu and then choose **Input Settings**.



Click on **OK** and the input screen will then appear with these extra fields.




If you do choose to vary the dimensions, volume or weight you will **not** be able to use the **Recessed Objects Allowed** feature. The program, in this mode, only works with solid objects.


Recessed Objects

When you recess cylindrical or trapezoidal objects, the **Recess Factor** is the amount **one object sits inside another**.

Select **Input Settings** and highlight **Recessed Objects Allowed**.




Click on **OK** and the cylinder input screen appears with one extra field. In the Recess Factor field, you enter the amount of recess of the top cylinder into the next one down in the stack.



In order to recess cylinders, the top and bottom must have different diameters.


Interlocking Pallet Layers

Select the **Alternate Layers** on the **Input Settings** screen. When the program calculates, it will display the layers already alternated/interlocked.



Secondary Package Database


This feature is accessed under the Databases menu.




See the *Cape Pack Databases* chapter for more information.

Converting Product Volume to Net Weight


There is a special **Volume-to-Net-Weight Conversion...** feature on the **Tools** menu at input.



When selected, the following screen appears.



Enter a **Volume** (in cubic feet or liters) and a **Bulk Density** and click on the **Calculate** button. The net weight will be displayed.




Click on **OK** and the net weight will be automatically entered into the *Net Weight* field.

Printing Input Data

Use the **Print** or **Print Preview** options under the **File** menu at any input screen.

Overhang and Underhang

For overhang use an ordinary number such as .5" or 1". For underhang put a minus sign in front of the number. Here is an example with 1" of overhang entered.




Please be aware that if you enter 1 inch overhang for the length or width, then the program will add up to 1 inch to each side of the length or width (i.e., a total of up to 2 inches).


Calculating the Maximum Load Height

First, make sure you filled out the Secondary Pack tab and that you have selected your Pallet Base Style.

Then select the **Pre-Calculate Max. Load Height** feature from the **Tools** menu when any of the pallet tabs are active.




The following screen appears.




Simply enter the number of layers you want on the pallet and the program will calculate the load height including the pallet base height, and then automatically enter it into the *Maximum Load Height* field for you.

Using Master Pallets


Enter the secondary pack input and pallet restrictions as normal, **but choose the half pallet on the Pallet 1 tab**.



Now go the **Input** menu and choose the **Select Master Pallet Base** option.




The following window will appear.




Drop down the list box and select the pallet base style you want to use as a master pallet.

Enter in any overhang or underhang you need to consider, along with a maximum Master Pallet Load weight.




Click on **OK**.


Now select the **File** menu and the **Save Input Data and Calculate** option. Next you will see the Multi-Viewer Graphics screen displaying the cases on the quarter pallet.



Now select the **Tools** menu and the **Fill Master Pallet Base** option. You will see the following screen.



Select the **File** menu and **Save Current Load and Exit**.




You will see the two half pallets loaded onto the 48x40 US GMA pallet.

Customizing your Pallet Style List

This feature allows you to choose which pallet styles you want to appear on your list. You can also sort the list in alphanumeric order.

To access this feature, click on the **Pallet Base Style Directory** button or on the **Tools** menu and then **Pallet Base Style Directory...**



The following screen appears.

Pallet Base Style Directory

[Help](#)

Pallets are sorted by Description.

No.	Name	Description	size	Weight	Include in List
1	euro3.pa4	1200x1000x145 mm 30 kgs	1200 x 1000 x 145	30.00	<input checked="" type="checkbox"/>
2	euro2.pa4	1200x1000x145 mm 30kg	1200 x 1000 x 145	30.00	<input checked="" type="checkbox"/>
3	euro5.pa4	1200x1000x145 mm 30kgs	1200 x 1000 x 145	30.00	<input checked="" type="checkbox"/>
4	ipplogip.pa4	1200x1000x161 mm Pallet	1200 x 1000 x 161	25.00	<input checked="" type="checkbox"/>
5	euro4.pa4	1200x800x144 mm 24 kgs	1200 x 800 x 144	24.00	<input checked="" type="checkbox"/>
6	ipplog2p.pa4	1200x800x144 mm Pallet	1200 x 800 x 144	21.00	<input checked="" type="checkbox"/>
7	euroblue.pa4	1200x800x150 mm 25kgs	1200 x 800 x 150	25.00	<input checked="" type="checkbox"/>
8	euro.pa4	1200x800x150 mm 25kgs	1200 x 800 x 150	25.00	<input checked="" type="checkbox"/>
9	34106-27.pa4	123x44x4.875" 2-way	123 x 44 x 4.875	90.00	<input checked="" type="checkbox"/>
10	902-c.pa4	24x20x4.75 902-C	24 x 20 x 4.75	15.00	<input checked="" type="checkbox"/>
11	2420-4bd.pa4	24X20X4.75" 4-BOARD	24 x 20 x 4.75	15.00	<input checked="" type="checkbox"/>
12	wc27x24.pa4	27x24 2-way winged pal	27 x 24 x 5	16.00	<input checked="" type="checkbox"/>
13	27x24.pa4	27x24 Pallet	27 x 23.75 x 4	20.00	<input checked="" type="checkbox"/>
14	27x24-3.pa4	27x24 Pallet	27 x 24 x 4.5	20.00	<input checked="" type="checkbox"/>
15	27x24-2.pa4	27x24 Pallet	27 x 24 x 4	20.00	<input checked="" type="checkbox"/>
16	32x30x55.pa4	32x30x5.5" 4-way	32 x 30 x 5.5	50.00	<input checked="" type="checkbox"/>

Sort Pallets by
by Description

Find Pallet Select Pallet Style Select All Un-Select all


Pallet Thumbnails OK Cancel

To activate a pallet style, click on the *Include in List* field for that pallet. A red arrow will appear.

To deactivate a pallet style, click on the red arrow in the *Include in List* field.


To sort the pallets, click on the drop down list for *Sort Pallets by*. Select one of the 4 methods to sort by: name, description, size or weight. When you make your selection, the pallets will resort.

To search for a pallet, click on the **Find Pallet** button.



Select the criteria you want to use to sort by, then enter the information required and click on **Go**.

To view a top down view of the pallet configuration, click on the **Show Thumbnails** button. You can scroll through the pallets in the same sort order, but with a picture of each pallet.




Click on **OK** to exit the Pallet Base Style Directory utility.

Setting a Default Pallet

This feature allows you to select a default pallet base style for all new analyses. This is the pallet that will automatically appear as your base style selection when you start a new problem. You can overwrite this default simply by selecting another pallet from the list.

To select your default pallet, click on the **Tools** menu, **Set Default Pallet Base Styles** and then choose **Pallet 1, 2 or 3**. The following screen will appear.




Click on the pallet in the list that you wish to use as your default, and then click on the **Set Default** button.

Customizing Your Truck Style List

This feature allows you to choose which truck styles you want to appear on your list. You can also sort the list in alphanumeric order.

To access this feature, click on **Truck Style Directory** button or the **Tools** menu and then **Setup Truck Base Style Directory...**




To activate a truck style, click on the *Include in List* field for that pallet. A red arrow will appear.

To deactivate a truck style, click on the red arrow in the *Include in List* field.

To sort the trucks, click on the drop down list for *Sort Pallets by*. Select one of the 4 methods to sort by: name, description, size or weight. When you make your selection, the trucks will resort.

To search for a truck, click on the **Find Trucks** button.



Select the criteria you want to use to sort by, then enter the information required and click on **Go**.


To view a top down view of the truck configuration, click on the **Show Thumbnails** button. You can scroll through the trucks in the same sort order, but with a picture of each truck.

Click on **OK** to exit the Truck Base Style Directory utility.

Setting a Default Truck

This feature allows you to select a default truck style for all new analyses. This is the truck that will automatically appear as your base style selection when you start a new problem. You can overwrite this default simply by selecting another truck from the list.

To select your default truck, click on the **Tools** menu, **Set Default Truck base Style**. The following screen will appear.



Click on the truck in the list that you wish to use as your default, and then click on the **Set Default** button.

Multi-Viewer Graphics Features

Exporting to the Packaging Information Database (PID)

Select the **Databases** menu item and click on the **Packaging Information Database (PID)**, **Export Current Solution to PID** option. This will save your solution information to PID.

Please refer to the *Cape Pack Databases* chapter for more information on this feature.

Packaging Report


Click on the **Pack Report** button to generate the Packaging Report. The Packaging Report is a comprehensive, detailed report that lists all of the dimensions and statistics for your solution. It also includes information such as nesting angles (for cylinders), flat blank area (for cases) and the cubic feet measurements for your case and load.

Packaging Report					
Case Information		Style	1	# Per Load	36
# Per Layer	6	Layers	6	# Per Load	36
Dimensions (ID)	16.1250	15.1250	5.8670	Cube (OD)	0.9507
Dimensions (OD)	16.4310	15.4310	6.4790		
Net Weight	12.0000	Thickness	0.1530		
Gross Weight	13.0000	Mat. Weight	0.0000		
48x40.pa4 Information					Cube Eff. 69.2%
Pallet Dimensions	48.0000	40.0000	5.5000	Prod. Cube	34.2235
Product Dimensions	46.2930	32.8620	38.8740	Load Cube	49.3044
Load Dims.	48.0000	40.0000	44.3740		
Weights: Product	432.0000	Net	468.0000	Gross	518.0000
Pallet Weight	50.0000				


Reviewing Objects in the Load

There is a special feature in Multi-Viewer Graphics that allows you to scroll through all of the levels, from individual primary pack right through to the truck.




Click on the **View** menu and select **Review Function**.



The following screen will appear.



Use the black **Up** and **Down** arrow heads to cycle through all the packs and methods of packing.




You can also print and export individual packaging components using this feature by selecting the appropriate buttons or menu options.

Multi-Dimensional Loading


You can use the **Multi-Dimensional Analysis** (MDA) feature located under the **Tools** menu to build loads of product with different dimensions vertical to the pallet base.

To run **MDA**, you must allow more than one case dimension vertical to the pallet during input. Let's take our Widget example where all 3 case dimensions have been allowed vertical to the pallet.




Choose **Save Input Data and Calculate**. The next thing you will see is the normal Multi-Viewer Graphics screen.

From the **Tools** menu, select **Multi-Dimensional Analysis**.




Having selected the **MDA** option the program will calculate any loads with layers with different dimensions vertical mixed together.



Notice how the load has 44 cases instead of 36 when just the height dimension could be vertical.

You can set where each layer should be and even change the mixture of layers. Here is the load with some other patterns selected.

To use this feature, select the patterns from one of the three tables and click on **Default Calc**.



You can also reset the layers in any order you choose.


Multi-Dimensional Analysis can only be used when you are working with a single pallet size. It is not available if you choose two or three pallet sizes.

Pallet Maximizer


Maximizer is a type of palletizing program that offers an alternative way to load pallets, cases or trucks with a single size product. It offers a very powerful way to optimize any loading space. The normal Pallet Group of programs builds efficient layers and then calculates how many layers high can be built on the pallet using one dimension vertical.

Maximizer looks and works just as the normal pallet programs. The only difference is that it creates more complex loads and often achieves the “soldiering” effect. So, entering your data, choosing a save option and getting to the graphics is a simple task. Pallet Maximizer takes a very different approach and builds loads with any dimension vertical even on the same layer.


Once the load has been calculated, select the **Tools** menu and **Maximizer**. Your options will be calculated.



You can scroll through the solution report to find the best option for you.



Here's another example. Simply select the load you want to use and then click on **File** and **Save Current Load and Exit**. Your solution will appear in the Multi-Viewer Graphics screen, along with any other pallet load solutions you have.



The program has calculated a variety of solutions. It is now displays the graphics for the solution with the simplest pattern and the maximum amount of secondary packages per load.


All of the menus and functions in the Multi-Viewer Graphics except for layer formatting operate in the same way as they do in the normal Pallet Group programs. The **Layer Editor** is not available in Maximizer, and the **Format Load** option is grayed out.

Changing the Product Name and Product Code in graphics


This option is for those users who may have several products using the same case size. Thus, they do not have to run several Pallet Loading analyses just to change the Product Name and Product Code.

Use this feature to change the Product Name and Product Code information. You can then save the load along with all the associated graphics and reports to another file name. The feature is also available under **Opening Saved Graphics Files** (**File** menu at the Front Menu).

Select **Review Product Name/Code** from the **View** menu.



You will be presented with a window showing any existing Product Name and Product Code information.




Change this information as appropriate and click on **OK**.


Changing the Number of Decimal Places in Graphics

You can change them during data input for the Primary Pack Input screen, the Bundle Wizard and for the graphics, in the Multi-Viewer. You **cannot** change the decimal places for the fields on the input screens. These changes only affect the graphics screens and printing. They do not affect any information you want to export.

To change the number of decimal places in graphics around each object you can use the **Set Decimal Places (Dim Labels)** option under the **View** menu.




The following input screen appears.



Enter number of decimal places you require (say 2) and click on **OK**.

Changing Content of Dimension Labels

You can choose what information you want to have shown as your dimension labels around your diagrams in Multi-Viewer Graphics. Your choices are:




Load: Includes the largest dimension of the pallet or truck load.

Product: Includes the dimensions of the product on the pallet, not including the pallet itself.

Product Load Height: Includes the footprint (length and width) of the product on the pallet, but the load height including the pallet.


Dimension Labels and Outside or Inside Dimensions

You can choose whether to show your case dimension labels on your screen as either inside or outside dimensions. From the **View** menu, select **Set Secondary Pack Dimension Labels to**, and then choose either **OD** or **ID**.



Review Product Quantity


You can choose to add an inner package (primary package) count to your analysis whether or not you have used the Fill Wizard. From the **View** menu select **Review Product Quantity**.



The following screen will appear. Enter your inner package name and the quantity per case or shipper.


A screenshot of a modal dialog box titled "Product Quantity Input". It contains two input fields: one labeled "Name" with the value "Widget" and another labeled "Quantity" with the value "24". At the bottom right of the dialog are two buttons: "OK" and "Cancel".

Click **OK** and then click on **File, Print Preview** to see the results.




Dimension Labels

You can choose not to show dimension labels on your printed reports and exported diagrams and reports. Click on the **View** menu, and **Show Dimension Labels** and then choose the option you prefer.





Rotate Layers 90 degrees

When using a square pallet, you can use this option to rotate the entire load 90 degrees on the pallet.



Editing your Layer Pattern


Use the **Layer Editor** option under the **Edit** menu in Multi-Viewer Graphics.



Please see the *Exploring the Cape Pack Editors* for detailed instructions on how to use the Layer Editor.

Rotating Objects

You can click on the **Rotation** button and choose an angle at which you want the object to be drawn. For example, in order to rotate the pallet load make sure the panel with the pallet load is active and click on **Rotation**. Then select **0, 90, 18.10 or 270** degrees. We have selected **18.10** degrees.




Notice how the pallet has now changed to show the 18.10-degree view.

When you have finished setting the rotation, click on either one of the two **Format Panel** buttons.

Displaying the Case Front around the Pallet

Use the **Show Panel B around the Pallet** option under the **View** menu.




Panel B (relating to the Adding Graphics/3D Imaging) is defined as the “front panel” on any case or tray.

Show Contents

This removes three sides of the secondary pack to show the contents inside.


Click on the **Format Object** button and then **Show Content**.



Open Flaps


This option opens the top flaps of case to show the contents inside.

Click on the **Format Object** button and then **Open Flaps**.




Exporting from Print Preview

Using the **Export** button you can export a variety of graphics file formats to a directory/destination of your choice.




Right Clicking Options in Multi-Viewer Graphics


Right-clicking with your mouse in the Multi-Viewer Graphics screens brings up different options depending on what objects are active. Here is the menu for pallet loads.



Here is the menu for secondary packages.



Here is the menu for truck loads.



Arrange Group – Creating New Case Sizes

Introduction

The programs in the Arrange Group are designed to help maximize the number of fixed size primary packages loaded on a pallet. The program will arrange a number of primary packages together and then calculate a new case, which is, in turn, palletized.

The primary package **cannot vary in size**, but it can be a box, bag, bottle, cylinder, oval, blister pack or trapezoid.

You need to specify the shape and size of the primary package, whether you want the product inside the primary package, how many you want in an arrangement, and if necessary, how the primary package should be bundled in groups within the arrangement. You will need to provide some details about the type of secondary package you want to use, and you will have to specify the pallet and/or truck information.

Running an analysis for each type of object is basically the same, but the data for the primary package will be different. This tutorial will take you through an analysis for a carton.

The Problem

The following example deals with a widget in a carton and there are currently 24 cartons per case. This existing case size does not palletize as well as you would like.

You already know that for this particular case size you cannot produce a more efficient load without changing the loading restrictions. As this is not possible, you realize that your only option is **to change the size of the case**. Before you can even think of changing the case size you need to gather some information. You go to the marketing, production, warehouse and logistics departments and ask some more questions.

- stores prefer a case count of 24, although they will accept 20 per case.
- the stores to which you ship the cartons give you space for up to four facings on the shelf.
- the maximum case size that can fit through the automatic case loaders is 36 x 36 x 36 inches.
- the minimum case size that can slide over the rollers without getting stuck is 8 x 8 x 3 inches.
- you know the size and weight of each individual carton.

You know from previous experience that:

- your company wants to use the 48x40 US GMA standard pallet size.
- fork trucks can lift a maximum of 2000 pounds.
- the maximum stack height is 50 inches.
- the type of board and the material thickness being used for the shipping case is already established.
- the type of shipping case is already established.

- the product can only be loaded with the height dimension vertical to the pallet.
- trucks cannot exceed the 80,000 pound weight limit.
- your company uses a standard 40 foot truck for shipping.

You want Cape Pack to calculate a new case size based on 24 or 20 cartons per case. Therefore you decide to run the **Arrange Group** using the **Cartons/Bags/Ovals** program.


Make sure that the **Fixed** option is marked. This will load the Arrange program instead of Design.

From the first drop down *Type of Package* list in the Arrange Group section, choose **Carton**. This is the type of primary package (inner package) we will be using.


From the second drop down *Type of Package* list choose **Case**. This is the type of secondary package (shipper) we will be using.

Select **Yes** under both the Pallet and Truck sections.

Then click on the **Go** button.



Or, click on the **Programs** menu, and then select the **Arrange Group**. Now click on **Cartons/Bags/Ovals**. The first Arrange Group input screen appears with your Default Settings already filled out.




Notice how the tabs are similar to the Pallet Group. The difference is that you know the carton size and pallet restrictions, but a new case size has to be created.

Data Input


The first thing that we need to do is establish the parameters for the program. We do that with Input Settings.

Input Settings

Click on the **Input Settings** button, or you can use the **Input** menu, choose **Input Settings**, or the right-click options to activate this option.



The following screen appears.




Make sure the following items have a check mark next to them.

- **Enter OD's** as we will be using outside dimensions of the carton (primary package) for this analysis.
- **Glue Flap Allowed** so we can enter information about the glue flap of the secondary package.
- **Alternate Layers** so that the software will automatically alternate layers of the pallet load.

- **8 x Single Count** rather than **Min/Max Count** because we want to define the number of packages allowed in the case.
- **1 x Pallet**
- **Objects onto Pallet into Truck**
- **in/lb**
- **Column** patterns. Setting the Arrangement Pattern for an Interlock arrangement is explained in the chapter *Arrange Group Features*.


Your Input Settings screen should now look like this.



You can change these options any time you wish by repeating the last two steps. Click on **OK** to return to data input.

Product Name and Product Code

Click on the **Product Name/Product Code** button. The following screen appears.



Enter **Widget 1** in the *Product Name* field.

Enter **062469a** in the *Product Code* field.

Click on **OK**.

Carton Information

You know the size and weight of the carton. You are looking for 20 or 24 cartons per case.

Make sure you are on the tab marked **Carton**.


Choose **REV Tuck (3,2,4)** from the *Primary Pack Type* field. This is the type of box (reverse tuck carton) in which the widget is placed.

Choose **Carton** from the *Primary Pack Name* field. This is just a descriptive label for the primary package. You could type in **Widget** or whatever name you want.


Enter **4**, **2.5** and **5.75** in the *Length*, *Width*, and *Height* fields respectively for the *Outside Dimensions* field. Length must always be greater than width.

Choose **Height** in the dimensions allowed vertical in secondary pack.

Enter **.5** in the *Gross Weight* field. This is the weight of the widget and the carton in which it is placed. If you wanted to enter ounces here instead of pounds, you could right click on the weight fields and bring up a selection menu.




Enter **.4** in the *Net Weight* field. This is the weight of the powder itself. Your screen should now look like this.



Case Information

Click on the tab labeled **Case**.



The information on this tab is used to outline the type of case that the program will design for you. You enter in the package type and board that you want to use, the counts of primary packages that you can accept, and if necessary, the minimum and maximum case dimensions. From this information, the program will arrange your packages into new case sizes and display your options.

Using the information we had gathered earlier, we will fill in this tab.

Choose **RSC (2,2,4)** from the *Secondary Pack Type* field. This is the regular slotted container you are using. The 2, 2, 4, represents the number of material thicknesses in the length, width and height of the case. This case type is the most widely used of the standard case types in Cape Pack.

Choose **Case** from the *Secondary Pack Name* field. This is a descriptive name for the shipping case or secondary pack.


Choose **125 C-flute .153** from the *Thickness* field. This is the thickness of the secondary package material. The *lb/msf* field should fill in automatically. If it doesn't, enter **80** in this field.

Details of the size of the glue flap are an optional item that we selected on the Input Options screen. *Glue Flap* refers to the length of the glue flap for your shipping case. Enter **1.25** inches for the Glue Flap.

We will not use a partition type so leave that field as it appears.

In the *Carton per Case* field enter **20** in the first box and **24** in the second. These are the total numbers of primary packages you want within the shipping case. It is not the number of bundles.


Enter **50** in the *Maximum Weight* field. The new case cannot weigh more than this amount. Your screen should now look like this.



Case Settings


Cape Pack also allows you to set up defaults for case restrictions. These are handled using the **Case Settings** button.

Click on the **Case Settings** button and the following screen appears.



Enter the following information concerning the new case the program will calculate for you.

- *Minimum Dimensions* are an optional input. The program does not require this information to calculate the results. However, it does provide an extra filter to remove any potential case sizes that would be smaller than the specified minimum. In our example, you should enter **8, 8 and 3** in the *Length*, *Width*, and *Height* fields respectively. The new case size cannot be smaller than these dimensions.
- For *Maximum Dimensions*, **36, 36 and 15** in the *Length*, *Width*, and *Height* fields respectively. The new case size will not be larger than these dimensions.
- *Bulge* is an optional input that will not be used for this analysis. Leave these fields set at **0**.
- *Slack in I.D.* is another optional input. Slack is the amount added to each overall dimension of the case to allow extra room within the case for hands or machinery packing the contents into the case. Enter **.125** in each of the slack fields.
- Make sure the **Height** box is marked in the *Dim. Vert. to Pallet* field. The case can only be loaded in an upright fashion.
- *Fit Case to Max size* is a new option in Cape Pack. If selected you can enter the dimensions of an existing case in the *Maximum Dimensions* fields, and the program will force the OD to that size. We will not be using this feature for this analysis because we do not know the size of our case. We want Cape Pack to calculate that information for us. If you choose this option, you can also choose to center your primary packs in the case by checking that box.



Pallet Information

This procedure is exactly the same as for the Pallet Group Tutorial.

- You know from the warehouse manager that you need to use a 48x40 US GMA standard pallet and that a fork truck cannot lift more than 2000 pounds.
- The current method of shipping the cartons results in little or no damage to the product.
- You also know that the cases do not hang over the edge of the pallet. You decide you will not allow any overhang.

Click on the tab labeled **48x40**. This is our default pallet base style, and it is the pallet we will use for this analysis.


Because we are using the default pallet, you do not need to select a pallet from the drop down list.

Skip the *Maximum Overhang* field. This is any amount that a secondary package can extend over the edge of the pallet surface.


Enter **50** in the *Maximum Height* field. This is the height of the overall load including the height of the pallet base.

Enter **2000** in the *Maximum Weight* field. This is the weight of the overall load including the weight of the pallet base.


Click on the **Select Pallet Pattern Styles Screen** button and make sure all pattern types are marked, and click **OK**. Do not mark **Partial Top Layer Permitted**.



If required, you can choose options from the Additional Palletizing Input screen described in the *Pallet Group* chapter.



Your pallet tab screen should now look like this.



Now you have to define how the pallet gets arranged in the truck.

Truck Information

You know that a truck you want to use is a 40 foot truck and it cannot weigh more than 45,000 pounds.

Click on the tab labeled with a truck style.


For the *Truck Style*, choose **40' High Cube** from the drop down list. Notice how many parts of the *Truck Dimension* field are automatically filled in with the values for that item.

In the *Max. Weight* field, enter **45000** pounds.

Make sure that **Simple**, **Complex** and **Partial Top Layer Permitted Loading Patterns** are marked. These are defined as follows:

- **Simple** means the Column and Interlock loading patterns will be applied to pallet loads being placed in the truck or container.
- **Complex** means the Trilock, Spiral, Diagonal and Expanded Spiral type patterns will be used.
- **Partial Top layer Permitted** means that the program will create a partial layer of pallet loads (top layer) in the container to take full advantage of the maximum load weight you allowed. The program will continue to load pallet loads until the maximum weight is reached.

Your screen should now look like the following.



Saving Data


You want to save this data so that you can show your colleague how you reached your conclusion.

Choose **Save Input Data and Calculate** from the **File** menu, or click on the **Save/Calc.** button on any of the input screens.

You will be prompted to enter a filename and location for this problem. If you did not want to save the data, you would use the **Calculate Only** option.

Type **Widget1** in the *File name* box.

Click on **Save**. The program automatically begins calculating solutions for the problem you have defined. When the calculations have finished, you will see the Multi-Viewer Graphics screen.




The program has calculated ten solutions for you. The solutions in Arrange Group are new cases sizes. It is displaying the case size with the simplest pattern and the most primary packages per load. Notice how the layers of the load are alternated as requested during input.

Evaluating your Results

You can see diagrams of the primary package (bottom right), the secondary pack (bottom middle), the pallet layer (bottom left) and the corner view of the pallet load (top left).

Now click on the **Solution Report** button.




The default Thumbnail Solution Report opens showing you solution number 1 and the 6 pallet patterns determined for that box size.

Click on the **Solution Report** button to see the standard solutions report.

Numerical Solution Report 48x40												
Sol. No.	Carton Arrangement	Length	PP (OD) Width	Height	#/ Layer	# of Layers	# Per Case	# Per Load	Length	SP (ID) Width	Height	Type
1	5W-2L-2H	4.00	2.50	5.75*	16	3	20	960	12.6	8.1	11.5*	
2	4L-5W-1H	4.00	2.50	5.75*	8	6	20	960	16.1	12.6	5.8*	
3	6W-2L-2H	4.00	2.50	5.75*	13	3	24	936	15.1	8.1	11.5*	
4	3L-4W-2H	4.00	2.50	5.75*	12	3	24	864	12.1	10.1	11.5*	
5	8W-3L-1H	4.00	2.50	5.75*	6	6	24	864	20.1	12.1	5.8*	
6	4L-6W-1H	4.00	2.50	5.75*	6	6	24	864	16.1	15.1	5.8*	
7	12W-2L-1H	4.00	2.50	5.75*	6	6	24	864	30.1	8.1	5.8*	
8	6L-4W-1H	4.00	2.50	5.75*	6	6	24	864	24.1	10.1	5.8*	
9	5L-4W-1H	4.00	2.50	5.75*	6	6	20	720	20.1	10.1	5.8*	
10	10W-2L-1H	4.00	2.50	5.75*	6	6	20	720	25.1	8.1	5.8*	

This report tells us that Solution #1 has 960 cartons per load and that they are packed 20 to a case.

Highlight Solution #1 and double click on it.



You review the numbers in the upper right corner. You see that the area efficiency is 90.9% which is greater than the existing pallet load efficiency. You see that there are 8 secondary packages per layer and that there are 6 layers. You decide that this is the solution you will use. However, at this stage, you cannot see how the pallets will be loaded in the truck.

Comparing Statistics

You are pleased with the results of Solution # 1, but you would like to review some of the other solutions (if any are available). This can be achieved by looking at the statistics in the Solution Report and/or by viewing the solutions in a graphical mode.

To view statistics for solutions, click on the **Solution Report** button.

The screenshot shows a software window titled "Numerical Solution Report 48x40". The menu bar includes File, Edit, Thumbnails, Options, and Help. The main area is a grid table with 10 rows, each representing a solution. The columns are labeled: Sol. No., Carton Arrangement, Length, PP (OD) Width, Height, #/ Layer, # of Layers, # Per Case, # Per Load, Length, SP (ID) Width, Height, and Type. The data in the table is as follows:

Sol. No.	Carton Arrangement	Length	PP (OD) Width	Height	#/ Layer	# of Layers	# Per Case	# Per Load	Length	SP (ID) Width	Height	Type
1	5W-2L-2H	4.00	2.50	5.75*	16	3	20	960	12.6	8.1	11.5*	
2	4L-5W-1H	4.00	2.50	5.75*	8	6	20	960	16.1	12.6	5.8*	
3	6W-2L-2H	4.00	2.50	5.75*	13	3	24	936	15.1	8.1	11.5*	
4	3L-4W-2H	4.00	2.50	5.75*	12	3	24	864	12.1	10.1	11.5*	
5	8W-3L-1H	4.00	2.50	5.75*	6	6	24	864	20.1	12.1	5.8*	
6	4L-6W-1H	4.00	2.50	5.75*	6	6	24	864	16.1	15.1	5.8*	
7	12W-2L-1H	4.00	2.50	5.75*	6	6	24	864	30.1	8.1	5.8*	
8	6L-4W-1H	4.00	2.50	5.75*	6	6	24	864	24.1	10.1	5.8*	
9	5L-4W-1H	4.00	2.50	5.75*	6	6	20	720	20.1	10.1	5.8*	
10	10W-2L-1H	4.00	2.50	5.75*	6	6	20	720	25.1	8.1	5.8*	

The solutions are listed in descending order of number of primary packages per load.

The on-screen Solution Report has two columns which show the number of cases per layer and number of layers on the pallet. Due to space constraints these two columns are **not** shown in the printed Solution Report.

Printing the Solution Report

From the **File** menu of the Solution Report window, choose **Print Solution Report**. The report will be sent to the default printer. You have a choice between **Portrait** or **Landscape** printing.

Closing the Solution Report

From the **File** menu of the Solution Report window, choose **Close**. You will be returned to the Multi-Viewer Graphics.

Reviewing Graphics

Click on the right arrow button (→) on the icon bar. This brings up the next solution in the list.

Click on the left arrow button (←). This brings up the previous solution in the list.

Click on the **Jump to a Solution** arrow button. Enter a particular solution number, and click on **OK**. That solution number appears.

If a particular arrow button is gray, you are either at the first or last solution in the list.

Reviewing Different Pallet Patterns

In the Arrange Group, each new case size can be palletized using different patterns, providing you selected more than one pallet pattern type on the Pallet 1 tab.

Click on the up arrow button (↑). This brings up the next pattern in the list. Click on the down arrow button (↓). This brings up the previous pattern in the list.

To see how the same case might be palletized differently select the **RePalletize** option on the **Tools** menu. RePalletizing is easy with Cape Pack since you do not have to remember all the dimensions and specifications. This option will recalculate all the patterns available for the specific pattern type shown on the report. For example, our pattern is an Interlock. Selecting **RePalletize** will calculate all the possible Interlock patterns for this case size.


Sharing Data

Solution #1 with the Interlock pattern is better than the method you are currently using. You want to present this solution graphically to your colleague along with the statistics you printed previously. However, you want to depict how the product is packaged, how the layers will be alternated on the pallet and how the load is going to be shipped.

If the graphics for your chosen solution does not need to be modified in any way, you can print the default views from the **Print** option on the **File** menu.

Setting up your Graphics


Click on **Set-up Buttons**. The statistics in the top right Quick Report will disappear and a new set of controls will take its place.



Setting up the Screen

First, you must decide on the presentation of your report, including the type and quantity of diagrams you wish to show. Since you have repackaged the primary packages you need to show the contents of the secondary package, the case and how it is palletized. You also want to show the truck filled with your pallets. The report needs to be set up to show four diagrams.

Click on the button labeled **Format Screen**. A window like this appears.



Click on the button labeled **1**, **2a**, **2b**, **3** or **4** as required. However, we are leaving the screen set up as 4 panels, so click on the **Close** button.

Formatting the Load


Make whatever load formatting changes you want. This load is shown with horizontal corner posts, a top board and strapping.

Setting Up the Diagrams for the Report

Click on the pallet load to highlight panel #1.

Make sure the *Diagram Type* field is set to **Pallet Load**.

Make sure the *Diagram View* field is set to **Corner View**. To change the *Diagram View*, you can either use the *Diagram View* drop down list, or you can use the right-click options for the diagram.



Now activate panel #2 (bottom left).

Change this panel to a **Pallet Load** as well.


Click on the Truck menu and **Show my Truck**.

Highlight Solution number 1 on the list.

Click on the **File** menu and **Save Current Load and Exit**. This will place the truck in panel 2 in the Multi-Viewer.

Activate panel 3. Set it to show the **Case (#1)**.


Finally activate panel 4. From *Diagram Type*, select **Carton (#1)**. Your screen should now look like this.




Formatting Objects - Cases

Click on the secondary package picture and then the **Format Object** button.

Click on **Open Flaps**. Your final diagram setup should look like this.




You can also activate these features using right mouse click pop menus.




Formatting Objects – Pallets

Click on the pallet load diagram and then click on the **Format Object** button.


Now click on the **Show Wrap** box, and then right click on that same option. The following window opens:



Enter in a shrink wrap weight for the load, select a color for the wrap and choose whether or not you wish to include the pallet base.



Click **OK** and your pallet load will appear with your wrap options.




Notice how the pallet load and all the pallet loads in the truck have been shrink-wrapped. Now that you have the Multi-Viewer Graphics configured with the layout and types of diagrams you want you are ready to finalize the details for your report.

You can also activate this feature from the right-click pop menu.


Printing Graphical Reports

Now that you have formatted the pallet load you can print a report. However, you would first like to add a few comments.

Right click on the pallet load picture and select **Edit User Text**.



Choose the **User Text** tab.



Click on the **Clear** button. If there was any text in the box, it is now gone. Make sure your cursor is blinking on the first line. If it is not, click the mouse there.

Type **This report shows how the carton can be packed 20 into a case, palletized and then loaded into a truck. To see how our current method compares to this, see Solution 2 of the Pallet Group analysis.** When you are typing you must hit **Tab** at the end of every line.

When you are finished, click on **OK**. You are returned to the Multi-Viewer.


From the **File** menu, choose **Print Preview** to review your report before printing.

Use the scroll bars to scroll around the page, or use the **Zoom** controls. If everything looks okay, click on the **Print** button.

Printing Custom Reports

We have included several custom reports for use with your software. Cape Custom Reports are individually designed printouts using a Microsoft Word Template. To fill out the information boxes/spaces you will need to create a Microsoft Word Macro. This will populate the text, number and diagram fields of the report. You can either edit the templates, or you can create new templates and custom reports for yourself.

There is a special option on the **File** menu in Multi-Viewer Graphics called **Print Custom Report (Word)**.



See the *Printing* chapter for more information on this feature.

Saving your Graphics

Click on **File, Save Solution** to save your graphics in your load file. These graphics can be recalled later from the Front Menu using **File, Open Viewer/Open Saved Graphics**.

Uploading to the Cape Pack cloud database

Click on the cloud icon in the tool bar to upload your report to the Cape Pack cloud database and create reports to share on that website.

The screenshot shows the Cape Pack software interface. At the top, there's a toolbar with various icons and a search bar. Below the toolbar is a header with the 'Cape Pack' logo and user information. The main area is titled 'REPORT BUILDER' and contains three main sections: 'DATA TEMPLATES', 'GRAPHICS LAYOUT', and 'REPORT PREVIEW'. The 'REPORT PREVIEW' section displays a table of data for 'Widget1a' on '17 Sep 2016'. The table includes columns for Product Name, Product Code, Weight, and dimensions like Length, Width, Height, Net Weight, Gross Weight, and Volume. There are also sections for 'SHARE REPORT' and 'Save Current Report As PDF'. Below the preview are two 3D visualizations of packing configurations.

The Help link on the website gives a full description of this powerful feature as well as complete instructions.

Other Arrange Group Features


Most of the menu items and features in Arrange are the same as in the Pallet Group of programs. However, there are a number of additional features that are specific to the Arrange programs that allow you to enhance or improve your results.

Data Input Options

Interlocking Patterns Inside the Case


Cape Pack offers a unique way to quickly find out if an interlocking pattern will achieve more items per case and/or more items per pallet.

Sometimes a specific carton size and case count using the standard row/column packing method will not generate a suitable case size and efficient pallet load. If alternative case counts will not improve the situation, then try the “interlocking” method of packing. Here is an example with the normal row/column packing method with a case count range of 5 to 30. Our row column load achieves 450 cartons per load.




Now let's run this example using the Interlock Arrangement Pattern option.

Click on **Input Settings**.




You will notice, in the bottom right-hand corner that the *Arrangement Pattern* is currently set for **Column** patterns.

Click on **Interlock** and to choose a **Minimum Fit Percentage**. That is the only change we need to make.




This fill efficiency percentage is required because some interlocking patterns may have small gaps in between the items. So if the fill efficiency was set at 100%, only patterns without any gaps could be found. We recommend that you set this figure to approximately 80%

All we need to do now is select **Save Input Data & Calculate** from the **File** menu. Here are the results.




Inverted Cylinders and Trapezoids


You can now calculate inverted tapered cylinders and trapezoids inside cartons in the arrange group. Simply select **Inverted** as your *Arrangement Pattern* under **Input Settings**.




Then enter your dimensions for your default trapezoid or cylinder.



Then calculate as normal. Here is your result.




Here is an example of trapezoids.




Blister Packs

You have the ability to design, show and calculate blister type packages within the Arrange Group in Cape Pack.


Select the blister type you want to use from the *Select Pack Type* list and enter your dimensions.




Then calculate as normal. The following is an example of nested blisters. This will be the default if there is room to flip or alternate the packages so they nest together.



And here is an example of straight blisters. If you don't want your blisters to automatically alternate, check the Do Not Nest field on the data input screen.




This will be the default if there is not room enough on the blister pack to alternate the packages.




Blister Pack Wizard

We have added a new **Make a New Shape** feature for Blister Packs as well.


Enter your starting dimensions.




Click **OK** to see the default shape on the screen.



Then adjust the placement of the card back and also the blister (or bubble) part of the package.



If offset will not be possible, you will see the following prompt when you save.




Save your shape and it will appear in your list of options.

Minimum/Maximum Case Count

Arrange has **two** modes for entering case counts.

- **Eight** individual case counts, and
- **Min/Max SP Count** which is available on the **Input Settings** screen from the **Input** menu




Choosing a wide range between the min/max case counts means the program will look at all those numbers, including some “odd” numbers/arrangements, and may increase the calculation time.

Round to nearest 1/16th inch (IDs)

Select this field if you wish to have the program round the inside dimensions of your case up to the nearest 1/16th of an inch. This option is not available for metric.


Showing Product Inside the Primary Pack

Often users want to show their product inside the primary package (i.e., a light bulb in a chipboard carton). They then want to package the carton into a case (or into bundles and then into a case), and then palletize the cases. There is a special **Product Allowed** feature on the **Input Settings** screen to allow this.




Two new fields open up *Product Type* and *Product Name*.


In the *Product Type* field, you can select a Cape default shape or any product you have designed in the Make a new Shape feature.



Here is the Multi-Viewer Graphics screen after the analysis has been calculated.




You can also use the **Show Content** option to display the product inside the carton.



Fixed Case size in Arrange and Design Group

We have added an option for you to fix your case size (outside dimensions) to the maximum allowed case size in Arrange and Design Group. Click on the **Case Settings** button to select this feature.



If you select this option, you can also select the option to center your primary packages inside the case.


Analyses with No Outer Packaging

The program is provided with a special package types called **No Package** and **None**. Examples of these package types can be seen in the *Pallet Group Features* chapter.


Bundling Your Primary Packs

Cape Pack has a unique Bundle Wizard for this purpose.

At the Primary Pack input screen select the **Bundle** menu, choose **Define/Review Bundle Input**.




Or you can use the right click option. You will see the following screen.




This screen allows you to see the bundle arrangements as you create them. You can create up to eight different Bundle Arrangements.


Enter **8 x 1 x 1** in the *Bundle Arrangement* fields.



Turn Switch Direction on to change the orientation in the bundle.




To package these cartons into a tray, choose **Tray** from the *Bundle Package* list.



You can adjust the height of the tray by using the spin-wheel at the top of the screen. You can also add dividers and change the material thicknesses for both the package and the dividers.

You can change the tray color and add a 3D Image from the appropriate menus. You can even shrink-wrap the tray.


Select the **Format** menu and click on **Show Wrap**.




Each Bundle Arrangement can be different. The Bundle Package type can be the same or different for each arrangement and the Material Thicknesses for the package and dividers can also be different. Therefore, you can consider different arrangements of the same primary package in one form of Bundle Pack, or you can look at those arrangements in different types of Bundle Pack, or you can even consider different arrangements, different Bundle Package types and Material Thicknesses, all at the same time.

Reviewing Bundle Dimensions

On the Secondary Pack tab, click on the **Bundle** menu and select **Show Primary Pack/Bundle Details**.



You will see the following screen.



This screen provides details of the Bundle Arrangements you specified in the Bundle Wizard. Having this information can help you to determine the Min/Max case sizes needed as input at the bottom of the Secondary Pack screen.

Changing Package Color

Select the **Colors** menu and then **Change Package Color**. A color palette will appear.




Select the color you require and click on **OK**. The package will then change to your selected color.

If you wish to return to the original colors select **Change to Original Colors**, from the **Colors** menu.

Alternatively, you can use the **Set Custom Colors** option to change the color of each individual panel.


Changing Divider Color

On the case screen, simply select the **Colors** menu and chose **Change Divider Color**:



We will pick red.

Click on **OK** and the dividers will change to your chosen color:




Zero Package Weight


You can use a zero weight for the primary and secondary package weights.

Adding Extra Weight for items in the Carton

An extra weight field can be used from a setting in **Input Settings**:



This brings the extra field onto the **Input** screen:




Multi-Viewer Graphics Options

RePalletizing a Case


This option gives you the ability to review all options for a specific pallet pattern type (i.e. Interlock, Column, Spiral, etc.)

Make sure the solution for the case size you wish to evaluate is showing in the Multi-Viewer Graphics.

From the **Tools** menu choose **RePalletize**.




The **RePalletize** option calculates all the patterns available within the specified pattern group of your current solution. For example, if you are on an interlock pattern, selecting **RePalletize** will show you all the other possible interlock patterns for that case.




All the regular solution report options are available to you. These include copying, switching to the alternate report and printing. You also have the option to choose a solution in the list and bring that back to the original Arrange Group solution report.

To bring another pattern back into Multi-Viewer Graphics, select the solution you want to use. We are picking Solution #2.




Choose **File, Close** to take this new solution back to Multi-Viewer Graphics. Click **Yes** at the prompt.




When you choose to update the pattern, the pattern is temporary. If you switch to another solution and then come back to the updated solution, the pattern will revert to the original pattern that the Arrange Group calculated.

Common Secondary Pack Sizing


There is a search feature to allow you to compare like secondary package sizes when you are using more than one pallet for your analysis. Here is an example. First you set up your data to evaluate on more than one pallet criteria.



After calculate you are presented with multiple separate pallets with potentially 3 separate case sizes. Calculate and you will see the following screen.



You select **Search for Common Secondary Pack Size** from the **Tools** menu.




And the following list appears.

No.	Secondary Pack Size	PP per Load
1	10.3200 x 5.3200 x 14.6400	1488
2	10.3200 x 6.5700 x 14.6400	1620
3	10.3200 x 7.8200 x 14.6400	1584
4	10.3200 x 10.3200 x 7.6400	960
5	11.5700 x 5.3200 x 14.6400	1620
6	11.5700 x 10.3200 x 7.6400	1080
7	12.8200 x 5.3200 x 14.6400	1620
8	12.8200 x 10.3200 x 7.6400	1200
9	14.0700 x 5.3200 x 14.6400	1584
10	14.0700 x 10.3200 x 7.6400	1210
11	15.3200 x 4.0700 x 14.6400	1620
12	15.3200 x 5.3200 x 14.6400	1512
13	15.3200 x 6.5700 x 7.6400	1350
14	15.3200 x 7.8200 x 7.6400	1350
15	15.3200 x 9.0700 x 7.6400	1365

Sort Cases By: Secondary Pack Size

Open Close

Select any option and click on **Open** and that case size will appear on each of your three pallets in whatever configuration is most efficient.



Design Group – Designing New Package Sizes

Introduction

The programs in the Design Group can help you determine how to maximize the number of primary packages on the pallet, while looking at new sizes for those primary packages.

First, the program will calculate a new size for the primary packages and then arrange them. It will then calculate a case size based on that arrangement. Subsequently, the new case is palletized for shipping.

You specify the shape of the primary package, how much it can vary in size, as well as how many you want in an arrangement and, if necessary, how the primary package should be bundled in groups within the arrangement. The primary package can be a box, bag, bottle, cylinder, oval or trapezoid or any shape created in the Make a New Shape Feature. Running an analysis for each type of object is the same, but the type of data you input will be different. This tutorial will take you through an analysis for a carton.

If you have not run the *Arrange Group* example, you should do so now.

The Problem

After such a positive reaction from your colleagues regarding the results of the *Arrange Group* tutorial, you begin to think of other possibilities. What happens if you change the carton size? Would the new size mean you could distribute more of the product within the same space?

Considerations

You know from the results of the *Arrange Group* tutorial that for this particular carton size you cannot produce a more efficient load without changing loading restrictions. And you know you have set the loading restrictions appropriately.

But before you can start thinking about changing the carton size you need to gather some more information. You discuss with marketing and production the degree by which they can allow the primary pack to vary. You find that:

- you can use a slightly different size carton. However, no more than a fraction of an inch can change in either the length, width or height.
- all the other parameters must stay exactly the same as in the *Arrange Group* analysis.

You want Cape Pack to calculate a new carton size for you. After reading the *Welcome* chapter you realize you need to run the **Design Group – Cartons/Bags/Ovals** program.

You know the product shape and how much the product can vary in size. You want to look at the same arrangements as in the *Arrange* analysis and then generate a new case size that will be palletized more efficiently.


In the *Arrange/Design Group* section on the Front Menu make the following changes.

Click on **Vary**.


Choose **Carton** from the first *Type of Pack* drop down list.

Choose **Case** from the second *Type of Pack* drop down list.

Mark **Yes** for **Pallet** and **Yes** for **Truck**



Click on **Go**. The first input screen appears with your Default Settings already loaded.




The difference between the Arrange Group and Design Group is that the primary package can vary in size. To account for this difference a few fields have been added to the Primary Pack input tab. Everything else remains the same as before. You

know that secondary package and loading restrictions are not going to change. So we will open the Arrange file we already completed so that we do not have to re-enter all the same data.


From the **File** menu, choose **Open**.

Find **Widget1.clf** in the list of filenames and click to highlight it.

Click on the **OK** button to open this file. This will open our Arrange example file.



Now select the **Programs** menu and click on **Design Group, Cartons/Bags/Ovals**. The screen will change to the show the Arrange screen with nine extra fields.



The next step is to add the information about changing the size of the carton.

Evaluating Different Primary Package Sizes

You have learned from marketing and production that the carton size can change slightly, but that the weight needs to stay the same. You can now define the carton and the variances you will allow.

For *Dimensional Variance (+)*, enter **.25**, **.25** and **.5** in the *Length*, *Width*, and *Height* fields respectively. This is the additional amount up to which a particular dimension can be in size. So our carton will not be larger than 4.25 x 2.75 x 6.25 inches.


For *Dimensional Variance (-)*, enter **.25**, **.25**, and **.5** in the *Length*, *Width*, and *Height* fields respectively. This is the decreased amount to which a particular dimension can be in size. So our carton will not be smaller than 3.75 x 2.25 x 5.25 inches.

For *Dimensional Increment*, enter **.0625**, **.0625** and **0** in the *Length*, *Width*, and *Height* fields respectively. This is the quantity in which the program will add or subtract from the values in the range, in order to create a new size for the primary pack. Remember, the values in the range have been determined by the variance. Because we have not entered an increment in the *Height* field, the height will remain constant.


If you want to vary the volume of your product as the size varies, you can select this option from the **Input** menu. Do not vary the volume or the weight with the volume. For this tutorial we are working with a fixed volume analysis.



The program is restricted to forty increments. Therefore, you cannot specify a 2.5 inch plus and 2.5 inch minus variance with a .0625 inch increment. This would create a total of at least 80 increments (+40 and -40).

Your screen should now look like this.



The rest of your input screens remain unchanged and should look like this.





Saving Data


You have now entered all the information Cape Pack needs to calculate solutions. Every other piece of information stays the same as in the Arrange analysis. All we are doing is varying the size of the carton within all of our specified parameters.

Choose **Save Input Data and Calculate** from the **File** menu, or click on the **Save/Calc.** button on any of the input screens.

The program automatically begins calculating solutions. When it is finished, you will see the Multi-Viewer Graphics screen.


Evaluating Results

The program has calculated a variety of solutions. It is displaying the solution with the simplest pattern and the most primary packages per load.



You see diagrams of the primary package (bottom right), the secondary pack (bottom middle), the layer on a pallet (bottom left) and a corner view of the pallet load. You need to view your solution information so you can decide on the best pallet load.

Click on the **Solution Report** button which will display the Thumbnail report. This report shows you the different pallet patterns for the first solution in the list.



Then the **Solution Report** button on the Thumbnail report.

Numerical Solution Report 48x40

Sol. No.	Carton Arrangement	Length	PP (OD) Width	Height	#/ Layer	# of Layers	# Per Case	# Per Load	Length	SP (ID) Width	Height	Type
1	8W-3L-1H	4.25	2.44	5.55*	7	7	24	1176	19.6	12.9	5.6*	
2	8W-3L-1H	4.19	2.44	5.63*	7	7	24	1176	19.6	12.7	5.6*	
3	8W-3L-1H	4.25	2.38	5.70*	7	7	24	1176	19.1	12.9	5.7*	
4	8W-3L-1H	4.13	2.44	5.72*	7	7	24	1176	19.6	12.5	5.7*	
5	5L-4W-1H	3.88	2.69	5.52*	8	7	20	1120	19.5	10.9	5.5*	
6	5L-4W-1H	3.75	2.75	5.58*	8	7	20	1120	18.9	11.1	5.6*	
7	5L-4W-1H	3.81	2.69	5.61*	8	7	20	1120	19.2	10.9	5.6*	
8	5L-4W-1H	3.88	2.63	5.65*	8	7	20	1120	19.5	10.6	5.7*	
9	5L-4W-1H	4.25	2.38	5.70*	8	7	20	1120	21.4	9.6	5.7*	
10	5L-4W-1H	3.75	2.69	5.71*	8	7	20	1120	18.9	10.9	5.7*	

If you check the Solution Report you will find that this solution achieves 1176 cartons per load, compared to the 960 cartons per load found in the Arrange Tutorial.

The new carton size has changed marginally, from 4.00 x 2.5 x 5.75 inches to 4.25 x 2.4375 x 5.5505 inches. A very small size change to achieve an extra 216 cartons (or +22.5%) per pallet.

Reviewing Graphics

You are very pleased with the outcome shown in solution #1 but you might want to look at other solutions and patterns.

Click on the right arrow button (→) on the icon bar. This brings up the next solution in the list.

Click on the left arrow button (←). This brings up the previous solution in the list.

Click on the **Jump to a Solution** arrow button. Enter a particular solution number, and click on **OK**. That solution number appears. If a particular arrow button is grayed out, you are at the first or last solution in the list. Click on the opposite button or the **Jump to a Solution** button to switch solutions.

Viewing other Pallet Patterns

In the Design Group program, each new case size can be palletized using different patterns, providing you selected more than one pallet pattern type on the first pallet tab.

Click on the up arrow button (↑). This brings up the next pattern in the list. Click on the down arrow button (↓). This brings up the previous pattern in the list.

You can run the case size through the **RePalletize** feature under the **Tools** menu. This is easy with Cape Pack because you do not have to remember all the dimensions and specifications. For more information, see the *Other Arrange Group Features* file in the Documentation folder on your Application CD.

Comparing Statistics

After reviewing some of the graphics solutions, you decide you want to compare the actual statistics. You find it is hard to remember all the data when switching between solutions.

Click on the **Solution Report** button.

Numerical Solution Report 48x40													
Sol. No.	Carton Arrangement	Length	PP (OD) Width	Height	#/ Layer	# of Layers	# Per Case	# Per Load	Length	SP (ID) Width	Height	Type	
1	8W-3L-1H	4.25	2.44	5.55*	7	7	24	1176	19.6	12.9	5.6*		
2	8W-3L-1H	4.19	2.44	5.63*	7	7	24	1176	19.6	12.7	5.6*		
3	8W-3L-1H	4.25	2.38	5.70*	7	7	24	1176	19.1	12.9	5.7*		
4	8W-3L-1H	4.13	2.44	5.72*	7	7	24	1176	19.6	12.5	5.7*		
5	5L-4W-1H	3.88	2.69	5.52*	8	7	20	1120	19.5	10.9	5.5*		
6	5L-4W-1H	3.75	2.75	5.58*	8	7	20	1120	18.9	11.1	5.6*		
7	5L-4W-1H	3.81	2.69	5.61*	8	7	20	1120	19.2	10.9	5.6*		
8	5L-4W-1H	3.88	2.63	5.65*	8	7	20	1120	19.5	10.6	5.7*		
9	5L-4W-1H	4.25	2.38	5.70*	8	7	20	1120	21.4	9.6	5.7*		
10	5L-4W-1H	3.75	2.69	5.71*	8	7	20	1120	18.9	10.9	5.7*		

The solutions are listed in descending order of number of primary packages per load. You see in the list that the top solution contains 1176 cartons per load. You could scroll through the list evaluating the different primary package configurations within the secondary package, as well as the size of the secondary package. However, you are only really interested in Solution #1 with its extra 216 cartons per load.

The on-screen Solution Report has two columns which show the number of items per layer and number of layers on the pallet. Due to space constraints, these two columns are not shown in the printed Solution Report.

After evaluating the statistical data you see that solution #1 shows the least amount of size change for the primary package. The following table outlines the differences.

	Before	After	Difference
Primary (L)	4.00	4.25	.25
Primary (W)	2.5	2.4375	-.0625
Primary (H)	5.75	5.5505	-.1995

After outlining the differences and seeing that the pattern is an interlocking style, which is what you have been using, you decide to draw up a preliminary proposal. You want to print the statistics and a graphical representation of the primary package and the pallet load.

Sharing Data

All of the same printing, exporting, and uploading options that were available in the Arrange Group are also available in the Design Group.

Folding Carton Arrange (FCA) Programs

Folded Carton Arrangement (FCA) Programs

There are two Folding Carton Arrangement programs in the Arrange Group of programs. Each of these programs is designed to alternate either individual collapsed cartons or bundles of collapsed cartons, then place them into the case, then onto a pallet and into a truck. The philosophy behind this program is that often our folded cartons do not lay flat, but will have one end thicker than the other. For example, a standard carrier may have 2 thicknesses of paperboard on the handle end and 6 or more thicknesses on the bottom end of the carrier. So to maximize the space in the carton, the program alternates, or flips them in the case, just as the manufacturer would in real life. The diagram on the input screen shows a standard tuck-top box, but any folded carton style could be entered. However, the picture on the screen will be rectangular when calculated.

There are two modules for new case sizes and three modules for existing case sizes. These are the options.


- New Cases Sizes, Nested Cartons in Bundles: This program will develop new cases sizes for you by examining your bundle count range, and alternating every other carton in the bundle. So instead of having a bundle with one end larger than the other, your bundle size will be an even thickness. The program then takes these bundles and loads them into case configurations in a row/column pattern based on the maximum size you have allowed for your case. Then it palletizes your cases for you. The best solution will be the bundle count and case size that gets the most cartons on the pallet load.
- New Cases Sizes, Nested Bundles in Cases: This program will develop new cases sizes for you by examining your bundle count range, creating bundles of each count, and then alternating every other bundle in the case. So if your bundle has 2 different thicknesses, one end of the bundle will be larger than the other and all cartons will be facing the same direction. The program loads the bundles in the case, alternating each bundle, in a row/column pattern based on the maximum size you have allowed for your case. Then it palletizes your cases for you. The best solution will be the bundle count and case size that gets the most cartons on the pallet load.
- Fixed Case Sizes, Nested Cartons in Bundles (All Patterns): This program uses the Casefill procedure of filling cases in a current database, using all the pattern types available. It still creates bundles of alternated cartons, but then arranges those bundles in Column, Interlock, Trilock, Spiral, Diagonal and Expanded Spiral patterns within existing cases to see if there is a case that will work. The program palletizes the cases that are acceptable solutions.
- Fixed Case Sizes, Nested Cartons in Bundles (Row/Column): This program uses the Casefill procedure of filling cases in a current database, but uses only Row/Column bundle arrangements. It creates bundles of alternated cartons, and then arranges those bundles in existing cases in the Row/Column pattern. The program palletizes the cases that are acceptable solutions.
- Fixed Cases Sizes, Nested Bundles in Cases (Row/Column) : This program uses the Casefill procedure of filling cases in a current database, but uses only Row/Column bundle arrangements. It creates bundles of cartons, all facing the same direction in a bundle, and then arranges those bundles in existing cases in the Row/Column pattern. The program palletizes the cases that are acceptable solutions.

Provided in this chapter will be a tutorial for the New Case Sizes, Nested Bundles in Cases and also the Fixed Case Sizes, Nested Bundles in Cases (Row/Column). The other programs are similar in nature and only the calculation of the bundle size will vary.


New Case Sizes

The first analysis we are going to run is going to help us find a new case size for our cartons. We want the program to build bundles of 20-25 cartons and then alternate every other bundle within the case.


From the Folding Carton Arrange Group, select the module you want to run, the case type you want to use and then turn pallets and trucks both on. Click on **Go** to launch the program.



Or you can launch the program from the Programs menu.



The screen will load with default settings and look like the following.




For our flat carton dimensions, we will enter the dimensions of the unit flat – not as it would be when erect. Length will always be the longer of Length and Width. Enter **10.25** for the *Length* and **6.875** for the *Width*.

For the *Thickness* fields, if your carton is symmetrical, enter the same thickness for both fields. If your carton is asymmetrical, enter the thickness of one end in the first field and the other end in the second field. When calculating, the program will alternate the bundles to minimize space required. So for example, if you have thicknesses of 3" and 5", the total thickness for 2 bundles on each end would be 8": 3" from the first bundle and 5" from the second. Enter **.10** for *Thickness 1* and **.25** for *Thickness 2*.

Fluff factor is added in after bundle size is determined and is expressed as a total percentage. Enter **3%**.

Enter the weight of 1 flat carton in the *Weight* field. You can right-click on this field for an ounce to decimal conversion.




Select **¾** ounces from the list. A weight of **.0469** will appear in the field.

Bundle Counts can be entered as a range or a specific count. You must enter at least 1 for the minimum bundle count. Enter **20** for the minimum and **25** for the maximum.


Enter the dimension vertical as you would like the cartons loaded into the case. The default above shows the cartons being loaded on their folded edge into the case. The normal dimension will be **Width** and that is what we will select for this analysis.

Your input screen should look like this.




For your Case tab, you can use specific counts for your boxes as shown below, or enter a minimum and maximum quantity per box. Either way, the program will calculate quantities in your bundle count groups.

We will use individual counts, so right-on your screen, and select **SP Count Type** and then **8X Single Counts**.



The following screen opens. The Case tab is the same for all the Arrange and Design Group programs, including Folding Carton Arrange.




We will allow for our cartons to stack 2-high in the case if the case size is more efficient, but we want them protected. So from the *Select Partition Type* list, select **Divides Height** as a partition type.

Select **125 E Flute** from the *Caliper* list for this partition.

Enter **200** in the first *Case Count* block, **240** in the second and **300** in the third.


Finally, in the *Enter Max Case Weight* field, enter **35**. Your screen should look like the following.



Click on the **Case Settings** button in the center of the screen.

Change your maximum case dimensions to 30 x 24 x 16.


We will not need slack because we have allowed for fluff.



Click **OK** to close this screen.


Click on the pallet tab labeled **48x40**.

Change your maximum height to **52**. Your screen should look like this.




Click on the tab labeled **53Footer**.


Change your maximum load weight to **55000**. Your screen should look like this.



Click on the **Product Name/Product Code** button and enter identifying formation for your analysis.




Click on **Save/Calc** and enter a file name. Your results will calculate and will be displayed in Multi-Viewer Graphics.



The program has calculated 13 solutions for you with 2 different bundle counts and various case counts. The first one showing is the solution where you will get the most cartons per load. The new case sizes allow for your bundles to be alternated and also allow for fluff in the case.

You can scroll to different case sizes using the left and right arrows in the tool bar, and then different pallet patterns for that case using the up and down arrows in the tool bar. Here is solution number 2, with the second pallet pattern option.




The case count for the case size and the pallet pattern both get the same 5400 per load. However this case uses bundles of 25 arranged with the width vertical in the length of the case, and the other uses bundles of 20 with the length vertical in the length of the case. Solution number 2 is probably a better solution to prevent product damage.


All the same graphic and reporting options are available in this program as in the rest of Cape Pack.

Fixed Case Sizes

The second option we will look at is for Fixed Case Sizes, with the same alternated bundle pattern. Click on the **Programs** menu, **Folding Carton Arrange (FCA)**, **Fixed Case Sizes**, **Nested Bundles in Cases (Row/Column)**.



The following screen will appear.



This option calculates bundles in the same way as the New option, but for case sizing it uses the Casefill database of your existing cases and trays. You can review this database under the **Database** menu, **Database Utility**.


Database Utility (CASEFILL.MDB)

Total in Recordset = 20 1 of 20


No.	Case Name	Pack Type	Rec. No.	Length	Case (ID) Width	Height	Tray Wall Height	Unit
1	Std. RSC	Case	1	14.2500	8.7500	10.7500	-	in/lb
2	End Loader	Case	2	14.2500	10.0000	6.0000	-	in/lb
3	Case4	Case	3	15.0000	9.4000	5.6000	-	in/lb
4	Case	Case	4	16.0000	12.0000	10.0000	-	in/lb
5	Box	Case	5	19.8750	14.5000	12.8750	-	in/lb
6	Shipper	Case	6	521.0000	369.0000	559.0000	-	mm/lb
7	Case2	Case	7	23.0000	17.0000	11.0000	-	in/lb
8	Case3	Case	8	23.0000	17.0000	7.0000	-	in/lb
9	test	Case	9	16.5000	16.5000	16.5000	-	in/lb
10	case	Case	10	16.0000	8.0000	8.0000	-	in/lb
11	carton	Case	11	400.0000	300.0000	200.0000	-	mm/lb
12	Eraser Box	Case	12	7.7500	4.1250	1.6250	-	in/lb
13	case	Case	13	16.0000	12.0000	10.0000	-	in/lb
14	case2	Case	14	15.5000	14.5000	13.5000	-	in/lb
15	case3	Case	15	15.0000	14.0000	13.0000	-	in/lb
16	case4	Case	16	10.0000	10.0000	10.0000	-	in/lb
17	-----	Case	17	0.0000	0.0000	0.0000	-	in/lb

Buttons: Close, Delete, Edit, Add, Select All

The FCA tab info is the same as for the New Cases program except for the **Min Slack in ID** button.




Click on the button and you will see this data entry screen where you can enter required slack in any dimension of the case.




Instead of the Case tab for creating new cases, we have the Fill Restrictions tab. This tab is for defining how you want the program to evaluate the cases in your database when filling them with your bundles of cartons.


We will use the same case counts as the New program and the same *Maximum Weight*.

Select the dimension vertical to the pallet you want to use. We will use **Height**, which is flaps up on the case and is general the loading default for cartons. Your tab should look like this.



Our pallet and truck tabs will also remain the same as the New program.






Click on **Save/Calc** and you if you are asked for a database, select one to use.

Enter a file name and calculate your solutions.

The Multi-Viewer Graphics will appear with your solutions.



The program displays the case in your database that achieves the most primary packages per load. Unlike the Casefill program, the Folding Carton program automatically calculates a pallet load for you with that case.


Your solution report will list only those cases in your database that achieve your goals.

Sol. No.	Rec. No.	Case Name	Length	Bundle Width	Height	# / Layer	# of Layers	Bundle / SP	# Per Bundle	# Per SP	PP / Load	L
1	10	case	7.00	4.00	3.13	15	5	12	25	300	22500	
2	10	case	7.00	4.00	3.13	15	5	12	25	300	22500	
3	3	Case4	7.00	4.00	3.13	12	7	8	25	200	16800	
4	1	Std. RSC	7.00	4.00	3.13	13	4	12	25	300	15600	
5	1	Std. RSC	7.00	4.00	3.13	13	4	12	25	300	15600	
6	10	case	7.00	4.00	3.13	15	5	8	25	200	15000	
7	10	case	7.00	4.00	3.13	15	5	8	25	200	15000	
8	2	End Loader	7.00	4.00	3.13	11	6	8	25	200	13200	
9	16	case4	7.00	4.00	3.13	16	4	8	25	200	12800	
10	4	Case	7.00	4.00	3.13	10	4	12	25	300	12000	


Folding Carton Arrange

Case Cube Utilization

To see the amount of internal case space that was used for your cartons, look at the quick report for Case Cube. This works like pallet load cube efficiency, except that it deals with the available space in the shipper or case.



Because this program uses a database of existing case sizes and styles, it is important to know how efficiently those cases are being used. In this case the first solution is 85.4% cube efficient. Here is the second solution.



Compare the two results. The first solution is 85.4% cube efficient. The second solution has decreased to 76.9%.

KDF Group – Knocked Down Flat Cartons

Introduction


KDF stands for Knocked Down Flat. It refers to a flat-glued corrugated case. That is, a corrugated flatblank that has been folded and glued. These programs are provided for designers and estimators, in corrugated companies, to establish the best number of flat-glued cases (KDF's) per bundle, the optimum number of bundles onto a pallet or bale, and the maximum number of pallets into a truck.

There are four KDF programs:


- **Flatblank** to bundles of the KDF's on a pallet. You enter the size of the flatblank (corrugated sheet) and select a formula. The program automatically converts the flatblank to a KDF. You enter the min/max number of KDF's per bundle and the program creates the bundle size. You choose a pallet and truck type and the program does the rest.
- **Made-up Case** to bundles of the KDF's on a pallet. You enter the size of the Made-up Case (an erected corrugated case) and select a formula. The program automatically converts the Made-up Case dimensions back to a KDF. You enter the min/max number of KDF's per bundle and the program creates the bundle size. You choose a pallet and truck type and the program does the rest.
- **Bale FlatBlank** is the same basic program as Flatblank but it loads the KDFs into bales and then directly into trucks rather than using pallets.
- **Bale Made-up Case** is the same basic program as Made-up Case but it loads the KDFs into bales and then directly into trucks rather than using pallets.

Starting the KDF Programs

On the **Programs** menu select **KDF** and the type of package you want to work with (i.e. **Flatblank** or **Made-up Case**).




Or you can setup your Front Menu in Cape Pack to always show the KDF Group wherever you choose to have it appear.



Selecting this option from the Front Menu replaces the bottom section of the screen with a KDF section.

Whichever way you choose to start the KDF program you will arrive at the first input screen with your Default Settings already filled out.




These settings are previously loaded data input figures that have been saved as your Default Settings. So, in our analysis we can simply change the figures, to suit our product information, and then save our data to a new file name. That way the

Default Settings will remain unchanged and our new filename, containing all the data we use for this analysis, will be saved for future reference.


Modifying Formulas

By clicking on the **Add/Edit Formula** button on the first input screen. Here is the screen in the Flatblank program.



The formula is the length of the Flatblank multiplied by a number (usually less than 1), the width multiplied by a number (normally 1) and the height multiplied by the number of material thicknesses in the final KDF/Flat-Glued Case (normally 2 or 3).

Here is the screen in the **Made-up Case** program.



This formula creates the length of the KDF/Flat-Glued case by adding the length of the Made-up case plus allowances to the width of the case plus allowances. The width of the KDF is generated from a combination of the height of the case plus allowances added to the width of the case plus any allowances. The height of the KDF is created by multiplying the material thickness of the corrugated material by the number of material thicknesses in the final KDF (usually 2 or 3).

The number of fields in the formulas is fixed. But you can vary content according to the case style, the material specification and the allowances you need to consider for each case/material type. And, you can add as many formulas as you need.

Editing Formulas

Select the formula you want to change, in the list, and click on the **Edit** button. Make your changes and click on **Update**.


Adding Formulas

Select the formula you want to change, in the list, and click on the **Add** button. Make your changes and click on **Update**.


Running a Flatblank Analysis

In this analysis we will start with a specified size for a flatblank, select a formula and specify the min/max number of KDF's per bundle. We will choose a 48x40 GMA pallet and a 40 foot truck. We will then let the program determine the best number of KDF's per bundle, per pallet and per truck.

Using the methods described earlier, launch the KDF Flatblank program. You will see the first Input screen with the Default Settings already filled out.



Click on the **Input Settings** button or use the right mouse click feature to activate your Input Settings.




Here you have several additional options for your analysis:

- **Bulge Allowed** (e.g. bundle spreads under compression on the pallet)
- **Add. Bundle Weight Allowed** (if you want to add extra weight for straps etc)
- **Alternate Layers**
- **Height Factor Allowed** (if you need to use a fluff factor, or compress or expand the height of the bundle). You can add the Height Factor as either a fixed quantity (i.e., 1") or a percentage.


We will not be using any of these features in our first analysis.

On the right side of the screen we need to choose the appropriate settings for our problem. We are putting our bundles on to a single pallet size and then we want to load those pallets into a truck. So make sure the settings are as follows:

- Select **1 x Pallet**.
- Select **Objects onto Pallet into Truck**.
- Under **Units of Measure**, select **in/lb**.



Click on **OK** at the bottom of the screen and you will returned to the first input screen.



You have to change the size and weight of the flatblank, pick a material thickness, select an appropriate formula, choose a min/max number per bundle and the program updates everything for you.

Starting at the top of the screen, change the **Flat Length** to **57.25**, and the **Flat Width** to **22.25**.

From the **Flat Thickness** list, select **200 C Flute 42-26-42**.


Change the **Flat Weight** to **.625**. This the weight of 1 flat carton.

Click on the *Select Formula* list box and select **Glue joint = 1"**.

Notice how the KDF dimensions and Bundle dimensions have been updated to reflect your input.

Now change the *Bundle Counts*. Make your **Minimum 25** and your **Maximum 50**.


Make sure **Height** is selected for Bundle Dimension Vertical On Pallet.



See how the picture of the bundle and how the height and weight of the bundle also changes as you increase/decrease the number of KDF's per bundle.

Adding Straps to the Bundle

Click on the **Add Straps** button at the bottom of the screen.




In the Vertical Strapping section, enter **1** for the number of straps **Across the Length** of the bundle.


Enter **1** for the number of straps **Across the Width** of the bundle.

Enter **5** for the **Width** of the straps This figure is expressed as percentage of the bundle size so 5 should be sufficient.

In the Horizontal Strapping section, leave the strapping Across Height set to 0.




Now click on **OK** and you will be returned to the input screen. The picture of the bundle now shows yellow straps on it: Your screen should look like the following.



Pallet Information for Flatblanks


Click on the tab heading with the name **48x40** and you will see the following screen.



If you want to change to a different pallet, click on the *Select Pallet Base Style* list and select the pallet you prefer. Or you can use the **Pallet Base Style Directory** button or the **Pallet Thumbnails** button for your selection.

We will not be considering overhang for this load, however quite often overhang is permitted on loads of flat glued cases. This is because of the construction of the load, very little damage will usually result if the load has overhang.


Change the *Max. Height* to **50**, and the *Max. Weight* to **2000**. Your screen should look like this.



Truck Information for Flatblanks

Click on the tab marked **53footer**. We will not be changing the truck style for this analysis.

Enter a *Max. Weight* of **80000**. Your screen should look like this.




Saving Flatblank Data

Next we need to save our input data and calculate solutions. We have changed those settings and now we need to save our data to a filename we can recognize.

If you want to save the current input data to become your new Default Settings, click on the **File** menu and then **Save My Default Settings**.

To save your data and calculate solutions, choose **Save As Input Data & Calculate** from the **File** menu, or click on the **Save/Calc.** button at the bottom of the screen.


Enter a filename of your choice, in the **Save As** dialog box, and click on **Save**. The next thing you will see is the Multi-Viewer Graphics screen with Solution # 1 displayed.



You can see the full pallet load in the top left hand corner, a single pallet layer in the bottom left hand corner, a bundle (with the straps on it) in the middle and a single flatblank in the bottom right hand corner.

Reviewing Solution Statistics

You can review the different solutions with their pallet patterns by clicking on the Solution Report button on the right side of the screen.




By using the arrows on this screen to you can scroll to different solutions, which represent different **bundle counts**. Each solution will have between 1 and 6 different pallet patterns to choose from.

There is also a report that displays all the available solution statistical information.

Click on the **Solution Report** button at the bottom of this screen.

Numerical Solution Report (Pallet #1)											
Sol. No.	KDF Arrangement	Length	PP (OD) Width	Height	#/ Layer	# of Layers	# Per Bundle	# Per Load	Length	SP (OD) Width	Height
1	1L-1W-46H	28.13	22.25	0.32*	2	3	46	276	28.1	22.3	14.7'
2	1L-1W-34H	28.13	22.25	0.32*	2	4	34	272	28.1	22.3	10.9'
3	1L-1W-27H	28.13	22.25	0.32*	2	5	27	270	28.1	22.3	8.6'
4	1L-1W-45H	28.13	22.25	0.32*	2	3	45	270	28.1	22.3	14.4'
5	1L-1W-33H	28.13	22.25	0.32*	2	4	33	264	28.1	22.3	10.6'
6	1L-1W-44H	28.13	22.25	0.32*	2	3	44	264	28.1	22.3	14.1'
7	1L-1W-26H	28.13	22.25	0.32*	2	5	26	260	28.1	22.3	8.3'
8	1L-1W-43H	28.13	22.25	0.32*	2	3	43	258	28.1	22.3	13.8'
9	1L-1W-32H	28.13	22.25	0.32*	2	4	32	256	28.1	22.3	10.2'
10	1L-1W-42H	28.13	22.25	0.32*	2	3	42	252	28.1	22.3	13.4'

The best solution shown has 276 flatblanks per load in bundles of 46. However, we would prefer a bundle amount divisible by 5 so solution number 4 is better suited to our needs. Double click on solution **4** to see those graphics.




Formatting the Load

All of the normal Pallet Group formatting applies to KDF loads as well. You can add corner posts, layer pads, layer trays, straps and top caps to your load.

Click on the **Set-up Buttons** button to activate the formatting controls.


Click on the **Format Load** button in the top right hand corner of the screen and a pop-up window appears.




Add whatever formatting to you want to the load and click on **OK** to save your changes to the Multi-Viewer Graphics.

Loading the Truck

Select the **Truck** menu, and **Show My Truck**. You will see the following screen.



From the **File** menu, choose **Save Current Load and Exit** to exit the Truck Analysis Solution Report.



You can change the diagrams to suit your needs by using the **Format Panel** button or the right-click options.

Sharing your Results


You can print or export your results, or you can upload your information to the Cape Pack cloud database and produce your reports from that platform.

Product Name	KDF / Bundle	Length (in)	Width (in)	Height (in)	Net Weight	Gross Weight	Volume
KDF (D)	48	28.125	22.250	0.320	0.000 lb	0.025 lb	0.12 cuft
Bundles	270	28.125	22.250	14.400	28.125 lb	28.125 lb	5.21 cuft
(D)	6	28.125	22.250	14.400	28.125 lb	28.125 lb	5.21 cuft
Product	44.806	28.421	42.333	165.750	165.750 lb	165.750 lb	21.36 cuft
Lead	40.000	40.000	40.000	165.750	165.750 lb	220.000 lb	54.22 cuft
Overhang	-1.597	-5.785					
Product	600.000	96.000	97.708	10125.000	10125.000 lb	10321.000 lb	3206.87 cuft
Strap	600.000	96.000	102.000	10321.000	10321.000 lb	3004.00 cuft	


Running a Made-up Case Analysis

Running an analysis for a Made-up Case is similar to the previous Flatblank analysis. The only difference is that you are starting from an erected case size (not a flatblank). Therefore, you need to input the length, width and height of the case, the material weight for the case and you need to choose an appropriate formula. This will then convert the erected case to a KDF (flat-glued case). You enter the min/max number of KDF's you want in the bundle, add straps (if necessary) and the program will do the rest.

Open the **Made-up Case** program from the **KDF Group** on the **Programs** menu.



The program opens to the first input screen with the **Default Settings** displayed.



Simply enter a new figure for the length, width, and height. Select a material thickness from the drop-down list and enter the weight of your erected corrugated case.

Let's change our figures to:

Length = **13.75** inches

Width = **8.625** inches


Height = **11.5** inches

Material = **200 Doublewall (.3125)**

Weight = **1.25** lb:

Now click on the **Select Formula** drop-down list and select **Allowance = .200**.


Make sure that the bundle counts are **20** minimum and **30** maximum. Your screen should look like this.



Pallet Information for Made-Up Cases

Click on the pallet tab and select **48x40** from the drop-down list.


Enter **55** for the *Max. Height* and **2000** for the *Max. Weight*. Your screen will look like the following.



Truck Information for Made-Up Cases

Click on the Truck tab and select **40hicube** from the drop down list.

Enter **80000** for the *Max. Weight*. Your screen should look like the following.




Saving Made-Up Case Data

Next we need to save our input data and calculate solutions. We have changed those settings and now we need to save our data to a filename we can recognize.

If you want to save the current input data to become your new Default Settings, click on the **File** menu and then **Save My Default Settings**.

To save your data and calculate solutions, choose **Save Input Data & Calculate** from the **File** menu, or click on the **Save/Calc.** button at the bottom of the screen.

Enter a filename of your choice, in the **Save As** dialog box, and click on **Save**. The next thing you will see is the graphics screen with Solution # 1 displayed.




You can see the full pallet load in the top left hand corner, a single pallet layer in the bottom left hand corner, a bundle in the middle and a single flatblank in the bottom right hand corner.

You have all the same formatting options as the KDF Flatblank program described earlier.


Running a Bale Analysis

Running an analysis using Bales is basically the same as with pallets. The difference is that you enter the maximum bale size rather than choosing a pallet size from the list. Bales for flatblanks and for made-up cases are run the same way. We will demonstrate with Made-up Cases.

Open the **Bales Made-up Case** program from the **KDF Group** on the **Programs** menu.



The program opens to the first input screen with the **Default Settings** displayed.



Simply enter a new figure for the length, width, and height. Select a material thickness from the drop-down list and enter the weight of your erected corrugated case.

Let's use the same analysis as the normal Made-up Cases. Enter the following.

Length = **13.75** inches

Width = **8.625** inches


Height = **11.5** inches

Material = **200 Doublewall (.3125)**

Weight = **1.25** lb:

Now click on the **Select Formula** drop-down list and select **Allowance = .200**.

Make sure that the bundle counts are **20** minimum and **30** maximum. Your screen should look like this.




Bale Information

Click on the Bale 1 tab. **Bale Analysis** has already been selected from the *Select Pallet Base Style* list.

Enter **52** for the bale *Length* and **48** for the bale *Width*.


Enter **50** for the *Max. Height* and **2000** for the *Max. Weight*. Your screen will look like the following.



Truck Information for Bales

Click on the Truck tab and select **53footer** from the drop down list.

Enter **80000** for the *Max. Weight*. Your screen should look like the following.



Saving Bale Data


Next we need to save our input data and calculate solutions. We have changed those settings and now we need to save our data to a filename we can recognize.

If you want to save the current input data to become your new Default Settings, click on the **File** menu and then **Save My Default Settings**.

To save your data and calculate solutions, choose **Save Input Data & Calculate** from the **File** menu, or click on the **Save/Calc.** button at the bottom of the screen.

Enter a filename of your choice, in the **Save As** dialog box, and click on **Save**. The next thing you will see is the graphics screen with Solution # 1 displayed.


The program calculates the bale size, then loads them directly into the truck. Your best solution will be bundle size that best fills the container.




Display Pallet – Club Store Displays

Introduction

Display Pallet is designed to help you determine the best way to load multiple cases or trays onto a pallet. You can use standard cases, or any case or tray that you have designed in the Make a new Shape feature. You can also fill these packages with inner packs that can be bottles, bags or boxes.




You have two different loading patterns that you can use: Columns or Layers. Columns are useful when you need a load of different items that is shoppable. The layer method is useful when you need to send mixed loads, but you need to be able to stack them for shipping.



In addition, you have two different methods of loading.

- Single Palletization is for building a single pallet display with as many of the packages in the load as possible.
- Order Fulfillment is for building loads to ship all the products requested in the load, regardless of how many pallets are required for the shipment.
- In some situations, you might want to edit or modify a particular load, change the position of some of the cases or even add or delete certain items. For these situations, we have provided a series of load editors. There may be times when you might want to build a load with special requirements that fall outside the normal “column” or “layer” calculations. When optimization is less of a priority than specific requirements, you also have the option to build a load manually from scratch. To do this you can use one of the Display Pallet load editors.



Note: For further information on how to use this feature, please refer to the “Exploring the Pattern Editors” chapter of this user guide.

The Problem

Let's imagine that we are a food manufacturer and a local supermarket has just faxed an order for 2 different beverages, as well as 3 different types of snack foods. They want to have a pallet that they can place directly onto the floor of their supermarket.

Considerations


Based on previous experience, you know:

- you must use a standard pallet base size, a US GMA 48x40 inches.


- fork-lift trucks can lift a maximum of 2000 pounds.
- you must use a 40-foot truck that has a 45,000 weight limit.
- you know the dimensions and weights of the packages as well as the arrangement of items inside the package.
- each product can only be loaded with the height dimension of the case vertical to the pallet.
- the customer does not allow any overhang on the pallet.
- you know the number of each product required for the customer's order.
- you know the customer wants the products stacked in columns on the pallet to make it more "shoppable".

After reading through the *Exploring Cape Pack* chapter, you establish that you will need the **Display Pallet** program.

You can start the **Display Pallet** program from the **Programs** menu.



Display Pallet appears with your Default Settings already loaded.




Data Input

Before you start anything, you need to understand that you can either import the product details (case/tray sizes, weights, names, etc) from a Display Pallet database or you can enter the same details manually.

For example, you can start by importing the product details or entering them manually. Then deal with changing the **Input Settings**, entering a **Product Name/Code**, checking/specifying the pallet restrictions and, if necessary the truck/container information. Finally, choose the **Calc. Settings** you need. Then save your input data and get the answers. By always following the same procedure, the process will be faster and more efficient.

The first thing that you need to do is setup the parameters for you analysis. You do this through **Input Settings**.


Click on the **Input Settings** button near the bottom of the screen. Or you can use the **Input** menu and then choose **Input Settings**. The following screen appears.




Make sure the following items are marked: **Packages Per Load**, **Objects onto Pallet** and **in/lb**. If you mark Show Package Descriptions on this screen, you must enter a description for every product in your load.

Click on **OK**.

You can also use the right-click options for these settings. Right click your mouse outside of the “spreadsheet” area to reveal the popup menu.




Next we'll give the analysis a name. Click on the **Product Name/Product Code** button and a dialog box appears.




Enter **Supermarket Order** in the *Product Name* field.

Enter **201-0002** in the *Product Code* field. Your screen should now look like this.



Now click on **OK**.

Now that you have defined the problem, you need to establish what type of load you want to build. Click on the **Calc. Settings** button. The following screen will appear with a variety of calculation options for your load.



Optimization Type

This is where you decide on the type, or purpose, of your load. You have 2 options, both of which can be in either a layer or column configuration.

Single Pallet Optimization

Single Pallet Optimization will provide you with a variety of loads that will include some (or maybe all) of the products on the pallet. These loads are often used for Club Store Displays.

Order Fulfillment

This type of optimization is designed to transport products from point A to point B. The program will load all the items in your load list and use as many pallets as are required.

Algorithm Type/Parameters


These options let you decide more specifically what type of load you want and which algorithm or editor to use.

Column Algorithm

Cape Pack will build loads with only columns of boxes. The program will not allow mixed columns of product unless **Allow Mixed Columns** is marked.

Layer Algorithm

Cape Pack will build loads with layers of boxes, with the largest layer on the bottom of the load. When you select the Layer Algorithm, you will have access to 4 additional Layer Algorithm Restrictions at the bottom of the screen.



- Do Not Allow Mixed Top. This option will not allow the program to mix products on the top layer. When this is marked, the program will allow all layers to be mixed except the top layer.
- Do Not Allow Mixed Layers. This option will not allow any mixed layers in the load.
- Spread to Biggest Layer. This option will spread the upper level layers to the full footprint of the lowest layer on the load.
- Maximum Spread. This option will spread the bottom layer to the full size of the load including any overhang allowed.

Editors

There are three editors available to you for building your own loads from scratch. You can find more information about the editors in the *Exploring the Pattern Editors* chapter.

- Column Editor. Allows you to build loads with columns of boxes.

- Layer Editor. Allows you to build loads with layers of boxes.
- Mixed Load Editor. Allows you to build loads with some layers and some columns. This is hybrid type editor.


Packaging Loading Rules

These rules are established so that you can further enhance and define your loads based on specific restrictions.

No Loading Restrictions


Cape Pack will build the loads the best way it can with the algorithm selected.

Limit Column Height



This option enables you to limit the number of packages in a column. Use the **Max in Column** field on the Edit Package Screen to define the maximum height of the column for each box type. This option is not available for the Layer Algorithm.


Load Priority



This option prevents heavy objects from being placed on lighter objects. Specify your loading priority in **Load Priority** field on the Edit Package screen. The lower the number, the lower in the load the box will be placed. The higher the number, the higher the box can be placed in the load.

Make sure that **Column Algorithm** is checked.


Make sure **No Loading Restrictions** is marked. Your screen should look like this.



Click on **OK**. You are ready to start entering your data.

Packages Tab

Make sure you are on the tab labeled **Packages**. This is the tab that we will use to enter the items in our list.




Our default settings have a few cases already input and we will only be using the first one. Let's delete the other three cases.

Click on package number **2** in the list and then on the **Delete** button. You will be prompted to verify the delete.


Click on **Yes**.

Repeat this process for each of the last two cases in the list.



Package 1 – Bagged Chips in a Case

Select box number **1** in the list and then click on **Edit Package**. The package details will appear.



The size of this case is correct, but there are other items we need to change. Tab to the *Package Name* field.

Type in **Chips**. Tab to the *Weight* field.


Enter **6** pounds for the weight of the box.

Tab to the *Desired Min* field. The Supermarket manager has requested **5-8** boxes of these chips. Enter **5** in this field.


Tab to the *Absolute Max* field and enter **8** here.

Make sure under *Dimension Vertical* that only **Height** is marked.

Your screen should look like this.




You will notice that the Max. in Column and the Load Priority fields are grayed out. This is because we have not chosen to use a load restriction. To confirm this, you can click on the **Calc Settings** button to review your settings.



There are two additional options for stacking these packages. Must Not be Stacked on Base and Stacked Together. We will not be using these options for this case.

Click on the **Fill Wizard** button so we can enter our chip bag arrangement. The Fill Wizard window will open.



From the *Pack Type* list, select the **Chipbag.csf** shape.

Select **Bag** from the *Pack Name* list.


Select **Divides Length** from the *Divider/Partition List* and enter **.1** for the *Material Thickness*.

In the *Arrangement in Secondary Pack* section, enter **2** in the length (L), **4** in the width (W) and **1** in the height (H) fields.

Make sure the *Dim. Vert. in SP* is **Height**.

Last, we will color our bags. Click on the **Color** menu, and **Change Package Color**.


Select a color and click on **OK** to update your bag's appearance. Your screen should look like the following.



Click on **Close** to close the **Fill Wizard**, and then **OK** to return to the **Packages** tab. Your package list will be updated with your Chips package.

Package 2 – Boxed Crackers in a Case

Click on **Add Package** to enter the next item. The Add Package window will appear.



Select **RSC Box** from the *Package Type* list.

Enter **Crackers** in the *Package Name* field.


Enter dimensions as follows in the appropriate fields.

- Length: **12.5**
- Width: **9.875**
- Height: **13.75**
- Weight: **13**

Enter **10** in both the *Min* and *Max* fields.


Make sure only **Height** is marked for the *Dimension Vertical*.

Click on the color button and choose a color for your box that differs from the first package you entered.



Click on the **Fill Wizard** button and tab to *Arrangement in Secondary Pack*. Since this package is a carton, the defaults work fine.

In the *Arrangement in Secondary Pack* section, enter **5** in the length (L), **4** in the width (W) and **1** in the height (H) fields. Your screen should look like the following.




Click on **Close** to close the **Fill Wizard**, and then **OK** to return to the **Packages** tab.

Package 3 – Candy Pouches in a Case

For the next two packages, we will use the database and import some packages to save us time.


Click on **Import from Database**. The following screen appears.



Select **displaypallet.mdb** and then click on **Open**.

#	Package Name	Import	Package Types	Units	Length	Width
1	Std. Box	<input type="checkbox"/>	Standard Box	mm/kg	350.0000	300.
2	Case	<input type="checkbox"/>	RSC Box	mm/kg	350.0000	200.
3	Box	<input type="checkbox"/>	End Loader Box	mm/kg	450.0000	350.

Click on the **Import** column next to packages number **1** and **3**, and then click on **Import**.



Click on package number **3**, and then on **Edit Package**. The Edit Package screen will open with package number 3.

Type in **Candy** and tab to the *Label* field.

Change the box color.


Enter **3** and tab to the *Weight* field.

Enter **15** pounds for the weight of the box.

Tab to the *Desired Min* field. Enter **8** for both the *Min* and *Max* quantities.

Change the default dimension vertical to **Height** only.

Select a color different from the first two packages. Your screen should look like this.



Click on the **Fill Wizard** button so we can enter our product arrangement.


From the *Pack Type* list, select the **bites.csf** shape.

Enter **Candy** for your *Pack Name*, and then tab to the *Arrangement in Secondary Pack* section.

Enter **3** in the length (L), **4** in the width (W) and **1** in the height (H) fields.

Click on the **Color** menu, and **Change Package Color**.

Select a color and click on **OK** to update your bag's appearance. Your screen should look like the following.



Click on **Close** to close the **Fill Wizard** and then the right arrow next to the package number area (3 of 4), to move to the next package.

Package 4 – Bottles of Lemonade

Type in **16 oz.** and tab to the *Label* field.


Change your Package Color.

Enter **4** and tab to the *Weight* field.

Enter **12** pounds for the weight of the box.

Tab to the *Desired Min* field. Enter **6** for the *Min* and **8** for the *Max* quantities.

Change the default dimension vertical to **Height** only. Your screen should look like this.




Click on the **Fill Wizard** button so we can enter our product arrangement.

From the *Pack Type* list, select the **20ounce.csf** shape.

Enter **16 oz.** for your *Pack Name*, and then tab to the *Arrangement in Secondary Pack* section.

Enter **4** in the length (L), **3** in the width (W) and **1** in the height (H) fields.



Click on **Close** to close the **Fill Wizard** and then click on **OK** to return to the Packages tab.

Package 5 – Cans of Coffee

The last package is a tray that contains cans of coffee. Click on **Add Package** to add this package to the list.

Select **Tray** from the **Package Type** list, and type in **Coffee** for the **Package Name**.

Enter in 5 for the Label and tab to the dimension fields.

Enter the tray dimensions as follows:

Length = 12"

Width = 8"

Height = 8"


Weight = 13 lb.

Tab to the *Tray Wall Height* field and enter **4** for the height of the wall.

Tab to the *Desired Min* field. Enter **6** for the *Min* and **10** for the *Max* quantities.

Select a color different from the other packages

Change the default dimension vertical to **Height** only. Your screen should look like this.




Click on the **Fill Wizard** button so we can enter our product arrangement.

From the *Pack Type* list, select the **cylinder** shape.

Enter **3 lb.** for your *Pack Name*, and then tab to the *Arrangement in Secondary Pack* section.

Select a **2-way Divider/Partition** type and enter **.1** for the material thickness.

Enter **3** in the length (L), **2** in the width (W) and **1** in the height (H) fields.



Click on **Close** to close the **Fill Wizard** and then **OK** to return to the **Packages** tab. Your **Packages** tab should now look like the following.


The screenshot shows the 'Display Pallet - [Display Pallet]' window with the 'Packages' tab selected. The main area displays a table of packages:

#	Package Name	Label	Package Types	Length	Width	Height	Weight	Max	Min
1	Chips	1	Standard Box	16.0000	12.0000	10.0000	6.0000	8	
2	Crackers	2	RSC Box	12.5000	9.8750	13.7500	13.0000	10	1
3	Candy	3	Standard Box	13.7795	11.8110	9.8425	15.0000	8	
4	16 Oz.	4	End Loader Box	17.7165	13.7795	15.7480	12.0000	8	
5	Coffee	5	Tray	12.0000	8.0000	8.0000	13.0000	10	

Below the table are several buttons: 'Import from Database', 'Add Package', 'Edit Package', 'Delete', 'Input Settings', 'Product Name/Product Code', 'Calc. Settings', and 'Save/Calc.'. At the bottom, there are status indicators for 'Show Fill Wizard', '(in/lb)', '1:25 PM', 'CAPS', and 'NUM'.

Pallet Information

Click on the Pallet tab which should be labeled **48x40**.



This screen is similar to the Pallet Restrictions tab used in the Pallet, Arrange and Design programs. The two main differences are:

- The introduction of the **Center of Gravity** fields which can be activated through the **Input Settings** button. If you do not choose to enter this information, the defaults will remain in effect. You can change the default by activating the fields, entering your new data and then deactivating the fields. Finally, save as your Default Settings.
- The fact that Display Pallet only builds Column or Layer patterns.

Click on the down arrow next to *Pallet Base Style*.


For this example we will use a standard GMA pallet. From the list select **48x40 US GMA 4-Way Pallet**. Notice how the Pallet Dimensions are automatically entered for you.

Press the **Tab** key and the cursor will move to the *Maximum Overhang* fields. Leave these at **0** for this problem.

Move to the *Max Height* field under the *Maximum Load* section. Enter **50** in this field.


Hit the **Tab** key and enter **2000** for the *Max Weight* field.

Hit the **Tab** key and enter **500**. Check that your window looks like this.



Truck Information


Click on the tab labeled **53footer** which is our default truck style.



In the *Truck Style* field choose **40 ft. long – High Cube**. Notice how many parts of the *Truck Internal Dimension* field are automatically filled in with the values for your truck style.

In the *Max. Weight* field, enter **45000**.

Make sure that **Simple** and **Complex Loading Patterns** are marked. Your screen should now look like the following.



Now that you have entered all of the information about the case, the pallet and the truck you want to see the results.


Saving Data

Click on the **Save/Calc.** button on any of the input screens. The Save As dialog box appears.

Make sure you have the Private folder showing in the *Save In* field. Type **Supermart** in the *File name* box.

Click on **Save**. The program automatically begins calculating solutions and assembling the diagrams for your problem.

When the calculations are finished you will see a new window, Multi-Viewer Graphics, showing solution number 1.



The program has calculated two solutions. It now displays the graphics for the first solution in the list. You have many of the same options in Display Pallet as you do in the single product programs.

Click on **Set-up Buttons**. This will display all the controls you need for setting up and creating your diagrams. Notice how the button now shows the **Quick Report**. This is used for displaying the solution information. You can toggle between the **Quick Report** and the **Set-up Buttons** just by clicking on this button. Click on **Quick Report** to bring back the solution information.

Evaluating Results


You will be shown the corner view of the pallet, along with the side views and 2 top views. You can easily review the numbers in the upper right-hand corner. The Load Cubic Efficiency is shown as 76.2%, and the number of packages per load is 44. You can click on the **Solution Details** button to see the list of the items in the load.

Solution Details										
File Edit Help										
No.	Label	Package Name	# Per Load	Max	Items / Package	Items / Load	Min	Length	Width	
1	1	Chips	8	8	8	64	5	16.0000	12.0000	
2	2	Crackers	3	10	20	60	10	12.5000	9.8750	
3	3	Candy	4	8	12	48	8	13.7795	11.8110	
4	4	16 Oz.	8	8	12	96	6	17.7165	13.7795	
5	5	Coffee	10	10	6	60	6	12.0000	8.0000	
	Total		33	44		328	35	47.9331	39.5591	
	Load							48.0000	40.0000	

Here you can see that the maximum number of boxes for this load was 44, and this load contains 44. If you want to review other solutions to see if there is a better load, you do this through the **Solution Report**.

Comparing Statistics

Click on the **Solution Report** button.



The screenshot shows a Windows application window titled "Solution Report - Column". The menu bar includes "File", "Edit", "Options", and "Help". The main area is a table with the following data:

Sol. No.	# Per Load	Cube Eff.	Product Length	Product Width	Product Height	Product Weight	Load Length	Load Width	Load Height	Load Weight
1	33	76.4	47.9331	39.5591	41.2441	372.6880	48.0000	40.0000	46.7441	422.6

The solutions are listed in descending order of cubic efficiency. Double click on any one of these solutions to review the graphics.

Reviewing Graphics for Other Solutions

Although the results of solution number 1 appear perfectly satisfactory, you want to view other solutions.

Click on the right arrow button (→) on the menu icon bar. This brings up the next solution in the list.

Click on the left arrow button (←). This brings up the previous solution in the list.

Click on the **Jump to a Solution** arrow button. Enter a particular solution number, and click on **OK**. That solution number appears.

If a particular arrow button is gray you are at the first or last solution in the list. Click on the opposite button or the **Jump to a Solution** button to switch solutions.

The Best Solution

After analyzing the statistics and graphics you decide you like solution #1 best. It contains all of the packages we needed and has a very shoppable pallet pattern.

Formatting the Pallet Load

In order to achieve some level of stability this load requires a top cap and corner posts. Cape Pack will be able to display all this for you. We will not be adding formatting to this load, but the following section explains the process.

Adding a Top Cap

Make sure you have highlighted the panel with the **Pallet Load** and then click on the **Set-up Buttons** button.


Next click on the **Format Load** button.

Click on the button labeled **Top Cap**. New fields appear in the bottom half of the screen.

Select the **200 lb B flute** material from your list and the information for Weight Thickness and Height will be filled in automatically for you. You can overwrite any of this information as needed.

You can set your own defaults for these values and for Layer Pads/trays and Corner Post from the **Tools** menu at the top of the screen.

Click on the button labeled **Accept Values**. A top cap will be drawn on top of the load.




Notice in the spreadsheet how the height and weight in the Product Dimensions have changed from the original calculations.

Adding Corner Posts


Click on the button labeled **Corner Post**. New fields appear at the bottom of the screen.

Again select the **200 lb B-flute** from the list to fill in the required information.

Click on the button labeled **Accept Values**. Four corner posts will be drawn at the corners of the pallet extending out over the cases by the amount you entered in the *Width* field. You will see the following screen.




Click on **OK** to accept all your changes and the Multi-Viewer Graphics will return with the updated diagrams and dimensions.




Loading the Truck

From the **Truck** menu, choose **Show my Truck**, or from the **Tools** menu, choose **Truck Analysis**.




You will then see a Truck Analysis Solution Report.



From this window you can evaluate different truck solutions. In our analysis, you like solution number 1.

Click on the **File** menu and select **Save Current Load and Exit**.

Your truck diagram will be placed in the last active panel in the Multi-Viewer Graphics. We had the Pallet Load panel (panel 1) highlighted, so the truck appears in the top left corner of the Multi-Viewer screen.




Sharing Data


The first thing you must decide on is the layout and set-up of the screen report and printout, i.e., the type and quantity of diagrams you want to show. You know that the production floor workers like to see the corner and side views of the pallet load. It is not necessary to see the contents of the secondary package, so you do not want to show this on the report. However, you also want to show the truck. Thus, you need to set up the report to show three diagrams.

Setting up the Screen

Click on the button labeled **Format Screen**.




Click on the button labeled **3**. The Multi-Viewer returns with 3 diagrams.



All we need to change is the view of the Pallet load in panel 2.

Click on panel number two, and change the **Diagram Type** to **48x40**.

Next quick on the Rotation button and select 18.10 degrees. Your finished diagrams should look like the following.




Now that you have the Multi-Viewer Graphics configured with the layout and types of diagrams you want, you can manipulate the pallet load and the screen settings to show how it will look when it is ready for shipment.

Graphics Options


The following options are available for further enhancement of your on screen diagrams.

Showing Content of Cases

In addition to the standard graphic pictures of the pallet and truck loads, you can also choose to show the contents of your cases. Right click on any of the boxes displayed in separate panels of the screen and select **Show Content** from the list.




A cutaway of your case will be displayed in this panel and every panel that shows a view of that case.



This procedure can be completed as needed to show contents of additional cases.

Showing Labels

To use the labels you entered as identifiers in your graphics, click on **Set-up Buttons**, then the **Control Panel** button. Some new controls will be revealed.



Click on **Show Label** to turn on this feature.


Showing Outlined Boxes

To use the labels you entered as identifiers in your graphics, click on **Set-up Buttons**, then the **Control Panel** button. Some new controls will be revealed.


Click on **Show Outline** to activate this feature.

Showing All Four Sides of the Load

You have the ability to show each individual side of the load in a separate panel to. Click on the **View** menu, **All Side Views**, and then **Show All Side Views**.




Your screen will appear like the one below. Each side will be labeled. The labels are fixed in location and verbiage and cannot be modified.




Build-Up View

The Build-Up View show four separate views of the pallet, one per panel. The first view is 25% of the load, the second is 50%, the third is 75% and the last is the full load. Each view is labeled and the labels are fixed and cannot be moved or modified.

To access this view, click on **View**, **Build-up View** and then **Show Build-up Views**.



Your screen will appear like the following.



To reverse this, click on **View**, **Build-up View**, and then **Restore Views**.

Printing the Graphical Report

Now that you have formatted the screen to meet your specific requirements, you can print a report.


From the **File** menu, choose **Print Preview**. A window will come up showing you how the printout will look.

Use the scroll bars to scroll around the entire page, or use the **Zoom** controls.

If everything looks okay, click on the **Print** button.

Exporting Cape Reports


You can use the **Edit** menu to take the diagram or a full Cape report to the Windows Clipboard. Or you can use the **Export** menu to export graphics files or text/numerical information. You can also Export your Cape Pack Reports directly to Adobe PDF format using this menu.



Emailing Results

Make sure you have the pallet load highlighted.

Select the **e-mail** menu option and click on **email Full Report**, and then select either the JPEG or PDF option.




This will automatically export the report or diagram as the chosen file type and open your email program. You will see that an email has been opened and that the JPEG file has already been attached. All you have to do is enter the name of the recipient, add or change any text and send the email!

Calculating Loads with Layers

Let's see what our example will look like if we use layers rather than columns.


Click on the **Back** button to return to data entry.

Click on the File menu and then Open My Default Settings.




Click on the **Calc. Settings** button.

Select **Layer Algorithm**. Your screen should look like the following.




Now click on the **File** menu and **Save As Input Data & Calculate**.


Enter a new name and click on **OK**. Your layer load will appear after calculations have completed.



Let's take a look at load number 2.



This is a nice stable load with even layers so we will choose this one. Here is the load in Truck Analysis.



Database Import

In addition to using your databases to update your load files, you can also use your open analyses to import records into your databases. The following tutorial will walk you through this process. This process works with CLF files as well as the older CL2 files.

On the Display Pallet data input screen, click on **File, Open Input Data**.

Open the last file you created, Supermart.clf.

Display Pallet - [c:\cape216\private\dptutorial.clf]

File Programs Make a new Shape Database Tools Colors Add Graphics Internet Help

Packages 48x40 53footer

1 of 5

#	Package Name	Label	Package Types	Length	Width	Height	Weight	Max	Min
1	Chips	1	Standard Box	16.0000	12.0000	10.0000	6.0000	8	
2	Crackers	2	RSC Box	12.5000	9.8750	13.7500	13.0000	10	1
3	Candy	3	Standard Box	13.7795	11.8110	9.8425	15.0000	8	
4	16 Oz.	4	End Loader Box	17.7165	13.7795	15.7480	12.0000	8	
5	Coffee	5	Tray	12.0000	8.0000	8.0000	13.0000	10	


Import from Database Add Package Edit Package Delete

Input Settings Product Name/Product Code Calc. Settings Save/Calc.


Packages (in/lb) 1:37 PM CAPS NUM

Now let's create a new database and import these three records.


Click on the **Database** menu and then **Create New Package Database**.




Name your database **DP Tutorial**.



Click on **Save** and your empty database will appear.



Next click on the **File** menu and then **Import Package(s) from Analysis**.



A screen will appear listing the items in the load. Select each item by clicking in the Import column for that item.

#	Package Name	Import	Package Types	Length	Width	Height
1	Chips	<input checked="" type="checkbox"/>	Standard Box	16.0000	12.0000	1.0000
2	Crackers	<input checked="" type="checkbox"/>	RSC Box	12.5000	9.8750	1.0000
3	Candy	<input checked="" type="checkbox"/>	Standard Box	13.7795	11.8110	1.0000
4	16 Oz.	<input checked="" type="checkbox"/>	End Loader Box	17.7165	13.7795	1.0000
5	Coffee	<input checked="" type="checkbox"/>	Tray	12.0000	8.0000	1.0000

Click on **Import** to add the items to your database.

Package Database - dp tutorial.mdb

File Options Help

#	Package Name	Label	Package Types	Units	Length	Width	Height	Tray Wall Height	Weight
1	Chips	1	Standard Box	in/lb	16.0000	12.0000	10.0000	-	6
2	Crackers	2	RSC Box	in/lb	12.5000	9.8750	13.7500	-	13
3	Candy	3	Standard Box	in/lb	13.7795	11.8110	9.8425	-	15
4	16 Oz.	4	End Loader Box	in/lb	17.7165	13.7795	15.7480	-	12
5	Coffee	5	Tray	in/lb	12.0000	8.0000	8.0000	4.0000	13

Close Add Edit Select All

(in/lb) 1:38 PM CAPS NUM

Close the database by clicking on **Close**.

Display Pallet on the Cloud

You can upload your mixed loads to the Cape cloud database and take advantage of the reporting and collaboration features available there. This includes both Single Pallet Displays and Order Fulfillment loads.

Single Pallet



Order Fulfillment



With Single Pallet loads you will see a thumbnail of the pallet load, as well as truck load if available. For the Order Fulfillment loads, you will see the first four loads in the order as thumbnail previews.

New User Interface for Mixed Load Support

Your Display Pallet loads will be stored separately from your single product loads due to their unique nature. A separate listing is provided.

The screenshot shows a web-based application titled "Cape Pack". The top navigation bar includes links for "EMPLOY", "Settings", "English", and "Log Out". Below the header, there are two tabs: "Single Size Solutions" (with a count of 1502) and "Mixed Size Solutions" (with a count of 1). The main content area is a table listing 9 entries, each with a row number, analysis date, product name, product code, number of packages, number of loads, and upload date. The table columns are: Analysis Date, Product Name, Product Code, Number of Packages, Number of Loads, and Upload Date. The entries are as follows:

	Analysis Date	Product Name	Product Code	Number of Packages	Number of Loads	Upload Date
1	04/30/2017	Display Pallet	Single Palletization	208	4	5/9/2017, 7:23:55 AM
2	04/30/2017	Display Pallet	Single Palletization	195	4	5/8/2017, 8:09:15 AM
3	04/30/2017	Display Pallet	Single Palletization	195	4	5/8/2017, 7:20:38 AM
4	05/03/2017	Display Pallet	Single Palletization PP	195	4	5/5/2017, 3:43:31 AM
5	05/05/2017	Display Pallet Example	new_dp_32	48	Single Pallet	5/5/2017, 1:51:54 AM
6	05/05/2017	Display Pallet Example	new_dp_32	48	Single Pallet	5/5/2017, 1:50:27 AM
7	05/04/2017	Display Pallet Example	new_dp_32	51	Single Pallet	5/4/2017, 7:41:00 AM
8	04/21/2017	Display Pallet Example	new_dp_32	90	3	4/21/2017, 8:03:21 AM
9	04/21/2017	Display Pallet Example	new_dp_32	51	Single Pallet	4/21/2017, 8:02:17 AM

Below the table, there are four 3D thumbnails of pallet loads, corresponding to the entries in the table. The thumbnails are: 1. Red and yellow stacked on a pallet. 2. Green stacked on a pallet. 3. Blue stacked on a pallet. 4. A stack of four colored boxes (yellow, red, blue, green) on a pallet.

New Reporting Features

A new template designed for mixed loads along with special features for the multiple pallets allowed for with Order Fulfillment are now available. All the normal sharing features are available for these types of loads.

The screenshot shows the 'REPORT BUILDER' interface for the 'Display Pallet' program. On the left, there are sections for 'DATA TEMPLATES' (with a preview of a single-size solution), 'GRAPHICS LAYOUT' (with a grid of nine preview boxes), 'GRAPHICS CHOICE' (with a preview of a multi-viewer graphics panel showing a 4x4 grid of boxes), 'UNITS' (set to 'Imperial'), and 'LANGUAGE' (set to 'English'). The main area is titled 'REPORT PREVIEW' and shows a detailed report for a 'Single Palletization' analysis. The report includes a header with product name, date, and cube usage, followed by a table of dimensions and weights, and a large graphic of a pallet load with dimensions 48x40x43. Below the graphic is a table for 'Package(s) Listing for Pallet Load 4 / 4' with columns for NO. Name, #@Load, Max, Min, Packs, Load, Length (in), Width (in), Height (in), and Weight. The table lists four boxes: 1 Box (8x45), 2 Cases (12x180), 3 Std. Box (13x55), and 4 Cases (11x55). The total weight is 10.000 lb.

You can switch between the different loads of an Order Fulfillment analysis by change the page setting above the Report Preview.

Menus and Options

Most of the options in the Display Pallet program, both in data input and Multi-Viewer Graphics, are the same as the other Cape Pack programs. Menus and on-screen options are the exceptions.


Menu	Sub-Menu	Description
View	Build-up View	The build up view will use all four panels of the Multi-Viewer Graphics screen. Panel 1 will contain the pallet with 25% of the load; panel 2 will have 50% of the load; panel 3 will have 75% of the load; and panel 4 will have 100% of the load. Each panel is also marked with the percentage of product represented.
	Restore View Before Buildup	Returns the panels to the setup held just prior to activating the Build-up View
	Show All Side Views	This option will display each side of the pallet in a separate panel of Multi-Viewer Graphics, and label each accordingly.
Truck	Show My Truck	New to Display Pallet, this feature allows you to load your pallets into the truck or container style you chose at input.
Colors	Show Outline	This feature removes the color from all of your boxes and trays in the load. Any objects shown in the load will not be affected by this setting.
	Show Color	This feature restores the color to the boxes and trays in the load.
Add Graphics	Show Label	This feature applies the label you chose at input to each package in the load. This is especially helpful if your packages are similar in size and difficult to identify.

Button	Description
Solution Details	Includes the following data for the solution that is active: Package number, Package label, Package Name, Number per Load, Maximum number allowed per load, Number of items per package, and Minimum number per load, package length, width, height and weight.
Solution Report	Includes the following data for each solution: Solution number, Number per load, Cube, Product Length/width/height/weight, Load Length/width/height/weight, and the Search Algorithm used. Your solutions will be ranked by number of items per load with the first solution having the most per load. You can choose to rank the solutions instead by cubic efficiency. Click on Options, Rank Solutions By, Cubic Efficiency to select this option.
Format Screen	Allows you to select the number of diagrams you want in your output.
Format Panel	Allows you select which diagrams you want displayed in each panel.
Format Load	Allows you to add Corner Posts and Top Caps to the load.
Format Object	Depending on the object that is active at the time, you can show stretch/shrink wrap, show contents or open the flaps (for standard box types only)

Special Display Pallet Features

Solution Details Button

You can click on the **Solution Details** button to see the list of the items in the load.



Solution Report Button

Click on the **Solution Report** button to see load information for each solution.

Sol. No.	# Per Load	Cube Eff.	Product Length	Product Width	Product Height	Product Weight	Load Length	Load Width	Load Height	Load Weight
1	31	61.4	45.5000	39.4961	43.5905	394.6450	48.0000	40.0000	49.0905	444.6


The solutions are listed in descending order of cubic efficiency. Double click on any one of these solutions to review the graphics.

Format Load Button


Adding a Top Cap

Make sure you have highlighted the panel with the **Pallet Load** and then click on the **Set-up Buttons** button.

Next click on the **Format Load** button.




Click on the button labeled **Top Cap**. New fields appear in the bottom half of the screen.



Select the 200 lb C flute material from your list and the information for Weight Thickness and Height will be filled in automatically for you. You can overwrite any of this information as needed.

You can set your own defaults for these values and for Layer Pads/trays and Corner Post from the **Tools** menu at the top of the screen.

Click on the button labeled **Accept Values**. A top cap will be drawn on top of the load.




Notice in the spreadsheet how the height and weight in the Product Dimensions have changed from the original calculations.

Adding Corner Posts


Click on the button labeled **Corner Posts**. New fields appear at the bottom of the screen.

Again select the 200 lb C-flute from the list to fill in the required information.

Click on the button labeled **Accept Values**. Four corner posts will be drawn at the corners of the pallet extending out over the cases by the amount you entered in the *Width* field. You will see the following screen.




Click on **OK** to accept all your changes and the Multi-Viewer graphics will return with the updated diagrams and dimensions.




Customizing Packages

Showing Content of Cases

In addition to the standard graphic pictures of the pallet and truck loads, you can also choose to show the contents of your cases. Right click on any of the boxes displayed in separate panels of the screen and select **Show Content** from the list.




A cutaway of your case will be displayed in this panel and every panel that shows a view of that case.




This procedure can be completed as needed to show contents of additional cases.

Showing Labels

To use the labels you entered as identifiers in your graphics, click on the **Format Panel** button, and then the **Control Panel** button.




You will see an option for **Show Labels**.



Showing Outlined Boxes


To remove the colors from your cases, click on the **Control Panel** and **Show Outline**.




Customizing the Load

Showing All Four Sides of the Load

You have the ability to show each individual side of the load in a separate panel to. Click on the **View** menu, **All Side Views**, and then **Show all Side Views**.




Your screen will appear like the one below. Each side will be labeled. The labels are fixed in location and verbiage and cannot be modified.




Build-Up View

The Build-Up View show four separate views of the pallet, one per panel. The first view is 25% of the load, the second is 50%, the third is 75% and the last is the full load. Each view is labeled and the labels are fixed and cannot be moved or modified.

To access this view, click on **View, Build-up View**, and then Show Build-up Views.



Your screen will appear like the following.



To reverse this, click on **View, Build-up View, Restore Views.**

Export Options

The Display Pallet Program export options are the same as the other programs and details can be found in the Export chapter of your User Guide. The differences are listed below.

ASCII Solution Export

Following is the structure of the exported solution file.

Line 1	Product Name
Line 2	Product Code
Line 3	Solution Reference
Line 4	File Name
Line 5	File Date
Line 6	Pallet Base Name
Line 7	Units of Measure (0=Metric;1=English)
Line 8	Packages per Load
Line 9	Pallet Load Cube Efficiency
Line 10	Pallet Length
Line 11	Pallet Width
Line 12	Pallet Height
Line 13	Pallet Weight
Line 14	Product Length
Line 15	Product Width

Line 16	Product Height
Line 17	Product Gross Weight
Line 18.1	Load Length
Line 19	Load Width
Line 20	Load Height
Line 21	Load Net weight
Line 22	Load gross weight
Line 23	Pallet Loads per Truck
Line 24	Packages per Truck
Line 25	Truck Name.
Line 26	Truck Load Length
Line 27	Truck Load Width
Line 28	Truck Load Height
Line 29	Truck Product Length
Line 30	Truck Product Width
Line 31	Truck Product Height
Line 32	Truck Load Gross Weight
Line 33	Truck Load Net Weight
Line 34	Truck Product Gross Weight
Line 35	Truck Product Net Weight
Line 36	# of package Types per Load

The following lines are repeated for each different package in the load.

Line 37	Package name
Line 38	Package length
Line 39	Package width
Line 40	Package height
Line 41	Package weight
Line 42	# pp / Package
Line 43	this Package type per Load

SP2 : Line 44 – Line 50

SP3 : Line 51 – Line 57

SP4 : Line 58 – Line 63

SP99 : Line 723 – Line 729

Exported Database File (CDI extension)

The following is the file format for databases exported to ASCII format. Although these files have a *.CDI extension, they can be read in any program that is compatible with ASCII format (such as Notepad or Excel).

File Extension	CDI
----------------	-----

File Type	Windows INI
Section Name	General
Num_Of_Packages	Number of Packages in Database
Case Data	
Section Name	[Case # X] (where X represents the number of the case)
Field #1	Package Name (Maximum 15 characters)
Field #2	Label
Field #3	Color
Field #4	Package Type (0 = Standard Box, 1 = End Loader Box, 3 = Tray, 4 = *.csf)
Field #5	Shape Script file name (Only if Field #4 > 3)
Field #6	Package Length Outside Dimension
Field #7	Package Width Outside Dimension
Field #8	Package Height Outside Dimension
Field #9	Package Tray Wall Height
Field #10	Package Weight
Field #11	Maximum Package Count
Field #12	Minimum Package Count
Field #13	Pallet Height
Field #14	Package Description (optional)
Field #16	Units Of Measure (0=mm/kg, 1=in/lb)
Field #17	Pack Type (1=Case, 2=Tray)
Field #18.1	The Pack Type Name (Seal End, ECO Seal, Tray ... etc)

Exploring the Pattern Editors

Introduction

With an almost infinite number of possible case sizes and the many different pallet pattern styles available within the Cape Pack palletizing calculations, there are literally hundreds of ways of arranging cases onto a pallet layer.

The palletizing algorithms have been designed to find the maximum number of cases per layer. However, you may decide that the positioning of the cases or the nature of the pattern interlock is not the most appropriate or stable for your production or handling system. This is particularly true when the "case length to case width ratio" is 2:1 and numerous pairs of cases can be turned 90° to provide many different pattern styles.

To overcome this particular problem and other potential pattern layout problems, Cape Pack is supplied with powerful 3D Pattern Editors – Layer Editor for the single product programs and Load Editors for Display Pallet.

Layer Editor

The Layer Editor provides a simple, yet very realistic, way for you to move, rotate and reposition cases within a **single** pattern layout to suit your exact needs. You can also add or delete layers from a pallet load.

Alternatively, you may wish to use the Layer Editor to edit the layout of the cases to produce different layers with the same number of cases per layer.


Either way, the Editor allows you to modify a pattern layer quickly and then construct your full pallet load.

Once a pattern has been edited it can be reviewed in an on-line mode in the Multi-Viewer Graphics. The pattern can then be saved and recalled at a future date.

You cannot edit layers in the Layer Editor if you have chosen either **None** or **No Package** as your package type.


Editing Layers

Select **Layer Editor** from the **Edit** menu in Multi-Viewer Graphics.



The Layer Editor consists of a top-view Pattern Editor on the right hand side of the screen and the ability to view the pallet load in a 3-D Viewer on the left-hand side.


You can select the Editor window by clicking on the little circle marked **Edit**.



The Editor window displays a top-view of your selected pattern. This window is used for editing and manipulating the cases within the layer pattern.

The Viewer window is used to look at the layer pattern in the load you are editing. Thus, you can see the changes you make to the layer pattern as they happen simply by choosing **Edit** or **View**. You can also use the Viewer window to examine your edited pattern in a variety of different formats.

If you select **Edit**, the screen changes to the editing mode with just a single layer in the viewing box.



The Layer Editor Window always displays a single layer, top-view of the pallet pattern. If you need to create an alternate layer that is not a normal alternated or flipped layer, you can create a second layer pattern.

Viewer Toolbar

In addition to the standard pull down menus, the Layer Editor provides a convenient set of buttons for accessing the most commonly used Viewer Window options. Here is a description of the Viewer Toolbar functions.

- 0°** Sets the viewing orientation to 0°
- 90°** Sets the viewing orientation to 90°
- 18.10°** Sets the viewing orientation to 18.10°
- 270°** Sets the viewing orientation to 270°
- 1** Shows side 1 of the load
- 2** Shows side 2 of the load
- 3** Shows side 3 of the load
- 4** Shows side 4 of the load
- New** Allows an existing pattern to be used to create an entirely new pattern
- Copy** Duplicates a pattern, creating an additional layer
- Up** Moves a selected layer up in the pallet load
- Down** Moves a selected layer down in the pallet load
- Delete** Deletes the highlighted layer in the list box

Flip

Allows the pattern to be flipped in the length, width or both directions


Selecting Cases

The Layer Editor uses a Windows technique for manipulating objects on the screen. This allows you to treat a case as if it were a real object. You can pick it up, rotate it or slide it around. There is also the ability to move several cases together (a “block of cases”) as if they were a single case.

However, the Editor options which manipulate cases affect **only** the **selected** item in the load. A selected item is indicated with a large X drawn on top of it.

Selecting a Single Case

To select a single case move the mouse cursor over the case you want and click on the left mouse button.




Selecting a Block of Cases


A “block of cases” is a group of cases stacked together in the same orientation. This method provides a very effective and efficient way to perform editing functions on more than one case at the same time. This feature eliminates the need do to things repetitively.

Press and hold down the **Shift** key, place the cursor over the first case you want to select and press and hold the left mouse button.

Now drag the mouse pointer to the last box to be included. The dotted line you are drawing is called the Selection Rectangle.



Release both the mouse buttons and the **Shift** key. The block becomes selected.




Having selected a block of cases, you can now use any of the available Editor functions. An X drawn through them indicates the cases included in the block. This technique is sometimes referred to as “elastic banding”. **Only those cases that are near to one another and are in the same orientation can be selected into a block.**


Moving Cases

Moving a case or block of cases is a simple process. After you have selected a case or block of cases, click and hold down the left mouse button and move the pointer to the position where you want the case/block of cases to be placed.


Select the case or block of cases.



While pressing down the left mouse button, drag the box to the required position.



Release the mouse button to stop the movement of the case or block of cases.




Lifting Cases


This lifting technique is similar to moving a single case but requires you to press and hold **both** mouse buttons at the same time and then drag to the new location.

Select the case with the left mouse button, now hold down both the left and right mouse buttons together.

Drag the case to the required position.



Now release both mouse buttons to drop the case into the required position.




You cannot lift a case if another case is above it. However, you can slide the case or block of cases from side to side if there is sufficient room available.


Rotating Cases

The Editor provides the ability to rotate individual cases.

Select a case using your mouse.



Press the **right or left arrow keys** on your keyboard to rotate the selected case in the direction you require.



If there is not enough room to rotate the case where it is located, the program will lift it up over the cases near it and turn it.


Creating New Layer Patterns

The Layer Editor allows you to create as many layer patterns as you like with a different layout to that of the first layer pattern. This option allows you to create unique alternate layers that will make up your final pallet load.


Most users will not need a unique second pattern since they simply want all their layer patterns to be the same layout as their first pattern, just flipped in a particular fashion.

If you do want your alternate layers to have a **different** pattern layout you will need to create a new layer pattern before you exit the Editor.


Once you have completed editing and creating your first pattern, click on the **View** selector, and then the **New** button. The following box appears.




You can select a new layer pattern from the list provided (P001, P002, etc.) by selecting the “Use PXXX” feature.




Or you can create your own new layer based on one of the patterns in the list. Click on the layer of your choice and then the **Create** button.




Either way, once you choose, the control returns to the Editor. As you create new layers, you will notice that your pallet load grows. If you do not want to expand the height of your pallet, simply use the **Delete** button to delete the unwanted layers.




Select **Edit** to change the pattern of your choice.




When you have completed editing your second, third, fourth (or however many different layers you want), you can select the **View** mode to review your load or move layers up/down.



When finished, select **Close** from the **File** menu. The following screen will appear.




Click **Yes** to save your changes, **No** to exit without saving or **Cancel** to return to the Editor. If you select **Yes**, you will be returned to Multi-Viewer Graphics and you will see the pallet load with your edited layers.




Adding Cases


Just highlight one case by clicking on it.



Then hold down the **CTRL** key and click on the case again. This will automatically add one case on top of the highlighted case.




Now move the new case to the chosen location.




Expanding Overhang

Click on the **Options** menu and then **Reset Overhang**.




The following screen appears.




Enter in the total amount of overhang you want in the length and width and click on **OK**. The pattern will reappear with a border around the layer that represents the new boundaries of the load.

The program will retain the last overhang amount entered as the default.



Make whatever changes you need and then exit the Layer Editor. The load will automatically center when you exit back to Multi-Viewer Graphics.

If you don't want the load to center, click on the **Options** menu and **Do not center pattern on Exit**.




Deleting Cases


Just highlight a case and hit the **Delete** key on your keyboard. The case will be removed.

Deleting Layers from your Load

Click on the **View** field and you will see the full pallet load.




Highlight a layer and click on the **Delete** button.



The pallet now has one less layer.

Copying Layers



To copy a layer, click on the layer in the list you want to copy and click on the **Copy** button.



The Editor will make a duplicate of that layer.

Moving Layers up or down in the load.

To move a layer up, click on the **Up** button. The layer will move up 1 level for each click on that button.



To move a layer down, repeat this process using the **Down** button.

Display Pallet Load Editor

The Display Pallet Load Editors are powerful program utilities that allow you to create and edit different loads. These special Editors allow for adding or deleting packages, building or moving individual or blocks of boxes on the pallet and generally creating a load as if you were physically placing the boxes onto the pallet.

The Editors use simple drag-and-drop techniques to give natural control over the placement of the boxes within the load. A number of additional features are available for you to quickly and easily customize your pallet load. Once you have finished editing/building your load, the results can be printed or saved.

You can choose the Display Pallet editors in two ways:


- You can start with an empty pallet and build your own load. Choose to start with an editor via the Calc. Settings button. If you choose this option, the program will not calculate any loads for you automatically. It will take you directly to the selected editor option when you select to calculate the load.
- You can calculate your loads, go to the on-screen graphics and use the editors to customize or modify the layout of the case/trays in your pallet load.

Calculation Settings Button


- To access the Editor from the Calc. Settings button and use it to totally design your load, click on the Calc. Settings button.




The following screen appears.



Click on the Column Editor, Layer Editor or Mixed Load Editor selector. Then click on OK.




Choose one of the calculate options from the **File** menu. You will be presented with an empty pallet ready to start building.




To access the Editor from Multi-Viewer Graphics after Display Pallet has calculated solutions for you, select the load you wish to edit.

Click on the **Edit** menu, then **Load Editor**.



The Load Editor window will open.



For simplicity in this chapter, the word “boxes” will be used to describe boxes, cases and trays of products.

Editor and Viewer Windows

Notice the Load Editor has two open windows.

- The Viewer window is used to look at the load being edited from a variety of angles, with or without the labels, control faces or box types.
- The Editor window is used for manipulating, adding or deleting boxes. Boxes cannot be selected in the Viewer window. It is for viewing only.

Viewer Toolbar

In addition to the standard menus, the editor provides a convenient toolbar for accessing Viewer window functions. The toolbar resides on the left side of the Viewer window. The following table provides a summary of these functions.



- 0°** Sets the orientation to 0 degrees corner.
- 90°** Sets the orientation to 90 degrees corner
- 180°** Sets the orientation to 18.10 degrees corner
- 270°** Sets the orientation to 270 degrees corner
- 1** Shows side one of the load
- 2** Shows side two of the load
- 3** Shows side three of the load
- 4** Shows side four of the load
- Toggles between color and outline modes**
- Turns the labels on and off**
- Turns the control faces on and off**
- Turns the types on and off**

Editing Loads

The editor supports a Windows technique for manipulating objects called “drag-and-drop.” This technique treats a box on your screen like a real object. The object can be picked up, stacked, slid around, duplicated or even deleted. Other features supported in the editor include:

- The ability to manipulate blocks of boxes as a single box.
- The option to automatically create a full stack of boxes from a single box.
- The ability to rotate a box or block.
- A range of useful editing and viewing techniques.

A block of boxes is defined as a group of boxes in the same orientation and which are stacked together. A block can be created by using the selection rectangle procedure described in this section.


Selecting a Box

Each of the functions in the Editor, which allow manipulation of a box or block of boxes, will affect the selected item in the load. Just select a box (case or tray) or block and then perform the desired function on it.

Click on the box using the left mouse button. The selection status of an item is illustrated by the following pictures:



Unselected item



Selected item


Selecting a Block of Boxes

Sometimes a function, such as **Move** or **Copy**, will need to be performed on a group of boxes simultaneously. Multiple box selection is easily accomplished by using the “Selection Rectangle” feature.

In the Column Editor, blocks can be selected which extend in three dimensions. For example, the number of boxes that make up a block could be one box wide, three boxes long and four boxes deep, for a total of 12 boxes selected ($1 \times 3 \times 4$). Since loads made up of layers consist of separate layers of boxes (cases/trays), blocks cannot be selected with more than a depth of one box in the Layer Editor.

Press and hold down the **Shift** key.

Click and hold the left mouse button on the first box in the block and drag the mouse pointer diagonally to the last box to be included. The mouse pointer becomes a cross-hair indicator. A dashed rectangle should be drawn over the boxes as the mouse is moved.



Release the mouse button and the **Shift** key. The Editor will automatically select the largest block possible within the given rectangle. The boxes that were included in the block will now be shown with a diagonal selection mark (or cross).

The editor will select the largest block possible. All the boxes to be defined as a block must be of exactly the same type and orientation. In order to define a block, all the boxes must be touching or stacked together as a group.

To determine how many layers **deep** the selection covers, refer to the list box in the upper-left corner of the Editor Window. Remember that blocks can be selected with a depth greater than one **only in the Column Load Editor**.



The list box above indicates that 8 layers are selected in the block. Simply selecting a different number from this list box can change the number of layers selected in the block. For example, if (2) is selected from the list box, the block automatically becomes only **two** layers deep.


Once a block has been selected, the usual editing functions are available.

Placing a New Box onto a Pallet

Make the Editor window active by clicking in it.

From the **View** menu, choose **Select Box**.

From the resulting small window, click on the type of box and orientation desired.



Click on the pallet where the box is to be placed. An **open** space on the pallet must be selected.

Copying a Box or Block

Making a copy of a box or block is very easy. The procedure is similar to that for moving an object, except that the **Ctrl** (Control) key must be held and kept down before selecting the box or block.

Identify the box or block to be copied, then press and hold down the **Ctrl** key, and click on the box or block.

Release the **Ctrl** key and the left mouse button. The new box or block will appear on top of the original box or block.

Moving a Box or Block

Moving a box or block is a natural extension of selecting the object.

Once the block has been selected, click and drag the block to the new location.

When the block is in position, release the mouse button.

Lifting a Box or Block

The process of lifting a box or block is similar to moving the object. However, instead of clicking and dragging with the left mouse button, use **both mouse buttons at the same time** to lift the object.

Click on the box or block to be lifted **with both mouse buttons**.

Drag the block to the new location and release both mouse buttons.

A box or block cannot be lifted if there is another box or block above it.

Creating Gaps within a Block

To create evenly spaced gaps within a block of boxes:

Select the block to be gapped.

Move the mouse pointer to the edge of the selection. It will turn into a **double-headed arrow**.

When the arrow is double-pointed, hold the left mouse button and drag the mouse outwards.

When the left mouse button is released, the boxes will be spread out with even gaps between the boxes.

Function Keys in the Load Editors

The options listed above give the power to create and modify pallet loads to meet defined specifications. The Editor, however, provides a number of function keys that make the creation of loads even easier. Here is a description of those function keys.

Page Up	Creates a stack of the maximum allowed height from the selected box (case/tray).
Page Down	Reduces a selected block to a single box in height.
Left Arrow (←)	Rotates the selected object 90° in a counter clockwise direction. There must be space available for the box in its new orientation.
Right Arrow (→)	Rotates the selected object 90° in a clockwise direction. There must be space available for the box in its new orientation.
Up Arrow (↑)	Adds one box to the selected block if space is available.
Down Arrow (↓)	Removes one box from the selected block (down to one).
Delete	Deletes the selected box or block from the load.
Shift	Used with the mouse to select the block within the selection rectangle.
Ctrl (Control)	Used with the mouse to copy a box or block.

Fine Tuning Movements

To fine tune any movements of boxes or blocks:

Select a box or block.

Press and hold the **Alt** key, then use the four arrow keys to move the selected box or block.

The selected object will jump to the next adjacent box or intersection of boxes. This method makes it easy to ensure that the object is lined up precisely with the other boxes already on the pallet.

Up and Down Buttons

The up and down arrow buttons pictured below have different functions depending upon which Editor is being used.



UP Arrow

- In the Layer Editor, this button will make the next higher layer active.

- In the Column Editor, this button will build all stacks in the load to the maximum height allowed according to your specified maximum load height.

DOWN Arrow

- In the Layer Editor, this button will make the next lower layer active.
- In the Column Editor, this button will reduce all stacks in the load to a single box high in each column.

Load Restrictions Violations

When saving a load, the Editor automatically checks the load for conformity to the restrictions and specifications defined for the current problem. If the load violates any of the problem restrictions, a window detailing the violations will appear. This feature stops you from creating unrealistic loads that do not abide by your specified loading requirements, i.e. maximum weight and height restrictions.

The violations listed are of two types:


- Blue violations are warnings that the load you have created differs from your original specifications or restrictions. The edited load can still be saved.
- Red violations are far more severe; a load cannot be saved which contains any red violations.

At any time during the creation of a pallet load, you can check the load for conformity by selecting **View Restrictions** from the **View** menu and looking at the information provided.

Layer Editor Dialog Box

Since loads made up of layers often require different characteristics from column or mixed loads, the Layer Editor dialog box is only accessible from the **Layout** menu when you are in the Layer Load Editor.

Select the **Layout** menu, then **Layer** to display the following window.



This feature offers a variety of functions that can help you modify and arrange layers within the load. Here is a list of the button functions available.

New	Creates a new layer and makes it the active layer.
Copy	Copies the selected layer and makes it the active layer.

Up	Moves the selected layer up one position on the pallet.
Down	Moves the selected layer down one position on the pallet.
Delete	Deletes the selected layer.
Flip Buttons	These buttons, Length , Width , Both , cause the selected layer to flip over in that direction.
Center	Causes the selected layer, as a whole, to be centered on the pallet.
Pad Check Box	Inserts a layer pad beneath the selected layer.
New	Creates a new layer and makes it the active layer.

Menu Options

Many additional editing functions are available from the toolbar menus at the top of the window. These are described below.

File Menu	Print	Allows the setting of printing options and printing of the load displayed in the Viewer and Editor windows.
	Print Preview	Displays a scaled version of the Viewer window as it will appear on the final printed output.
	Print Setup	Allows the selection of printer configuration options available for your printer driver.
	Save and Update	Saves the load currently being edited using the same filename that load had (prior to entering the Editor). This method saves your changes over the original load.
	Save as New Load	Saves the current load being edited using a different filename from the one loaded into the Editor. This method does not change the original load information.
	Close	Quits the Load Editor and returns to Display Pallet.
Layout Menu	Clear All Boxes	Deletes all of the boxes on the pallet. You cannot get the boxes back once they have been deleted unless you leave the Editor.
	Layer	Shows the Layer Editor dialog box for manipulating layer loads.
	Columns to Min	Reduces all columns in the load to a single box in height.
	Columns to Max	Builds all columns in the load to their maximum height.
	Center Load	Allows you to center the load, as edited, between sides 1 and 3 of the pallet, sides 2 and 4 of the pallet, or both.
	Shift	Moves the active layer or column as far as possible to either the left, right, top or bottom sides of the pallet.
View Menu	Select Box	Displays a window containing the box types (cases, cans/bottles/ cartons in trays etc.) that were defined for the current problem. Select a box for placing in the load.
	Status Bar	Turns the status bar at the bottom of the Editor on or off.
	View Restrictions	Checks the current load for violations of the load restrictions and specifications you defined for the current problem.
	Statistics	Displays a spreadsheet of statistical information about the load.
	Auto Update	Turns the automatic update status of the Viewer window on or off.
Window Menu	Cascade	Arranges the open windows in a cascade fashion.
	Tile	Arranges the open windows in a tiled fashion. This is the default mode.
	Editor	Makes the Editor window active for manipulating boxes.
	Viewer	Makes the Viewer Window active for showing different angles of the edited load.
Help Menu	Contents	Opens the Display Pallet Load Editor on-line Help system.
	About Load Editor	Displays information about the current Editor.
File Menu	Print	Allows the setting of printing options and printing of the load displayed in the Viewer and Editor windows.
	Print Preview	Displays a scaled version of the Viewer window as it will appear on the final printed output.

Casefill Group – Case Consolidation

Introduction

Casefill is a type of case consolidation program. Imagine that you have 20 or 50 different cases sitting on the floor and a colleague gave you a carton and said, “How many of these can you fit into each case and how many will we get on a pallet?”

That’s what Casefill is for. It lets you look at how to use your existing secondary package (case/tray) sizes for packing and distributing any size primary package.


Even the largest companies will be looking to maintain relatively few standard case sizes, which could ultimately hold the majority of their products. Typically the 80/20 rule (80% of revenue generated by 20% of the product range) governs which case sizes are likely to be retained. These cases, in addition to the industry standard modular case sizes, will probably form your initial database entries, but each company will have different needs.

This approach can produce both financial and logistical benefits. These benefits include reduced inventory of cases and longer runs for the case supplier, resulting in a better unit price. In addition, less pallets have to be handled and stored. This sort of increase in overall efficiency reaches a very significant level when you incorporate the use of modular case sizes designed to fit onto standard pallets (e.g., 16 x 12 inches cases on a 48 x 40 inch pallet).


The methodology behind Casefill is that you create a database of existing secondary package/case sizes by entering or importing the appropriate dimensions into Cape Pack. This, in turn, creates the information base of individual secondary package/case and pallet records. It then becomes the reference point for the analyses using the other Cape Pack programs to consider a range of quantities of a fixed primary package.

Because the three Casefill programs are similar, this chapter will refer to the **Casefill – Cartons/Bags/Ovals - Fixed** program (meaning fixed size rectangular or square shapes).

From the Casefill Group section of the Front Menu, choose **Carton** from the *Type of Pack* drop down list and click on **Go**. Or you can use the **Programs** menu to select the group and module you want to use.



The first data input screen will appear with your Default Settings loaded.



All of the normal Cape Pack menu options are available here. You can build your own list of **Material Thicknesses** and **Pack Names**, **Change Package Color, Change to Original Colors, Set Custom Colors** or **Add 3D Graphics**.

Casefill Databases

To understand how Casefill works you must be aware of the database from which it draws the case and pallet information. You will need to build your own database, or any number of different databases. For more information on the Casefill Database features, please refer to the *Cape Pack Databases* chapter of this user guide.

For getting started in Casefill we have provided a small database. You can use this one to run the tutorials in this chapter.


The Problem

To run Casefill, you must first open a database. Once you have opened the appropriate database you can begin to enter the data for your analysis.

Input Settings

Click on the **Input** menu **Input Settings** option to establish the parameters for your analysis.

Or you can use the **Input Settings** button, or the right click options. The following screen appears.




Casefill only works with the **outside** dimensions of the primary pack.

You have the following options.

- **Bulge Allowed:** If you turn this on, then three additional fields appear on the input screen for you add a bulge factor to the *Length*, *Width* and *Height* of the primary pack. You can also allow Bulge by percentages.
- **Additional Weight:** This field adds an additional weight field to your screen for items that are not included in net weight but need to be included in gross weight. This could represent the weight of a informational insert or perhaps a promotional item.
- **Slack Allowed:** The total amount of extra space to be allowed, in each dimension. Minimum slack reduces the effective inside case dimensions used in the Casefill calculations. If you click on this option the screen will add three extra fields.
- **Case Count Type:** Here you can select a Min/Max for the Fill Restrictions screen, or you can specify 8 individual case counts. You can also select to fill to the maximum cube of the case.


- Units of Measure: You can choose between using either Metric or English.
- You will also have a recessed option if you are using the Cylinder program of Casefill.

For this tutorial, make sure your **Input Settings** screen looks like the following.



Product Name and Code


Choose either the **Input Product Name/Product Code** button on the **Input Settings** screen, or the one at the bottom of your data input tabs. A window appears.



Enter your **Date of Analysis**, **Product Name** and **Product Code** and click on **OK**. You are now ready to start your data entry.

Primary Package Information

The first data input screen has many of the same features and menus as the Pallet, Arrange and Design programs.



Select Pack Type: Select the type of primary package from the list box available. We are using a **ECO Seal** carton.

Select Pack Name: Select a name from the list box or enter your own package name. We are using the name **Carton**.

Number per Pack: Enter the value **1** if you are dealing with individual products. This numeric field also allows you to work with a bundle package of individual items together. For example, if 10 items are bundled and assembled with other bundles, you can enter **10** in the field and then enter the dimensions of the bundle on the Primary Package tab. This will let the program tell you how many individual items are packed per case and per pallet.

We are working with a single carton so this input should be set to **1**.

Enter Pack (OD) (Length, Width, Height): Enter the outside dimensions of the primary pack. We are using dimensions of **3.5"** length, **3"** width and **4"** height.


Set Pack Dim vertical: Specify which orientations of the bundle or package you can allow vertical relative to the case. We are allowing both the **Width** and **Height** vertical.

For *Slack* we will enter **.125"** in both the *length* and *width* of the case. No slack is needed in the *height* dimension.

Gross Weight: This is for entering the total weight of the product and the primary package. Enter **0.15** pounds.


Net Weight: For the weight of the product excluding any weight of the packaging materials. Enter **0.1** pounds. Your completed screen should look like this.

For *Additional Weight*, enter **.01** for an information insert.



Fill Restrictions

Click on the Fill Restrictions tab.



Maximum Case Weight: The maximum weight allowed for a single case, including all the primary packages inside the case **plus** the weight of the case itself. Enter **50** pounds.

Select Pattern Types to Use: Casefill actually builds pallet patterns inside the respective case sizes within the database. The valid styles of primary package arrangement are:

- **Simple** corresponds to the Column and Interlock palletizing styles.
- **Medium** corresponds to Trilock and Diagonal.
- **Complex** corresponds to Spiral and Expanded Spiral.

Thus, when you calculate the number of items per box, a number of different patterns can be considered. We will use all of the pattern types. So click them all to turn them **On**.

Enter Min/Max Case Count: This field is for the minimum and maximum number of units or bundles that can be placed inside a single case. We can allow a minimum of **10** and a maximum of **100** items per case. You can also choose to specify 8 individual case counts on the Input Options screen.


Min Fill Efficiency: This number is based on the total volume of the filled case.

Total Records in Database: In this area, you have three choices.


- All Records will use all the cases in the active database for the analysis.
- 10 x Records allows you to choose 10 specific record/case numbers to use for your analysis.
- Record Block allows you to choose a block of record numbers to use (i.e. record 9 through record 18.1).

Enter Palletizing Details: Here you have two choices. You can either select **All** of the pallet sizes, or you can specify one footprint that you want to consider. A value in this field ensures that only records in the database with matching pallet length and width footprints are considered in the analysis. If you wish to use all pallet sizes, then click on the **All** option.


Allow Multi-Dimensional Solutions: Casefill can consider more complex options such as two or more primary package dimensions vertical in the case. Turn this option on.



Allow Maximizer Solutions: Casefill can use the Maximizer program to arrange different columns of product to use empty space in the carton.




We cannot use this option and the Multi-Dimensional Solutions option in the same analysis. Turn this option off. Your completed screen should look like this.



Saving Data

Either click on the **Save/Calc.** button on the Carton tab, or select the **File** menu and choose the **Save As Input Data and Calculate** option.

You may be asked to select the Casefill database that you wish to use.




Select from the list and click on **Open**.


When the Save As dialog box appears, enter a file name and click on **OK**.

If you have not previously opened a database, you will first be prompted to select a database to use.

The calculation process will begin. You will be presented with a screen to select dimensions vertical.




Click **OK** on this screen and your solution will appear.



Reviewing Graphic Solutions

When the calculations have been completed, the Multi-Viewer Graphics screen will appear.



This shows a three-dimensional view of the case and its contents, a top view, side views and the primary package itself.

Reviewing Statistics

Click on the **Solution Report** button.

Casefill Solution Report - Normal										
Sol. No.	Rec. No.	Case Name	Case Length	Case Width	Case Height	Case Weight	Total Count	# Per Case	Cube Eff.	F
9	9	test	16.5000	16.5000	16.5000	14.4000	1536	96	89.8	
9	9		16.5000	16.5000	16.5000	14.2500	1520	95	88.8	
10	10	case	16.0000	8.0000	8.0000	3.0000	640	20	82.0	
10	10		16.0000	8.0000	8.0000	2.7000	576	18	73.8	
11	11	carton	15.7480	11.8110	7.8740	3.9000	2340	26	74.6	
11	11		15.7480	11.8110	7.8740	4.2000	2520	28	80.3	
12	13	case	16.0000	12.0000	10.0000	6.4000	1728	36	78.8	
12	13		16.0000	12.0000	10.0000	6.8500	1872	39	85.3	
13	14	case2	15.5000	14.5000	13.5000	10.0000	2400	60	83.1	
13	14		15.5000	14.5000	13.5000	10.7500	2600	65	90.0	

The solution with the maximum number of packages per load (Total Count) will be highlighted for you.

The Solution Report shows the cases from the database and their associated statistics. If you allowed Multi-Dimensional solutions in your input, every other line of data (excluding case name field) represents the Multi-Dimensional variation for the case immediately above. If this option was disabled, these lines would not be on the report. If the Multi-Dimensional Solution finds a result that falls outside the minimum-maximum primary range, the line will show zeroes for case count, etc.

The name under *Case Name* is the case name of the record in the database. The case length, width and height dimensions are **Inside Dimensions** as they appear in that record in the database.

The *Pat Type* field (Pattern Type) corresponds to the C,I,T,S,D, and X filling patterns.

The *#Per Case* shows the number of unit packages per case (falling within the min- max range specified).

The *Cube Eff.* figure (Cube Efficiency of the contents in the case) indicates the utilization of the total case capacity.


The *Total Count* column shows primary package calculations based upon the number of cases per pallet entry in the database. This is applied as a straight multiplier to show total units per load. The Total Count value is based on Cases per Load x Unit Packages per Case x No. of items per Unit Pack.

The *Load Weight* (exclusive of pallet) column shows the weight of each case multiplied by the number of cases per pallet. The number of cases per pallet is taken from the record in the database.

The *DV* field identifies the primary package Dimension Vertical for this solution (i.e., L for Length, W for Width or H for Height).

Expanded Solution Report


At the Solution Report, click on the **Options** menu.



Now click on the **Expand** option. This report shows all the patterns available, within the case, for your selected solution.

y

Double-click on solution #16. The Multi-Viewer Graphics screen appears.



To bring up a multi-dimensional analysis diagram, go to the Normal Solution Report.

Go to Solution number 12 and double-click on the solution with pattern type MD.


Sol. No.	Rec. No.	Case Name	Case Length	Case Width	Case Height	Case Weight	Total Count	# Per Case	Cube Eff.	T
11	11	carton	15.7480	11.8110	7.8740	3.9000	2340	26	74.6	
11	11		15.7480	11.8110	7.8740	4.2000	2520	28	80.3	
12	13	case	16.0000	12.0000	10.0000	6.4000	1728	36	78.8	
12	13		16.0000	12.0000	10.0000	6.8500	1872	39	85.3	
13	14	case2	15.5000	14.5000	13.5000	10.0000	2400	60	83.1	
13	14		15.5000	14.5000	13.5000	10.7500	2600	65	90.0	
14	15	case3	15.0000	14.0000	13.0000	8.2000	1920	48	73.8	
14	15		15.0000	14.0000	13.0000	8.8000	2080	52	80.0	
15	16	case4	10.0000	10.0000	10.0000	3.4000	640	16	67.2	
15	16		10.0000	10.0000	10.0000	3.4000	640	16	67.2	

The MDA Loading Order screen will appear.

y

The message on this screen is self-explanatory and is suggesting that the layers with different dimensions vertical should be stacked in order of area efficiency. If you want to change the order of the layers just reset the length, width or height in the order you require.

We will accept the default setting for now. Click on **OK**.



To change the order in which the layers have been built, repeat this process. **You must use Upper Case letters in these boxes.**

Formatting Diagrams for your Report

The normal **Format Screen**, **Format Panel**, **Format Load**, **Format Object** and menu options are all available.


Some of the items in the *Diagram Types* and *Diagram Views* have been disabled, as they are not applicable to Casefill.

Print, Print Preview and any **Custom Documents** can be accessed from the **File** menu. The other menus are the same as for the Pallet, Arrange and Design programs.

Palletizing in Casefill


We have added the ability for you to calculate pallet loads for Casefill to replace the old imported pallet load.

After calculating, click on the Tools menu to access this feature.




The standard Cape Pack palletization screen appears with all the normal palletizing options.


Make your changes as required and click on the **Calculate** button.



Options to palletize your case appear on the screen.



Select the load you wish and then close this screen to update Multi-Viewer Graphics. All normal viewing and load formatting options are available.




Casefill for Cylinders

This option operates in a very similar fashion to the standard Casefill for cartons shapes described above. The essential differences are:


- You are dealing with cylindrical objects instead of rectangular boxes.
- The primary package dimensions are specified as top and bottom diameters and a height instead of length, width and height.
- You can allow both row/column and nested arrangements within the cases.
- You can allow partial top layers within the case if the case weight limit will not allow full layers.
- You can specify spacing between each cylindrical object to simulate dividers or another form of product separator.

In all other respects this option program operates in the same way. The input and output screens for a Cylinder/Bottle Casefill analysis are shown next.


Primary Package Input



Fill Restrictions Input




Multi-Viewer Graphics Screen




Recessed Cylinders

You must enter a bottom diameter that is different from your top diameter and you must enter a recess factor. The recess factor is the amount that the top cylinder recesses into the one directly beneath it in the stack.



Here are your results.




Varying Carton Size in Casefill

This option operates in an almost identical way to the Fixed Casefill options described above. There are, however, three major differences:


- The primary package can be allowed to vary in size.
- You can only work with one database record at a time.
- You cannot select Multi-Dimensional loading or Pallet Maximizer as an option.

Here are the input and output screens for a variable analysis using the data in our original example. The only differences are that we will allow the primary package to vary +/- .5 inches in all three dimensions and we will only be using record #1.

Primary Package Input



Fill Restrictions Input



Casefill Hints and Tips

Casefill is a program used to calculate the most efficient loading of a primary package into a range of existing cases. These can fall into one of three categories:

- A routine which establishes good internal case cubic efficiency, but does not consider the way such cases are palletized.
- As above, but with pre-established pallet loading information not specific to the product, but related to the case size.
- As in the first point above, but which individually palletizes each case with product specific parameters.

The first option is all very well, except that a case, which provides a very high internal cubic efficiency, may not palletize as efficiently on a specific pallet as a less efficient case.

Obviously the third option is the most comprehensive and should supply good comparative results in a single Solution Report. However, the negative aspect of this option is that all analyses will require far greater calculation time.

In fact, the Casefill program operates on the basis of the second option, as a compromise between flexibility and performance. The critical factor in the usefulness of this option is the relative product weight. Let's assume that a palletizing solution is calculated with a nominal case weight of 1 lb. and achieves 50 per load in space utilization alone.

Casefill uses this case from the database in the course of its calculations, and gets 25 primary packages of 1 lb. each in the internal arrangement. With the case material weight added, let us say the case gross weight becomes 26 lb. which, multiplied by the 50 cases per load, gives a pallet load weight of 1300 lb., excluding the pallet itself.

If the maximum load weight is 1200 lb., it is clear that although you can place this quantity of product in the physical space, the weight of the load has become the critical factor.

Thus, the logic employed by the Casefill program is perfectly satisfactory as long as you 'cube out' before you 'weight out'. In these circumstances you should revert to the Pallet Group to recalculate the relative efficiencies of the well-filled cases, as indicated by the first option in the list.

The premise behind the case database is to provide the dimensional data for the running of analyses. It is not designed to be for general use as a 'packaging database'. The reference point for entries is simply the record number.

The maximum number of records which can be held in the database is 2500, although it is desirable to keep the working database as compact as possible to maintain operating performance.

Data Restrictions

- The Casefill Group uses the *Minimum Number of Primary Packs per Secondary Pack* field value to exclude cases from the database in preliminary volume calculations. That is, if the minimum number of objects or primary packages is too large to fit within a secondary package or case defined in the database, that secondary package will be excluded from the calculations.
- The Casefill Group may find over the maximum number if it can complete a pattern by adding 1 or 2 more objects or if it can find a higher cube efficiency.
- The product cannot exceed the internal height of a case.
- The product can exceed the internal height of a tray.

Object Tips

- The *Number per Pack* field lets you enter the number of items within the object dimensions you are defining. If there were 6 cans in a shrink-wrapped package, you would enter **6** here. This number is multiplied to calculate the exact number of packs/items per case and pallet load.
- If you want to vary weight or volume, you must click on the **Vary Volume/weight** option on the **Input** menu on the Primary Package input tab to get the settings.
- If you choose to vary only one dimension, you must vary the volume.
- If you want to vary the volume of the primary package, you must specify in percent form the amount to vary. This field can be used when you need to do a "25% more free promotion" of a particular product, or if you are just looking to vary volume, to create new sizes.
- If the weight is to increase as the volume increases, check the Vary **Weight** box. This will also work if the volume decreases. If you want the weight to remain constant as the volume changes, do not select this box.
- The primary package will not change in size if you do not enter a variance amount on the Primary Package input tab.
- If you choose not to vary the volume of the product one dimensional increment must be set to zero. This ensures a constant volume of the primary package because the third dimension will be calculated in accordance with the other two dimensions.

Fill Tips

- If you want the program to find Multi-Dimensional or Maximizer solutions make sure you have specified more than one dimension vertical.
- Make sure your maximum case weight allows for the maximum number of primary packages to fit in the case based on the primary package weight.

Cape Pack Databases

Introduction


Cape Pack includes a variety of databases for use with the various programs. For the most part, the database structures are the same, most are Access-based, and they have similar functions. However, their purposes are different. Here are the databases available to you within the programs of Cape Pack.

Database Name	Used in:	Purpose
Secondary Package (SP) Database	Pallet Group	Database of existing case sizes that are used for more than one analysis. Can also be used to import case sizes from an external source, such as Excel, to eliminate data entry.
Primary Package (PP) Database	Arrange/Design Group	Database of existing carton sizes that are used for more than one analysis. Can also be used to import carton sizes from an external source, such as Excel, to eliminate data entry.
Bundle Database	Arrange/Design Group	A database of bundle configurations that are commonly used to group primary packages together. Can be created with or without bundle packaging.
Casefill Database	Casefill	Database of existing case sizes that are used in Casefill to evaluate package fit for new products or products with new sizes. This is a case consolidation database.
Display Pallet Database	Display Pallet	Database of existing case sizes and weights that is used in Display Pallet to reduce data entry requirements. You create a database of all your existing products including outside dimensions and weights and then select from the database to build your loads.
Packaging Information Database	PID	A database that includes all complete analysis information for the single product modules. This database can be created and then shared with non-Cape users so that they can open and view your files.


Package Databases

Cape Pack includes 3 databases to assist you in accurate data entry. They include the Secondary Package Database in the Pallet Group, and the Primary Package and Bundle databases in the Arrange/Design Groups. These databases were created to allow you to import your packages from an external source through the use of our CDI text file, and then have the information available for use in the program groups. The Secondary Package database is only available for cases or trays (rectangular objects). The Primary Package database is only available for cartons. The Bundle Database can be used in any of the Arrange or Design Group programs.

All of the databases are Access based, and all of them are locked. They can only be edited from within Cape Pack. They are accessed via the **Database** menu once you start the program group. Here are the menu options for the Secondary Package (SP) Database.



And here is an example of the Primary Package (PP) Database in the Arrange Group.




Secondary Package Database

The SP Database is used to store the sizes of all your cases and trays that you have in your database. Once created, you can import your case size from the database and then simply calculate your results. This is especially helpful if you have a large number of products that use the same case size. You have the option to create a new database or open and modify an existing database.


Create New Database

Launch Cape Pack and the Pallet Group for cases.


Select the **Databases** menu and choose **Create a new SP Database**. A dialog box opens.



Enter a **Name** and **Description** in the appropriate fields and click on **Create & Set as Current**. The database will be created with no records.



To view the database being used, select **SP Database Utility** from the **Databases** menu. The following screen appears.



Here you can add case information (records), view the information for each record or modify an existing record.

SP Database Fields

The following fields are part of your SP Database record.

Number:	One up number that remains with the case in the order that it was entered into the database.
Name:	A 15-character description of the case
Type:	Select the type of Secondary Pack to be used
Units:	Sets program to Metric or English units
Length OD:	Outside package length dimension
Width OD:	Outside package width dimension
Height OD:	Outside package height dimension
Length ID:	Inside package length dimension
Width ID:	Inside package width dimension
Height ID:	Inside package height dimension
Tray Wall Height:	Sets the height of the walls for the tray style you select. In a tray, your product height can exceed the tray wall height.
Net Weight:	Weight of the contents of the case or tray.
Gross Weight:	Weight of the case or tray including the contents. The gross weight must be equal to or greater than the Net Weight of the case.
Material Thickness:	The thickness of the corrugated material used to construct the secondary package.

No. Material Thicknesses: The number of material thicknesses in each dimension of the secondary package.

Navigating the Database

The **Database Utility** program has 2 options for navigation: buttons and menus. Below is an explanation of both.

Buttons

Close:	Accepts your changes and returns you to the Pallet Group input screens.
Add:	Adds a new case and palletizing record to the database.
Edit:	Allows you to change the record number highlighted in the spreadsheet.
Delete:	Removes the current record from the database.
Select All:	Highlights all records in the spreadsheet.

Menu Options

SP Database File Menu

The **File** menu has a number of features for managing your database.

Create New Database	Creates a new SP Database
Open Database	Lets you open a different existing SP Database.
Export SP to Analysis	Allows you to use the highlighted record in your current Pallet Group Analysis.
Import SP from Analysis	Imports the current SP case as a record in your current database.
Export Entire Database as ASCII File	Allows you to export either the highlighted record or the entire database as an ASCII file.
Import .cdi from Database	Allows you to import a CDI file as a new database or into the existing database.
Import SP from CLF into Database	Allows you to import a secondary package from a saved clf into the current database.
Import Case size to Database	Imports from the older Case Size Database to the current SP database.
Purge Duplicates	Allows you to eliminate duplicate records in the database.
Print	Prints the database.
Print Preview	Standard Windows Print Preview feature.
Print Setup	Standard Windows Print Setup feature.
Close	Closes the program and returns you to the input data tabs.

SP Database Options Menu

The **Options** menu assists you in using your database with features such as sort and search.

Sort By	You can sort your records by Secondary Pack Size, Type, Name, or Package Number.
Search	Search feature that allows you to quickly locate packages meeting your criteria. You can search by any of the data fields and use up to 3 of those fields in your search.
Show All Records	Clears the search list and returns you back to the full spreadsheet.
Select All	Highlights all the records in your database.
Unselect All	Removes highlighting from all records in your database.

Maintaining Databases

The Database Utility allows you to modify your existing cases, add new cases or delete cases from your database. The following will demonstrate each of these options.

Adding Cases to a Database

Click on the **Add** button under the spreadsheet area.

Select a *Package Type* and then using the **Tab** key to move through the data fields, enter all the information for your new case or tray.

When all the data has been entered, click **OK** to add the record to the database.

Importing Cases from the Current Analysis

To save your current case as a record in your database, you have two options.

From the Pallet Group data entry area, click on the **Databases** menu and **Export Current SP to SP Database**.

Or from the Database Utility, click on **File, Import SP from Analysis**. The record will appear in your database.

Deleting Cases from a Database

Highlight the case in the list that you want to remove and click on the **Delete** button. Once a case is deleted, it cannot be recovered.

Editing Cases in a Database

Highlight the case in the list that you want to change and click on the **Edit** button..

Make your changes and click on **OK** to update the database.

Searching for Cases in a Database

Click on the **Options** menu and then **Search**.

Sorting Database Records

To sort the records in your database, click on the **Options** menu, then **Sort by**, and finally choose a field to sort by. The database sorts in ascending order.

Exporting Database Information

You may have a need for a listing of the cases in your SP Database with all of the specifications for use in another application. This database, when customized for your operation, is an excellent source of information for cases used in your organization. Cape Pack provides a feature to export all the records in your database in ASCII (TXT) format.

Select the **File** menu and choose **Export Entire Database as ASCII File...** and then choose either the **Entire Database** or **Current Recordset**. A Save As dialog will appear.

The default path for your export will be your Private path and the default name will be your [database name].CDI. You may change either of these if you wish.

Click on **Save** and your database will be exported in a “flat” ASCII file format with a .cdi extension. You may open this file with Windows Notepad or any similar program.

Each database record will contain its own details, as follows:


Field Name	Data Type	Example
[General]	Section Heading	[General]
Field 1	Number of Pages	2
Type	Database type	4
[Package #1]	Section Heading	[Package #1]
Field #1	Package Name	Case
Field #4	Case type: 1 =Regular Slotted Container (RSC) 2 =Full Overlapping Container (FOC) 3 =Center Special Slotted (CSSC) 4 =Surface (SURFACE) 5 =Sleeve (SLEEVE) 6 =Tray (TRAY) 7 =End Loader/Wrap Around (END) 1xyz=Custom- 1000 series Or a csf file name	1
Field #6	Outside Length	15.3200
Filed #7	Outside Width	14.3200
Field #8	Outside Height	9.8900
Field #14	Units. 0=Metric, 1=Imperial	1
Field #15	Tray Wall Height	
Field #16	Inside Length	15.0000
Field #17	Inside Width	14.0000
Field #18.1	Inside Height	9.2500
Field #19	Gross Weight	23.0000
Field #20	Net Weight	22.000
Field #22	Material thickness, Length	2
Field #23	Material thickness, Width	2
Field #24	Material thickness, Height	4
Field #25	Material thickness (caliper)	.01600
Field #28		2

Purging Duplicate Records from your Database

Click on the **File** menu and **Purge Duplicates**.

Check the records you want to delete in the far right column.

Then click on **Delete** to remove the records. You will be prompted to confirm.



Click on **Yes** to delete the records. The screen returns to your spreadsheet with the records deleted.

Importing Databases

You can import data into a new or existing SP Database with the use of the .CDI ASCII file. You could export from one database and then import into another using this feature.

Click on **File, Import from External Source, As a new Database**. A file open box appears to allow you to select the cdi file that you want to use.

Click on the file you want to import and then on the **Open** button. The Create New Secondary Pack Database screen appears.

Enter a name and description and then **Create Database**. A query will ask if you want to open the new database.

Click on **Yes** and your new database is imported and opened for your use.

Primary Package Database


The PP Database is used to store the sizes of all your cartons and other rectangular shaped primary packages that you have in your database. Once created, you can import your package size from the database and then simply calculate your results. Most of the options available for this database are the same as for the SP Database. We will highlight the differences here.

You have the option to create a new database or open and modify an existing database.


Create New Database

Launch Cape Pack and the Arrange Group for cartons/bags/ovals.

Select the **Databases** menu and choose **Create a new PP Database**. A dialog box opens.



Enter a **Name** and **Description** in the appropriate fields and click on **Create & Set as Current**. The database will be created with no records.



To view the database being used select **PP Database Utility** from the **Databases** menu. The following screen appears.

y

Here you can add case information (records), view the information for each record or modify an existing record.

PP Database Fields

The following fields are part of your PP Database record.


Number:	One up number that remains with the package in the order that it was entered into the database.
Name:	A 15-character description of the package
Type:	Select the type of Primary Pack to be used
Units:	Sets program to Metric or English units
Length OD:	Outside package length dimension
Width OD:	Outside package width dimensions
Height OD:	Outside package height dimension
Length ID:	Inside package length dimension
Width ID:	Inside package width dimension
Height ID:	Inside package height dimension
Net Weight:	Weight of the contents of the package.
Gross Weight:	Weight of the packaging including the contents. The gross weight must be equal to or greater than the Net Weight of the package.
Material Thickness:	The thickness of the corrugated material used to construct the primary package.
Material Weight:	The weight of the material in pounds per 1000 square feet of board.
Glue Flap	The width of the Glue Flap of the carton.
No. Material Thicknesses:	The number of material thicknesses in each dimension of the primary package.

Maintaining Databases


The Database Utility allows you to modify your existing packages, add new packages or delete packages from your database. The following will demonstrate each of these options.

Adding Packages to a Database

Click on the **Add** button under the spreadsheet area. The following screen appears.



Select a *Package Type* and then using the **Tab** key to move through the data fields, enter all the information for your new package.



When all the data has been entered, click **OK** to add the record to the database.

1 of 1								
#	Name	Type	Units	Length	(OD) Width	Height	Length	(ID) Width
1	Carton	ECO Seal	in/lb	6.0000	2.0000	8.0000	6.0000	2.0000

Buttons at the bottom: Close, Add, Edit, Delete, Select All.

Exporting Database Information

You may have a need for a listing of the cases in your PP Database with all of the specifications for use in another application. This database, when customized for your operation, is an excellent source of information for packages used in your organization. Cape Pack provides a feature to export all the records in your database in ASCII (TXT) format.

Select the **File** menu and choose **Export Entire Database as ASCII File...** and then choose either the **Entire Database** or **Current Recordset**. A Save As dialog will appear.

The default path for your export will be your Private path and the default name will be your [database name].CDI. You may change either of these if you wish.

Click on **Save** and your database will be exported in a “flat” ASCII file format with a .cdi extension. You may open this file with Windows Notepad or any similar program.

Each database record will contain its own details, as follows:

Field Name	Data Type	Example
[General]	Section Heading	[General]
Field 1	Number of Pages	2
Type	Database type	2
[Package #1]	Section Heading	[Package #1]
Field #1	Package Name	Carton
Field #4	Pack type: 1=Full Overlap Seal End (Seal End) 2=Part Overlap ECO Seal (ECO Seal) 3=Cover Tray (Cover Tray) 4=Tray (Tray) 5=Double Wall Tray (DW Tray) 6=Standard Reverse Tuck (REV Tuck) 7=Straight Tuck (STR Tuck) 8=Tuck Top/Auto Bottom (Auto Bottom) 9=Tapered Wall/Shadow * (TAP SHAD) 10=Hollow Wall/Shadow Box (HOL Shadow) 11=Surface Area (Surface) 1xyz=Custom-1000 series	1
Field #6	Outside Length	6.0000
Filed #7	Outside Width	5.0000
Field #8	Outside Height	8.0000
Field #14	Units. 0=Metric, 1=Imperial	1
Field #15		
Field #16	Inside Length	5.5000
Field #17	Inside Width	4.5000
Field #18.1	Inside Height	7.000
Field #19	Gross Weight	1.0000
Field #20	Net Weight	0.8500
Field #22	Material thickness, Length	2
Field #23	Material thickness, Width	2
Field #24	Material thickness, Height	4
Field #25	Material thickness (caliper)	.0895
Field #26	Material weight (lb/msf)	80.000
Field #27	Glue Flap	1.0000
Field #28		1


Bundle Database

The Bundle database is used to store all the standard bundle configurations used by your company. Once created, you can import your bundle setup from the database, and then return to data input.. This is especially helpful if you have a large number of products that use the same bundle arrangement. You have the option to create a new database or open and modify an existing database.


Create New Database

Launch Cape Pack and the Arrange Group for any package type you wish.


Select the **Bundle** menu and **Define/Review Bundle Input**. The Bundle Wizard opens.




Select the **Database** menu and choose **Create New Bundle database**. A dialog box opens.



Enter a **Name** and **Description** in the appropriate fields and click on **Create & Set as Current**. The database will be created with no records.



Next we need to add a bundle to the database. Select **Add Current Bundle Input to Bundle Database** from the **Database** menu.




To view the contents of the database, select the **Database** menu and then **View/Edit Bundle Database**. The following screen appears.

A screenshot of a dialog box titled "View/Edit Bundle Database". It contains a table with columns: Name, Length, Width, Height, Units, Qty, Qty in X, Qty in Y, and Qty in Z. The table has three rows: "Bundle #1" (Length: 374.0000, Width: 318.0000, Height: 256.0000, Units: mm, Qty: 24, Qty in X: 3, Qty in Y: 4), "Bundle #2" (Length: 632.0000, Width: 327.0000, Height: 257.0000, Units: mm, Qty: 40, Qty in X: 5, Qty in Y: 4), and "Bundle 1" (Length: 12.0000, Width: 10.0000, Height: 16.0000, Units: in, Qty: 8, Qty in X: 2, Qty in Y: 2). At the bottom are "Edit" and "Cancel" buttons.

Name	Length	Width	Height	Units	Qty	Qty in X	Qty in Y	Qty in Z
Bundle #1	374.0000	318.0000	256.0000	mm	24	3	4	
Bundle #2	632.0000	327.0000	257.0000	mm	40	5	4	
Bundle 1	12.0000	10.0000	16.0000	in	8	2	2	

To edit your record for Bundle 1, highlight it and click on the **Edit** button. The following screen appears.



Here you can change whatever information you want and then save the changes. Let's make some changes to this record.


First select a Bundle Package type of **Tray**.

Next change the Bundle name to **Tray**.


Add a 2-way divider .

Select the **125 E Flute** material for both the tray and the partition.

Lets change the bundle to a 6-pack. Your screen should look like the following.



Last, select the **Colors** menu and change the Bundle Package color to yellow.



Click on **Save Changes**.

Bundle Database Fields

The following fields are part of your Bundle database record.

Name:	A 15-character description of the bundle
Length OD:	Outside package length dimension
Width OD:	Outside package width dimension
Height OD:	Outside package height dimension
Units:	Metric or inches.
Qty:	Number of total primary packages in the bundle.
Qty in X:	Number of primary packages in the Length of the bundle.
Qty in Y:	Number of primary packages in the Width of the bundle.
Qty in Z:	Number of primary packages in the Height of the bundle.

Other Bundle Definition Data

Bundle Package Type:	Type of package used for the bundle if any.
Divider/Partition:	Type of divider used for the bundle.
Tray Wall Height:	Sets the height of the walls for the tray style you select. In a tray, your product height can exceed the tray wall height.
Package Thickness:	Thickness of the corrugated material used for the bundle package.
LB/MSF:	Basis weight of the corrugated material used to make the bundle package.
Divider Thickness:	Thickness of the corrugated material used for the divider.
Colors:	Colors of the divider and/or bundle package.
Graphics:	3D Imaging files associated with the bundle package.

So essentially, the Bundle Database is comprised of all the fields and options that are in the Bundle Wizard.

Maintaining Databases

Database menu allows you to modify your existing bundles, add new bundles or delete bundles from your database. The following will demonstrate each of these options.

Adding Bundles to a Database

Set up your bundle the way you want it in the Bundle Wizard.

To add the bundle to your database, select the **Database** menu and then **Add Current Bundle Input to Bundle Database**. The bundle will be added to the current database.

Deleting Bundles from a Database

To delete a bundle from your database that you no longer use, click on **Database, Delete from Bundle Database**. The following screen will appear.

In the **Delete** column, click on the bundle(s) you want to delete, then click on the **Delete** button.

Editing Bundles in a Database


Highlight the bundle in the list that you want to change and click on the **Edit** button.

Make your changes and click on **Save Changes** to update the database.


Using your Bundle Database

To use the bundles in your database, you simply select them from the list.

Click on the **Database** menu and then **Import from Bundle Database**. The following screen appears.



Click the **Import** column for whichever bundles you wish to use (no more than 8 per analysis), and then click on the **Import** button. Your bundles will appear in your list on the Bundle Wizard screen.



Working with a Casefill Database

To understand how Casefill works you must be aware of the database from which it draws the case and pallet information. You will need to build your own database, or any number of different databases. However, for getting started in Casefill we have provided a small database.

Select the **Database** menu and choose **Open Database**. A dialog box opens.

Select the **casefill.mdb** and then click on **Open**. Behind the input screen the database will be open. The database name will appear in the title bar of your window.

To view the database being used select **DataBase Utility** from the **Database** menu. Or you can click on the Database Utility toolbar button. The following screen appears.

Database Utility (CASEFILL.MDB)

Total in Recordset = 20

1 of 20

No.	Case Name	Pack Type	Rec. No.	Length	Case (ID) Width	Height	Tray Wall Height	Unit
1	Std. RSC	Case	1	14.2500	8.7500	10.7500	-	in/lb
2	End Loader	Case	2	14.2500	10.0000	6.0000	-	in/lb
3	Case4	Case	3	15.0000	9.4000	5.6000	-	in/lb
4	Case	Case	4	16.0000	12.0000	10.0000	-	in/lb
5	Box	Case	5	19.8750	14.5000	12.8750	-	in/lb
6	Shipper	Case	6	521.0000	369.0000	559.0000	-	mm/l
7	Case2	Case	7	23.0000	17.0000	11.0000	-	in/lb
8	Case3	Case	8	23.0000	17.0000	7.0000	-	in/lb
9	test	Case	9	16.5000	16.5000	16.5000	-	in/lb
10	case	Case	10	16.0000	8.0000	8.0000	-	in/lb
11	carton	Case	11	400.0000	300.0000	200.0000	-	mm/l
12	Eraser Box	Case	12	7.7500	4.1250	1.6250	-	in/lb
13	case	Case	13	16.0000	12.0000	10.0000	-	in/lb
14	case2	Case	14	15.5000	14.5000	13.5000	-	in/lb
15	case3	Case	15	15.0000	14.0000	13.0000	-	in/lb
16	case4	Case	16	10.0000	10.0000	10.0000	-	in/lb
17	-----	-----	17	-----	-----	-----	-----	-----

Buttons: Close, Delete, Edit, Add, Select All

3:48 PM CAPS NUM

Here you can view the information for each record or you can modify an existing database.

Navigating the Casefill Database

Casefill uses a locked Access database which gives you great flexibility. In addition to the spreadsheet and control buttons, you have a wide variety of menu options.

Database Fields

- Number:** One up number that remains constant regardless of sort order.
- Case Name:** A 15-character description of the case
- Pack Type:** Select the type of Secondary Pack to be used
- Rec:** One up number that remains with the case when sorted.
- Length ID:** Inside package length dimension
- Width ID:** Inside package width dimension
- Height ID:** Inside package height dimension
- Tray Wall:** Sets the height of the walls for the tray style you select. In a tray, your product can exceed this height restriction.
- Units:** Sets program to Metric or English units
- Length OD:** Outside package length dimension
- Width OD:** Outside package width dimensions
- Height OD:** Outside package height dimension

Volume:	A package volume figure calculated by the program
Material Weight:	Weight of packaging material
Cases per Load:	How many cases or shippers there are on the pallet load
Pallet Length:	The length dimension of the Pallet Base Style used
Pallet Width:	The width dimension of the Pallet Base Style used
Pallet Height:	The height of the Pallet Base Style used

Buttons

Close:	Accepts your changes and returns you to the Casefill input screens.
Delete:	Removes the current record from the database
Edit:	Allows you to change the record number highlighted in the spreadsheet
Add:	Adds a new case and palletizing record to the database
Select All:	Highlights all records in the spreadsheet

Menu Options

Casefill Database File Menu

The **File** menu has a number of features for managing your database.

Export Database as .cfi	This feature allows you to export the information in your Casefill database for use in other programs. You have the option to export either the Entire Database or just the Current Recordset.
Export Current Record to Case Size Database	This feature allows you to export the case size information to the Case Size Database for use in the Pallet Group program.
Import Database	This feature allows you to import a database from another data source such as Access or Excel.
Purge Duplicates	Eliminates duplicate records from the database.
Print	Prints the database.
Print Preview	Standard Windows Print Preview feature.
Print Setup	Standard Windows Print Setup feature.
Close	Closes the program and returns you to the Casefill input data tabs.

Casefill Database Options Menu

The **Options** menu assists you in using your database with features such as sort and search.

Sort By	You can sort your records by Case Size, Case Type, Case Name, or Record Number.
Find a Case/Tray	Search feature that allows you to quickly locate packages meeting your criteria. You can search by any of the datafields and use up to 3 of those fields in your search.
Show All Records	Clears the search list and returns you back to the full spreadsheet.
Select All	Highlights all the records in your database.
Unselect All	Removes highlighting from all records in your database.

Creating and Maintaining Databases

The Casefill Group can help you consolidate the number of secondary package sizes your company uses. In order to do this Cape Pack requires you to specify information regarding the case sizes existing within your warehouse. The program can scan this information and report which existing case size will best suit the needs of the primary package (product) you are trying to load.

Depending on the nature of your business, you can set up many different databases containing certain case sizes, or set up one database containing all case sizes. It is at your discretion as to how you set up your databases.

Cape Pack includes a default database. So you can either add your case sizes to the existing database or create your own.

Creating a New Database


With Casefill started, choose **Create New DataBase** from the **Database** menu. A Create New Database dialog box will appear.

Enter a filename in the *File name* field. Click on **Save**. Your new *empty* database appears.


Adding Cases to a Database

Adding records is a simple task.

Click on the **Add** button under the spreadsheet area. The following screen appears.



Using the **Tab** key to move through the data fields, enter all the information for your new case or tray. The Volume will calculate for you automatically. If you choose a tray style, an additional field will appear for **Tray Wall Height**.



When all the data has been entered, click **OK** to add the record to the database.

Database Utility (CASEFILL.MDB)

Total in Recordset = 21 21 of 21

No.	Case Name	Pack Type	Rec. No.	Length	Case (ID) Width	Height	Tray Wall Height	Uni
6	Shipper	Case	6	521.0000	369.0000	559.0000	-	mm/l
7	Case2	Case	7	23.0000	17.0000	11.0000	-	in/lb
8	Case3	Case	8	23.0000	17.0000	7.0000	-	in/lb
9	test	Case	9	16.5000	16.5000	16.5000	-	in/lb
10	case	Case	10	16.0000	8.0000	8.0000	-	in/lb
11	carton	Case	11	400.0000	300.0000	200.0000	-	mm/l
12	Eraser Box	Case	12	7.7500	4.1250	1.6250	-	in/lb
13	case	Case	13	16.0000	12.0000	10.0000	-	in/lb
14	case2	Case	14	15.5000	14.5000	13.5000	-	in/lb
15	case3	Case	15	15.0000	14.0000	13.0000	-	in/lb
16	case4	Case	16	10.0000	10.0000	10.0000	-	in/lb
17	case5	Case	17	9.0000	9.0000	9.0000	-	in/lb
18	case6	Case	18	8.0000	8.0000	8.0000	-	in/lb
19	case7	Case	19	7.5000	7.5000	8.0000	-	in/lb
20	case8	Case	20	18.0000	12.0000	6.0000	-	in/lb
21	Case	Case	21	13.7500	8.7500	6.5000	-	in/lb

Buttons: Close, Delete, Edit, Add, Select All

Deleting Cases from a Database

Highlight the case in the list that you want to remove and click on the **Delete** button. Once a case is deleted, it cannot be recovered.


Editing Cases in a Database

Highlight the case in the list that you want to change and click on the **Edit** button.


Make your changes and click on **OK** to update the database.

Searching for Cases in a Database

Click on the **Options** menu and then **Find a Case/Tray**. The following dialog box appears.



Select a field to search by, and operator from the drop down list and then enter a value. You may use up to three criteria for your search. See the example below.



Sorting Database Records

To sort the records in your database, click on the **Options** menu, then **Sort by**, and finally choose a field to sort by. The database sorts in ascending order.

Exporting Database Information

You may have a need for a listing of the cases in your Casefill database with all of the specifications for use in another application. This database, when customized for your operation, is an excellent source of information for cases used in your organization. Cape Pack provides a feature to export all the records in your database in ASCII (TXT) format.

Select the **File** menu and choose **Export Database as .cfi** and then choose either the **Entire Database** or **Current Recordset**. A Save As dialog will appear.

The default path for your export will be your Private path and the default name will be your [database name].cfi. You may change either of these if you wish.

Click on **Save** and your database will be exported in a “flat” ASCII file format with a .cfi extension. You may open this file with Windows Notepad or any similar program.

Each database record will contain its own details, as follows:

Field Name	Data Type	Example
[Record Number]	[Record Number]	[Case 1]
Field #1	Case Name	Tray
Field #2	Volume	1340.4
Field #3	Inside Length	14.2500
Field #4	Inside Width	8.7500
Field #5	Inside Height	10.7500
Field #6	Number Per Load	20
Field #7	Outside Length	14.2500
Field #8	Outside Width	9.0000
Field #9	Outside Height	11.0000
Field #10	Material Weight	1.0000
Field #11	Pallet Length	48.0000
Field #12	Pallet Width	40.0000
Field #13	Pallet Height	5.5000
Field #14	Tray Wall Height	4.0000
Field #15	Package Type (1=RSC, 2=Regular Tray, 3=Variable Tray)	3
Field #16	Unit of Measure (0=Metric, 1=English)	1
Field #17	Dimension Vertical (1=Length, 2=Width, 3=Height)	3

Purging Duplicate Records from your Database

Click on the **File** menu and **Purge Duplicates**.

Check the records you want to delete in the far right column.

Then click on **Delete** to remove the records. You will be prompted to confirm.

Click on **Yes** to delete the records. The screen returns to your spreadsheet with the records deleted.

Importing Databases

You can import data into a new or existing Casefill database with the use of the .cfi ASCII file. You could export from one database and then import into another using this feature.

Click on **File, Import Database, As a new Database**. A file open box appears to allow you to select the cfi file that you want to use.

Click on the file you want to import and then on the **Open** button. The Import .cfi to new Database screen appears.


Enter a file name and click on the **Save** button. You will be prompted.

Click on **Yes** and your new database is imported and opened for your use.


Creating Databases from an Excel Spreadsheet

Included in your program is a utility that allows you to create a Casefill database from an Excel spreadsheet. You can populate the spreadsheet provided and then use the included macro to create a new database for your Casefill program.

From the Front Menu in Cape Pack, click on the **File** menu and **Open MS Excel Examples**.



A list of the Examples folder content appears.



Select **transferMyCasesTrays2Casefill.xls** and click on **Open**. The spread sheet will open.

Transfer Cases/Trays to Casefill Example								
No of Cases/Trays =		Casefill Database = myCases.mdf						
No.	Name	Type	Length(OOD)	Width(OOD)	Height(OOD)	Net Weight	Material	Tray Wall
1	Carton	1	14	10.5	11	15.5	11.25	0.45
2	Box	1	15.75	11	19.685	52	16.732	13
3	Quality Streets	1	8.66	7.065	7.875	64	9.84	7.875
4	Bottle	1	11.25	10.25	10.6	46	11.81	10.75
5	Case	1	8	11.62	46	12	11.81	0.88
6	Tray	2	19.685	13.78	9.84	72	19.685	13.78

[Click here to Transfer Cases/Trays to Casefill Database](#)

From the tabs at the bottom, select the tab for the units of measure you prefer. Then populate the spreadsheet columns with your data for your cases. Don't forget to change the **No. of Cases/Trays** and the **Casefill Database** name fields at the top of the spreadsheet.

When you are finished, click on the **Click here to Transfer Cases/Trays to Casefill Database**.

The macro will run and Cape Pack will open, Casefill will open, a new database will be created for you to your specifications and it will open in Database Utility for you to review.

You can use this spreadsheet process to create as many databases as you wish.

Display Pallet Databases

Display Pallet uses databases to store product information. You can build as many databases as you wish and cross-use them with different analyses. There are four options for your Databases: three from the **Database** menu and the **Import from Database** button which is used to pull cases from the database into your current analysis.

Create New Package Database

This feature is used to create a new database for use in Display Pallet.

Click on the **Create New Package Database** option on the **Database** menu. The following screen appears.

Enter a name for your database and click on **Save**. The database will open for you to add packages.

Package Database - tutorial.mdb

The screenshot shows a Windows application window titled "Package Database - tutorial.mdb". The menu bar includes "File", "Options", and "Help". Below the menu is a table with the following columns: #, Package Name, Label, Package Types, Units, Length, Width, Height, Tray Wall Height, and Weight. A scroll bar is visible on the right side of the table area. At the bottom of the window are buttons for "Close", "Add", "Edit", "Delete", and "Select All". The status bar at the bottom right shows "(in/lb)", "3:56 PM", "CAPS", and "NUM".

#	Package Name	Label	Package Types	Units	Length	Width	Height	Tray Wall Height	Weight

Navigating the database

Use the **Package Database Utility** option on the **Database** menu to open and edit or review your databases. You can change, add or delete packages.

Package Database - displaypallet.mdb

The screenshot shows a Windows application window titled "Package Database - displaypallet.mdb". The menu bar includes "File", "Options", and "Help". Below the menu is a table with the following data:

#	Package Name	Label	Package Types	Units	Length	Width	Height	Tray Wall Height	Weight
1	Std. Box	1	Standard Box	mm/kg	350.0000	300.0000	250.0000	-	15
2	Case	2	RSC Box	mm/kg	350.0000	200.0000	250.0000	-	20
3	Box	3	End Loader Box	mm/kg	450.0000	350.0000	400.0000	-	20

At the bottom of the window are buttons for "Close", "Add", "Edit", "Delete", and "Select All". The status bar at the bottom right shows "(in/lb)", "3:57 PM", "CAPS", and "NUM".

Buttons

Close:	Closes the database and returns to the main Display Pallet window.
Add:	Adds a record to the database.
Edit:	Allows you edit a record currently in the database.
Delete:	Deletes the highlighted record(s) from the database.
Select All:	Allows you to highlight all the records showing.

Menu Options

Display Pallet Database File menu

Create New Package Database	Allows you to create a new database.
Open Package Database	Allows you to open a different database.
Export Package(s) to Analysis	Includes the selected packages in the current open analysis.
Import Package(s) from Analysis	Allows you to import packages in the current analysis to be included in the database.
Export Entire Database as ASCII File	Exports your database in ASCII format with a *.CDI extension.
Import .cdi from Database	Allows you to import database records from a CDI file and either save it as a new database, or to the existing open database.
Import SP from clf into database	Allows you to import database records from a clf file into the current database.
Purge Duplicates	Allows you to identify and eliminate duplicate database records.
Print	Prints the database.
Print Preview	Previews your document prior to printing.
Print Setup	Lets you setup your printer specifications.
Close	Closes the database utility function.

Display Pallet Database Options menu


Sort By	Allows you sort your database according to Package Size, Package Type, Package Name or Record Number.
Search	Allows you to search your database based on your selected criteria. You can choose up to 3 different parameters with which to search.
Show All Records	Recovers the entire database after your search.
Select All	Selects all the records showing in the database.

UnSelect All

UnSelects all the records showing in the database.

Adding Packages to the Database

Click on the **Add** button to enter in data for a new package. The following screen appears.



Select your **Package Type** and **Name** from the lists provided.

Enter a **Label** and select a **Color**.


Enter in your package dimensions, and quantity allows if desired.

Click on **OK** to enter the package into the database.


Creating Databases from an Excel Spreadsheet

Included in your program is a utility that allows you to create a Casefill database from an Excel spreadsheet. You can populate the spreadsheet provided and then use the included macro to create a new database for your Casefill program.

From the Front Menu in Cape Pack, click on the **File** menu and **Open MS Excel Examples**.



A list of the Examples folder content appears.



Select **transferMyPackages.xls** and click on **Open**. The spread sheet will open.

The screenshot shows a Microsoft Excel spreadsheet titled "TransferPackages.xls [Compatibility Mode] - Microsoft Excel". The spreadsheet contains a table with columns for No., Name, Label, Package Type, Length, Width, Height, Tray Wall Height, Max. Package Count, and Min. Package Count. The data includes entries for v.tray, Std Tray, End Loader, rsc box, and Std Box. A note at the bottom states: "Transfer my Packages to Display Pallet" and "The list describing 'Package Types' is shown on the 'KEYS FOR Package Types' Sheet (below)".

No.	Name	Label	Package Type	Length	Width	Height	Tray Wall Height	Max. Package Count	Min. Package Count
1	v.tray	VT	4	15.75	13.8	12	6.7	10	25
2	Std Tray	ST	3	11.8	11.8	15.75	5.9	0.8	30
3	End Loader	EL	2	17.7	11.8	13.8	0	1.5	28
4	rsc box	RB	1	11.8	11.8	11.8	0	18.5	35
5	Std Box	SB	0	17.7	7.87	13.8	0	18.5	40

From the tabs at the bottom, select the tab for the units of measure you prefer. Then populate the spreadsheet columns with your data for your cases. Don't forget to change the **No. of Products** and the **Package Database Name** fields at the top of the spreadsheet.

When you are finished, click on the **Transfer My Packages to Display Pallet**.

The macro will run and Cape Pack will open, Display Pallet will open, a new database will be created for you to your specifications and it will open in Database Utility for you to review.

You can use this spreadsheet process to create as many databases as you wish.

Packaging Information Database

Introduction

The principle of Cape Pack is that you run an analysis, get to the graphics, customize your solution and then print or export the results. And, if required, you can save the graphics for future recall from the **Open Viewer/Open Saved Solutions** options on the **File** menu at the Front Menu.

Packaging Information Database, referred to as PID, goes one step further and allows you to export the on-screen graphics and numerical data, for each solution, to a standard database format.

It is an extremely powerful and flexible tool in today's environment of storing and sharing packaging related information.


Exporting the results of your work to PID means you can now manage and maintain your solution information in an easily accessible format. You can search on previous results or specific criteria, or you can even use an existing database record as the input for a new analysis!

You can search on wide range of criteria, avoid duplication of effort, delete unwanted files and make individual or overall assessments of the solution information you have saved. And you can share both the numerical and graphical results with colleagues, customers or your suppliers – even if they don't have a Cape program. If they have a copy of the Cape Pack, simply send them a copy of your database and they can access it through the PID Setup program.

You can access PID from the **PID** menu at the Front Menu.

Or, from the input screens in the Pallet, Arrange, Design and Casefill Groups.


When you first enter PID, you will see the following screen.



Here you can choose which program group you want use or search or select **All Solutions** to search every solution in the database. We will choose the Pallet Group.

You can **Search Across All Groups** under the **Options** menu on both the database and Search screens.

Highlight the circle next to **Pallet Group Solutions** and then click on **Open**.



No.	Shape	SP Name	Length	SP (OD) Width	Height	SP / Load	# / Layer	Layers	Length
1	Rect/Oval	Case	400.0000	300.0000	200.0000	70	10	7	1200.0000
2	Rect/Oval	Case	450.0000	275.0000	250.0000	36	9	4	1175.0000

Here you will see a listing of all the Pallet Group solutions in your database. The information that is available for each solution includes the following. Scroll across the screen to view all the data.

Package Shape (e.g. Cylinder, Rect/Oval, Trapezoid etc)	Secondary Pack length, width and height dimensions
Number of Secondary Packs per Load	Number of Secondary Packs per layer
Number of layers per pallet	Product dimensions on pallet (Length, width and height)
Area efficiency (%)	Name of pallet style used
Number of pallets per truck	Name of truck style used
Units of measure (mm/kg or in/lbs)	

Getting Started with PID

The initial screen of the PID feature gives you several options.

Select Group Functions

You can either select a group and open the database, or you can use the other features available as follows.

PID Setup


PID Setup is used to select which database you want to use, add more databases, save a current database to another name or move a database to a different directory. Click on **PID Setup** to access this feature.

Update PID

Using this option will ensure that all your information is saved to the “current” database if you move the database or try to send it to someone without using the features in PID Setup. Whenever you merge or modify your PID database, it is a good idea to update.

PID Setup

Click on the **PID Setup** button. A message appears telling you that your database is being loaded, and then you see the following screen.



This screen allows you to manipulate and manage your databases. You have the following features.

Buttons


Close	Returns you to the Select Group screen with your changes.
Add PID	Lets you add an existing database to the list. It can then be set as the “default” if required. This button is not for creating new databases.
Save As	Allows you to save a database to another name. This is a very useful feature if you want to maintain a master copy of a database and have a working copy.
Set As Current PID	Just highlight the database you want to use and click on this button. This action then sets the chosen database to be the “default” database to be used.
Merge PID's	Allows you to combine two or more databases to form one single database.

PID File Menu

New	Allows you to create a new PID database with a name of your choice. All new databases will contain four records – one for Pallet Group, Arrange Group, Design Group and Casefill Group. These records are necessary as “place holders” for the database structure.
Copy PID to...	Allows you to locate a copy of a selected PID database to another directory (i.e. send it to your “attach” directory when you want to email a copy of a database to a colleague/customer).
Change Path	Lets you change the default path the program will store newly created databases. Cape Pack will also copy the current database to this path.
Delete PID	Lets you delete a PID database from your list.

Exporting Information to a PID Database


Simply select the **Databases** menu in Multi-Viewer Graphics and click on **Export Current Solution to PID**. There are other options there as well as shown below.




Menu Options

File	Change Group	This option allows you to switch between the PID records for the Pallet, Arrange, Design and Casefill Groups.
File	Import Solutions	Allows you to import the appropriate data from a previously saved solution file. This option applies mainly to users of previous versions of Cape Pack who have already saved the solutions in Multi-Viewer Graphics. PID will not import CLF files where there are no saved graphics/solutions. You must save your Solution in MVG for it to be successfully added to your database.

To import a previously saved solution file, select **Import Solution(s)** from the **File** menu. The following screen appears where you can highlight the file or group of files.



If you try to import file that has not been “saved” correctly, you will see the **Failed Imports** message on the right side of the screen.



Click on **Close** and your imported file(s) will be added to the list in the appropriate PID section (Pallet Group in our example).

File	Save Current Solution as CLF	Allows you to save the “current solution” to another filename as a CLF file. This can then be used to open an analysis in the appropriate program group.
File	Export Solutions	Export highlighted solutions to a new folder container one consolidated CSV file of all solution information and a JPG file of the report for each solution.
File	Print	Prints the database in columnar form.
File	Print Preview	Standard Windows Print Preview feature.
File	Close	This option closes PID and returns you to the Front Menu or the input screens depending on where you launched PID.
Options	Search	There are two options: Search Current Group and Search Across All Groups. Searching the Current Group allows you to search on a wide range of dimensional criteria, names and

		number per case, per pallet and truck, type of pallet and truck and even area efficiency. Search Across all Groups allows you to search across the Pallet, Arrange, Design and Casefill Group solutions on only those criteria that are common to solutions within all the groups.
--	--	--

You can set the **Search Key/Fields** to:

Secondary Pack (OD and ID) length, width and height
 Product Name
 Units of measure (mm/kg or in/lbs)
 Secondary Packs per layer
 Secondary Packs per load
 Secondary Packs per Slave Pallet
 Load dimensions for the pallet (length, width and height)
 Pallet Load with Slave Pallets on (length, width and height)
 Number per truck
 Name of truck style used


Solution reference
 Product Code
 Primary Packs per Secondary Pack (Arrange and Design solutions)
 Layers per pallet
 Secondary Packs per truck
 Product dimensions on the pallet (length, width and height)
 Slave Pallet load dimensions (length, width and height)
 Loaded truck dimensions (length, width and height)
 Name of pallet Base Style used

You can set the search parameter **Operators** to:


< less than
 = equal to
 > greater than
 "between" means a range to search within

The first field on the Search screen is a single search facility that lets you search just on Product Name or Product Code. You do not have to enter the full name as a search is carried out on partial words.

For example, do I have a case size greater than 12" in length, and 8" in width that has been palletized on a standard GMA pallet?



Click on **Go** to see if there are any matching records.



You can search on just a single criteria, or you can search on several different criteria. However, the more search criteria you use the more it will narrow the range of potential solutions.

Options	View Solution (Information)	The information about each solution record can be viewed as a Summary of all solutions.
---------	-----------------------------	--

Packaging Information Database (cap.czf) - [All Solutions]							
No.	Product Name	Product Code	SP Name	Program Group	Shape	PP / SP	PP / Load
1			Case	Pallet	Rect/Oval	0	0
2	Cases with kits	12 pack	Case	Pallet	Rect/Oval	12	432
3	Pallet Load with Tr	Sample 1	Case	Pallet	Rect/Oval	0	0
4	Master Pallet Exam	Sample 2	Case	Pallet	Rect/Oval	0	0
5	Pallet Group	Sample file 1	Case	Pallet	Rect/Oval	20	160
6			Tray	Design	Cyl/Bot	12	384
7			Case	Arrange	Trapezoid	12	2784
8	Product 2	250 gr	Case	Arrange	B/B/B	1	1680
9	Design Group - Ca		Case	Design	B/B/B	12	2100
10	Design Group	Sample 3	Case	Design	B/B/B	6	1080
11	Design Group - Ca		Case	Arrange	B/B/B	12	1440
12	Arrange Group - C		Case	Arrange	B/B/B	12	1200
13	ASM Training	203984329048	Case	Arrange	Cyl/Bot	15	600
14	Tissue Sample	12345678	Case	Arrange	Cyl/Bot	8	480
15	FCA Group	Sample 6	Case	FCA	Folding Carton Arra	100	12600
16		CASE	Casefill	Casefill	Box/Bag(Fixed)	96	10080

Or, to view as an **Individual** record, simply select the solution record you want to view and click on **Individual**.

Packaging Information Database (cap.czf) - [Individual Solution (All Solutions- Pallet Group)]

Product Name		Product Code		Filename
Cases with kits		12 pack		victoria 1
Case / Layer	Layers / Load	Case / Load	PP / Case	PP / Load
9	4	36	12	432
Pallet / Master Load	Load / Truck	Case / Truck	Pallet Area Eff (%)	Pallet Cube Eff (%)
0	42	1512	92.8	88.0
Name	Length	Width	Height	
Secondary Pack(OD)	Case	450.0000	275.0000	250.0000
Secondary Pack(ID)	Case	450.0000	275.0000	250.0000
Product on Pallet	Dim	1175.0000	1000.0000	1000.0000
Pallet Load	euro2	1200.0000	1000.0000	1145.0000
Master Load		0.0000	0.0000	0.0000
Truck	CONTR2	11988.8000	2336.8000	2336.8000


< Previous Next > Close

Solution #2 of 16 3:41 PM CAPS NUM

This screen contains all of the information available for your chosen record.

Options	Sort Order	This allows you to choose whether or not you want your data sorted in ascending or descending order. This selection remains the default until you change it. Once selected, to sort your data just click on the heading of the column you want to sort by. For example, if you want to sort by case name, click on the field labeled SP Name and the records will be sorted in that order.
Options	Delete Selected Solution(s)	Allows you to delete individual or groups of records.
Options	Recover Deleted Solutions	A back-up facility to recover any records you may accidentally delete. You can only recover these "deleted solutions" while you are in the current use of PID. If you close the PID program, you will lose the ability to recover these records.
Options	View Current Solution (Graphics)	This option allows you to see the Multi-Viewer Graphics, exactly as they were when you exported the information to PID.

Highlight the solution record you want to see the graphics for and select **View Current Solution (Graphics)**. You will then see the graphics for that record.



To return to the numerical information screens, in PID, simply select the **File** menu and click on **Close**.

Options	Launch as New Analysis	Allows you to use a selected solution record as the input for a new Pallet Group analysis. When you select this option the program will automatically open the appropriate Pallet Group module (in our case Rectangle/Oval) and fill in all of the data input fields for you.
---------	------------------------	--

Arrange and Design Group Solutions

Basically, the records for Arrange and Design will contain more individual pieces of information because these programs involve the primary package size and the number of items per bundle/case.

Here is the information in view for **Arrange** solutions in PID. The essential differences are:

- The primary pack length, width and height.
- The number of primary packs per load.

When you execute the **Search** option you can set one of the criteria to be the number of primary packs in a secondary pack, the number of primary packs per bundle, etc.

Here are the extra search criteria available for the Arrange and Design solutions/records.

Primary Pack Length (OD)

Primary Pack Width (OD)

Primary Pack Height (OD)

Primary Packs per Bundle

Bundle Length (OD)

Bundle Width

Bundle Height

Bundles per Secondary Pack

Exporting Casefill Solutions to PID

Casefill works on finding the best “fit” for a single primary pack into a range of different case sizes. Thus, the information stored here is slightly different to the Pallet, Arrange and Design record.


The full range of information is as follows.

Secondary Pack Length, Width and Height (ID)
Number of Primary Packs per Secondary Pack
Number of Primary Packs per Load
Cube Efficiency (%)

Primary Pack Length, Width and Height (OD)
Secondary Pack Length, Width and Height (OD)
Area Efficiency (%)


Exporting from PID

You can export a batch of solution information from the PID. Simply highlight the solutions you want to export and then select the option from the **File** menu while in your Packaging Information Database.



First highlight in your database all the solutions you want to export.

Click on **File, Export Solutions** and the following screen will appear.



Choose the report filename you want to use. You have the following options:

- **Rec.** This will export all your saved JPGs with a 1-up record number as the name of the file. For example, Rec1.jpg
- **Product Name.** This will name all of your JPGs the same thing you chose as your Product Name for the file.

- **Product Code.** This will name all of your JPGs the same thing you chose as your Product Code for the file.

Add in the Export file name for the CSV file and click on **OK**.

The program will create for you a JPG report for each highlighted item in your database and a consolidated CSV file of all the data for those same items.

When you have exported, you will have a CSV file with text (shown in the Excel window below) as well as a JPG file depicting the Cape Pack report for each of the records you selected (shown in the Explorer window below).

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
1	Record Ncjpeg_repc product_r_product_c_solution_f.filename	11					filedate	pp_name	sp_name	pallet_bu_units	pp_type	sp_type	pp_per_sp	sp_arrang	sp_arrang	sp_arrang	pp_dimer	pp_dimer	pp_dimer	sp_per_la	
2	1 Rec1.jpg						8/6/2000	Case	Ukstd	0	0	1	0	0	0	0	0	0	0	10	
3	2 Cases witt Cases witt 12 pack	4 D						victoria1 ##### Kit	Case	euro2	0	0	1	12	4	3	1	0	0	0	9
4	3 Pallet Loa Pallet Loa Sample 1	11						sample 1	3/4/2016	Case	48X40	1	0	1	0	0	0	0	0	0	10
5	4 Master Pa Master Pa Sample 2	21						sample 2	3/4/2016	Case	24X40	1	0	1	0	0	0	0	0	0	7
6	5 Pallet Gro Pallet Gro Sample fil1C							cpccap90 ##### Box	Case	EURO025	0	0	1	20	4	5	1	0	0	0	2
7	6 Recb.jpg							8/6/2000 bottle	Tray	Ukstd	0	2	4	12	0	0	0	0	0	0	8
8	7 Rec7.jpg							8/6/2000 Trapezoid Case	Ukstd	0	3	1	12	2	2	3	1	2	3	29	
9	8 Product 2, Product 2 250 gr	1 X						victoria 3 ##### 50 count	Case	euro2	0	1	1	1	1	1	1	1	2	3	112
10	9 Design GrDesign Group - Cartc 1 C							rudy desig ##### Oval Bott Case	Case	48x40	0	6	1	12	6	2	1	2	1	3	35
11	10 Design GrDesign Gr Sample 3	11						cpccap92 ##### Box	Case	48X40	0	1	1	6	3	1	2	2	1	3	30

Corrugated Compression Strength

Imperial Version of the Program

The Strength Program allows you to evaluate the effects of a number of loading parameters and environmental conditions on the predicted individual case compression strength and on the resulting stacking height of a pallet load.

This program and the McKee formula relate to a standard Regular Slotted Container (top loading) case style. To run the Metric version of this program, you must install the European English version of the software.

The Case Compression Strength program uses the North American version of the universally accepted McKee Formula for calculating initial case compression strength. As input to the calculations, the McKee formula requires the combined board Edge Crush Test (ECT), Caliper (CAL) and Case Perimeter (PER) information.

The McKee formula is expressed as

$$\text{Compression Strength} = 5.874 * \text{ECT} * \text{CAL}^{0.508} * \text{PER}^{0.492}$$


(For more information on the McKee formula, please refer to the August 1963 issue of *Paperboard Packaging, Compression Strength Formula for Corrugated Boxes* by R. C. McKee, J. W. Gander, and J. R. Wachuta published by The Institute of Paper Chemistry, Appleton, Wisconsin, USA. Also reprinted in Chapter 11, *Compression Strength Formula for Corrugated Board, Performance and Evaluation of Shipping Containers*, George C. Maltenfort, copyright 1989.

For questions concerning compression strength of corrugated cases, two very good sources of information are *Performance and Evaluation of Shipping Containers* by George C. Maltenfort, Jelmar Publishing Company, Inc., 1989, and *Corrugated Shipping Containers, An Engineering Approach* by George C. Maltenfort, Jelmar Publishing Company, Inc., 1988.


Accessing the Strength Program

Strength can be accessed from two different places.

From the **Programs** menu on the Front Menu screen, under **Other Programs**.



Or from the **Tools** menu in Multi-Viewer Graphics after you have calculated solutions in either the Pallet, Arrange or Design group programs.



Or you can click on the Strength icon on any of the appropriate toolbars.


The difference between the two analysis options is that running Strength from the Front Menu or data input area gives you the ability to evaluate compression strength for a single case or a user defined palletized load. If you run Strength from the **Tools** menu in Multi-Viewer Graphics, you are restricted to using one of the pallet patterns taken from one of the calculated solutions.

Navigating the Strength Program

Like all parts of Cape Pack, the Strength program features menu options, buttons and right-clicks that allow you to accomplish the tasks you need. The following is a brief overview.

File Menu

The following are the **File** menu options on the main Strength window.



Reset to Environment

This will reload your environmental database to the last saved version of your Local data (str.cap).

Reset to Default Environment

This will reload your environmental database to the last saved version of your Default data (strength.stf).

Save Local Environmental Changes

This will save the currently active environmental database as the Local data (str.cap).

Update Default Environment


This will save the currently active environmental database as the Default data (strength.stf).

Close

Exits the Strength Program.

Options Menu

The following are the Options menu items on the main Strength window.



Work with Case

Allows you to evaluate the strength of a single case, rather than a palletized load. Dynamic Strength will not be active if this option is chosen.

Work with Pallet

Allows you to evaluate the strength of a palletized load.

Results in Metric

Displays your results converted to metric units of measure.

Results in In/lb

Displays your results in imperial units of measure.

Select New Configurations

Allows you to review strength for different solutions.

Analyze this Configuration

Calculates the strength of the input data showing on the screen.

Show Environmental Data

Takes you to the Environmental database tabs.

Show Partition Types

Shows you a picture of the Strength divider types. Press any key to close this screen.

Show Formulas

Takes you to the Environmental database tabs, with the Formulas tab active.

Right-Click Options

In the main Strength window, if you right click on any of the Solution Parameters fields, the program will take you to the Environmental database tabs.


If you right-click on the Partition Type field, the picture of the Strength divider types will appear. Press any key to close this screen.

Understanding the Strength Program

The following section describes the North American version of the Cape Pack Strength program.

The edge crush values and calipers provided within the board grade combination databases are provided for demonstration purposes only. You should create your own board grade information to use within the program.

In this program, you have access to five databases which provide direct input for the McKee formula calculations. Together these databases make up the **Environmental Data**.



These databases are:

- The Single Wall Materials Database
- The Double Wall Materials Database
- The Storage Environment Database

- The Case Configuration Database
- Material Factors Database

To access these databases from the input screen **Options** menu, select **Show Environmental Data**.

The Single Wall and Double Wall features let you build databases of Single Wall and Double Wall board grade combinations along with their respective descriptions, flute types, caliper and edge crush values


The Storage Environment and Case Configuration Databases contain each of the environmental and case design parameters that can be used to affect the final compression strength value. For each individual parameter you can change the multiplication factor so that the final calculated compression strength matches, as closely as possible, your own distribution environment.

Once you have constructed the databases for your own board grade combinations, environmental factors and case design factors, you can run the Case Compression Analysis with all the relevant information incorporated within the McKee formula.

The McKee formula will calculate the initial case compression strength. The program will then multiply this value by the factors you have specified for the load parameters and environmental conditions. This methodology is designed to accurately predict the case compression strength at the end of your specified time period using the appropriate palletizing information and safety factor.

Updating your data

If any of the data is changed in your Strength program including environmental data, printing options or Solution Parameters, you will be prompted to save this data when you exit the program.



Click on **Save to Local** to retain this data as part of your database.

Click on **Close** to disregard the changes.

Material Factors Database

The Material Factors Database contains all of the Liner, Medium, take up and efficiency factors that are used to calculate the combined board edge crush value, from either the ring crush or STFI formulas. For each liner and medium, you can enter a ring crush and/or STFI value and caliper. For take up factors, you can enter any flute type with the corresponding take up factor. For efficiency factors you can enter any value for boards up to 200-pound burst and another for any board over 200 pound burst.

Before you can enter new Single or Double Wall board grades, you must make sure that their Liners and Mediums are in the Material Factors database.

Environmental Factors - English

File Options Help

Single Wall Materials				Double Wall Materials				Formulae			
Storage Environment				Case Configuration				Material Factors			
Liner Materials				Medium Materials				Take Up Factors			
Matl	RC	Stfi	Cal	Matl	RC	Stfi	Cal	Flutes	Factor	Cal	
26	40	13.49		26	32	12.63		A	1.53	0.184	
33	55	16.91		30	46	14.82		B	1.33	0.097	
38	68	18.87		33	51	16.47		C	1.42	0.142	
42	75	21.28		36	68	18.92		E	1.25	0.062	
47	83	0.00		40	70	22.19		F	1.23	0.045	
52	114	0.00									
62	110	0.00									
69	120	33.86									
74	150	0.00									
90	155	44.96									

Efficiency Factors

Up to 200 lbs	0.13
Over 200 lbs	0.21

New Liner

Edit Liner

Print...

Close

in/lb | 3:36 PM | CAPS | NUM

Once entered, these factors are run through the formula on the formulae tab screen and the resulting edge crush value is entered in the appropriate field in the Single Wall or Double Wall database.

Data Input Fields

The following data fields are included in the Material Factors Database.


Liner Materials		As a description of the liner being defined, you can enter up to three numbers and two letters in the description field. Using the letter suffix you can distinguish between two liners of the same basis weight, but different characteristics and ring crush or STFI values.
	Matl (Material)	Enter the basis weight (lbs/msf) of the liner material to be used in a finished board in either the Single Wall or Double Wall database.
	RC (Ring Crush)	Enter the Ring Crush value for the liner.
	STFI (STFI)	Enter the STFI value for the liner.
	CAL (Caliper)	Enter the caliper of the liner.
Medium Materials		As a description of the medium being defined, you can enter up to three numbers and two letters in the description field. Using the letter suffix you can distinguish between two mediums of the same basis weight, but different characteristics and ring crush or STFI values.
	Matl (Material)	Enter the basis weight (lbs/msf) of the medium material to be used in a finished board in either the Single Wall or Double Wall database.
	RC (Ring Crush)	Enter the Ring Crush value for the medium.
	STFI (STFI)	Enter the STFI value for the medium.
	CAL (Caliper)	Enter the caliper of the medium.
Take Up Factors		The Take Up Factor is the conversion value from a flat sheet of paper to a fluted sheet of paper for the corresponding flute type.
	Flutes	Enter the flute type.
	Factor	Enter the take up factor for the flute.
	Caliper	Enter the caliper of the flute.

Efficiency Factors	The Efficiency Factors are used to convert the ring crush test value to linear inches. Enter the factor to be used in the conversion to edge crush formula for boards up to 200 lbs. burst and over 200 lbs. burst.
--------------------	---

Modifying Material Factor Information

To modify a liner or medium, double click on the row. Or you can click on the row and then the **Edit...** button.

The material information will appear in a new window for you to edit.



Make your changes to existing entries and click on **OK**.

When you edit the Ring Crush or STFI values of existing materials and click on **Save**, the Edge Crush of any boards in your database that use these materials will automatically be updated.

To add materials to the list, click on the appropriate **New...** button.

Enter the appropriate values and click on **OK**. Your list will automatically be updated.

Single Wall and Double Wall Materials Databases

The Single Wall and Double Wall Materials Databases will store up to 200 Single Wall and 100 Double Wall combinations along with their respective Description, Flute, Edge Crush and Caliper values.

When calculating initial case compression results, the Edge Crush and Caliper values from the database are used as direct input into the McKee formula. This value is then multiplied by any of the Storage Environment and Case Configuration factors you have selected:

Environmental Factors - English

File Options Help

Storage Environment			Case Configuration			Material Factors				
Single Wall Materials			Double Wall Materials			Formulae				
Test	Liners	Medium	Liners	Description	Flutes	EC(rc)	EC(stfi)	EC(cstm)	Caliper	Use
125	26	26	26	26 Ring Crush ECT 28.8	A	28.8	30.7	23	0.196	Y
125	26	26	26	26 Ring Crush ECT 27.9	B	27.9	29.1	23.0	0.11	Y
125	26	26	26	26 Ring Crush ECT 28.3	C	28.3	29.8	23.0	0.153	Y
125	26	26	26	26 Ring Crush ECT 27.6	E	27.6	28.4	23.0	0.063	Y
125	26	33	26	26 Ring Crush ECT 32.5	A	32.5	34.4	23	0.199	Y
125	26	33	26	26 Ring Crush ECT 31.2	B	31.2	32.3	23.0	0.113	Y
125	26	33	26	26 Ring Crush ECT 31.8	C	31.8	33.3	23.0	0.156	Y
125	26	33	26	26 Ring Crush ECT 30.7	E	30.7	31.5	23.0	0.066	Y
150	33	26	33	33 Ring Crush ECT 32.7	A	32.7	35.1	26.0	0.199	Y
150	33	26	33	33 Ring Crush ECT 31.8	B	31.8	33.4	26.0	0.113	Y
150	33	26	33	33 Ring Crush ECT 32.2	C	32.2	34.2	26.0	0.156	Y
150	33	26	33	33 Ring Crush ECT 31.5	E	31.5	32.8	26.0	0.069	Y
150	33	33	33	33 Ring Crush ECT 36.4	A	36.4	38.8	26.0	0.201	Y
150	33	33	33	33 Ring Crush ECT 35.1	B	35.1	36.7	26.0	0.116	Y
150	33	33	33	33 Ring Crush ECT 35.7	C	35.7	37.7	26.0	0.159	Y
150	33	33	33	33 Ring Crush ECT 34.6	E	34.6	35.9	26.0	0.072	Y

New Board Delete Board Edit Board Print... Close

Enter name (2 digits and optional letter) for this material in/lb 3:36 PM CAPS NUM

Environmental Factors - English

File Options Help

Storage Environment			Case Configuration			Material Factors						
Single Wall Materials			Double Wall Materials			Formulae						
Test	Liners	Med.	Liners	Med.	Description	Flt	Flt	EC(rc)	EC(stfi)	EC(cstm)	Caliper	Use
200	33	26	26	26	33 Ring Crush ECT 43.4	A	B	43.4	64.3	42.0	0.293	Y
200	33	26	26	26	33 Ring Crush ECT 43.8	A	C	43.8	64.9	42.0	0.325	Y
200	33	26	26	26	33 Ring Crush ECT 42.9	B	C	42.9	63.7	42.0	0.255	Y
275	42	26	26	26	42 Ring Crush ECT 53.1	A	B	53.1	68.5	48.0	0.301	Y
275	42	26	26	26	42 Ring Crush ECT 53.7	A	C	53.7	69.0	48.0	0.326	Y
275	42	26	26	26	42 Ring Crush ECT 52.4	B	C	52.4	67.8	48.0	0.258	Y
350	42	26	69	26	42 Ring Crush ECT 69.9	A	B	69.9	78.1	51.0	0.316	Y
350	42	26	69	26	42 Ring Crush ECT 70.5	A	C	70.5	78.6	51.0	0.349	Y
350	42	26	69	26	42 Ring Crush ECT 69.2	B	C	69.2	77.4	51.0	0.273	Y
500	90	26	42	26	90 Ring Crush ECT 94.1	A	B	94.1	94.5	71.0	0.336	Y
500	90	26	42	26	90 Ring Crush ECT 94.7	A	C	94.7	95.1	71.0	0.355	Y
500	90	26	42	26	90 Ring Crush ECT 93.3	B	C	93.3	93.9	71.0	0.283	Y
600	90	26	90	26	90 Ring Crush ECT 110.9	A	B	110.9	105.7	82.0	0.35	Y
600	90	26	90	26	90 Ring Crush ECT 111.5	A	C	111.5	106.3	82.0	0.369	Y
600	90	26	90	26	90 Ring Crush ECT 110.1	B	C	110.1	105.1	82.0	0.294	Y

New Board Delete Board Edit Board Print... Close

Enter name (2 digits and optional letter) for this material in/lb 3:37 PM CAPS NUM

Data Fields


The following fields are included in the Single Wall and Double Wall Materials Databases.

Test	The Mullen Burst Test value for the board grade. The database combinations are ranked by this value.
Liner/Medium/Liner	The Basis Weight of the paper used for each liner and the medium.

Description	A description identifying each board grade (up to 35 characters may be used).
Flute	Enter A, B, C or E to identify the flute type of each particular board.
Edge Crush	Enter the known (or estimated) Edge Crush value for each board combination which will be used as input into the McKee formula and run through the Compression calculations. The program allows for three different types of Edge Crush values: Ring Crush, STFI and Custom. The Ring Crush and STFI values are derived from their respective testing procedures. Both tests involve the testing of individual samples of paper, but differ slightly in sample size and testing method. When the results from these tests are entered into their respective Edge Crush formulas, the resulting values are used to predict the finished combined board compression strength. The Custom value is normally obtained from testing a sample of the board.
Ring Crush (RC)	Automatically calculated from Ring Crush values in the Material Factor Database.
STFI (STFI)	Automatically calculated from STFI values in the Material Factor Database.
Custom (Cstm)	Manually entered by the user.
Caliper	The caliper (thickness) of the board grade, in inches. This value goes directly into the McKee formula for compression calculations.
Use	This field gives you the ability to activate/deactivate board grades in your list. By clicking on this column you can toggle between Y (use the board) and N (don't use the board). Once changed and your solution data is saved, this data will remain as adjusted until you change it again (i.e., the board stays on until you go back into the database and turn it off).

Changing Board Information

To modify a field, double-click on the row with that board, or click on the row and then on the **Edit Board** button.



Change any information you want in the fields provided and click on **OK**.

Adding Board Grades

To add a board, click on the **New Board** button.

Type in all the information for the board and click on **OK**.

Deleting Board Grades

To delete a board from the database, select the row by clicking anywhere on the row. Click on the **Delete Board** button.

To save your changes to the database, click on the **File** menu and then **Close**.


In the main Strength screen, click on the **File** menu and then **Save Local Environmental Data** or **Save Default Environmental Data**.

The Strength program gives you the option of saving two different sets of data. The local environment data will be saved to your Tutor folder as STR.XXX, where the XXX represents your login ID. If you are not asked to Login to Cape Pack, the file will be called STR.CAP. The local environment is the “working” copy of your Strength database. When you exit the Strength program, you are prompted to save to this file


The default environment serves as a back-up to your Strength database. This way, should your database ever become corrupted, you can use the default to rebuild your local environment. The default environment is maintained in a file called Strength.stf in the Tutor folder. If you want to update this environment, you must select **File, Save Default Environmental Data**.

Deactivating Boards in the Database without Deleting Them

To deactivate a board, click on the **Options** menu and **Select Boards to Use**.



The following box will appear.



Highlight the boards you want to deactivate and click on **Yes**. You can use the standard Windows Control and Shift key functions to highlight blocks of boards.

To reactivate the board, highlight them and click on **No**.

Case Configuration Factors Database

The Case Configuration factors Database contains all of the case design factors along with their respective values which are used when factoring (multiplying by) the initial calculated compression value. For example, after the strength of a case is computed, that result may be increased or decreased based on how much printing is on the carton, which partition is being used or even what type of case you use. By taking these factors into consideration, the software gives a more “real world” result.

The screenshot shows a software application window titled "Environmental Factors - English". The menu bar includes "File", "Options", and "Help". Below the menu is a toolbar with tabs: "Single Wall Materials", "Double Wall Materials", "Formulae", "Storage Environment", "Case Configuration" (which is selected), and "Material Factors".

The main area is divided into several sections:

- If Case proportions are:**
 - $L \geq H, H > 1.5 \times W$: 0.95
 - $L > H, W > 1.5 \times H$: 1
 - $L \geq H, W \leq 1.5 \times H \text{ & } H \leq 1.5 \times W$: 1
 - $H > L$: 1.05
- Case Types:**
 - RSC: 1
 - Die Cut: 0.9
 - Bliss: 1.5
 - End Loader: 1.2
- Divider/Partition Compression:**

Type	Factor
1	250
2	.260
3	.270
4	.290
5	.440
6	500
7	.570
8	.580
9	.600
10	.610
11	.630
12	.700
13	...
- Amount/Type of printing:**
 - Simple: 1
 - Broad: 0.9
 - Complicated: 0.8
 - Complete coverage: 0.7
- Fluting Runs Parallel to:**
 - Base (Horizontal): 0.8
 - Height (Vertical): 1

At the bottom left, a message says "All fields on this page are required." At the bottom right are "Print..." and "Close" buttons. The status bar at the bottom shows "Enter name (2 digits and optional letter) for this material", "in/lb", "3:37 PM", "CAPS", and "NUM".

Once you have set the factors within the database to match the type of container you are evaluating, you can predict the required compression strength for a variety of different corrugated box styles and manufacturing methods.

Data input fields

The following data fields are included in the Case Configuration Factors Database.

Case Proportions	A value used to reflect how your box would perform in relation to the panel dimensions. This also works in conjunction with Case Orientation if a tall narrow case is placed on its end.
Case Types	A value for different corrugated case styles.
Divider/Partition Type	A value for the additional compression strength added to the case as a percentage of the case compression strength. See the <i>Pack Types and Divider Styles</i> chapter for further information.
Amount/Type of Printing	A value for different amounts of printing.
Fluting	A value for the direction of fluting.
Length/Width Ratio	A value used to reflect how your corrugated case would perform in relation to one panel length to another. This also works in conjunction with Dimension Vertical if a tall, narrow case is placed on its end.

Modifying Case Configuration Factors

For each of the individual factors, click on the field and enter a value. Your value is automatically saved. This value will be used in the final multiplication of initial compression strength to obtain the final predicted compression strength.

Click on any tab to move to another section.

Storage Environment Database

The Storage Environment Database contains all of the environmental factors used in the predicted compression calculations and the respective values that are to be used when factoring (multiplying by) the initial calculated compression value. For example, if you choose a humidity of 90% and the respective factor value is .50, the initially calculated compression strength will be multiplied by .50 (or reduced by 50%) prior to displaying the predicted compression strength.

Once you select a series of environmental factors that will affect the estimated compression strength of the case, the program will use the corresponding numbered value for each of the environmental factors in the compression strength calculations.

The screenshot shows a software application window titled "Environmental Factors - English". The menu bar includes "File", "Options", and "Help". The main menu bar has three tabs: "Single Wall Materials", "Double Wall Materials", and "Formulae". Below these, there are three sub-tabs: "Storage Environment" (selected), "Case Configuration", and "Material Factors".

The "Storage Environment" tab contains several groups of input fields:

- If Average Relative Humidity is:**

0-35%	1.1
36-45%	1.1
46-55%	1
56-65%	0.9
66-75%	0.8
76-85%	0.7
86-100%	0.5
- If Cases are stored for:**

0 Days	1
1 - 3 Days	0.7
4 - 10 Days	0.65
11-30 Days	0.6
31 - 60 Days	0.55
61 - 90 Days	0.55
91 - 120 Days	0.5
Over 121 Days	0.45
- If Pallet Surface is:**

Gapped	0.92
Solid	1
- If Case overhangs Pallet:**

None	1
Up to 0.25	0.9
Up to 0.75	0.8
Up to 1.00	0.7
Over 1.00	0.6
- If Cases are on their:**

Base	1
Side	0.9
End	0.8

A red message at the bottom center states: "All fields on this page are required."

Buttons for "Print...", "Close", and "Enter name (2 digits and optional letter) for this material" are visible at the bottom right.

Once you have set the factors within your database to match the theoretical conditions to which your corrugated cases will be subjected, it can be used within the initial calculations to replicate your own distribution environment. This will allow you to fine tune your corrugated requirements. Thus, you can ensure that you are only purchasing the strength of corrugated cases that you actually need.

Data input fields

The following data fields are included in the Storage Environment Database.

Average Relative Humidity	A factor for each Relative Humidity range listed.
Days of Storage	A value for each range of days listed.

Case Orientation	A value for whichever panel of the corrugated case will be placed flat on the pallet.
Pallet Surface	A factor reflecting use of a gapped or solid surface on which the corrugated case will be placed.
Stacked/Interlocked	A factor to be used depending on whether or not you choose to rotate/alternate layers in the load. This especially impacts the second layer of cases from the bottom of the load.
Overhang	A value for each range of overhang listed. This is calculated for the maximum overhang on any one of the four pallet sides.

Modifying Storage Environment Factors


For each of the individual factors, click on the field and enter a value. Your value is automatically saved. This value will be used in the final multiplication of initial compression strength to obtain the final predicted compression strength.

Click on any tab to move to another section.


Using a Custom Formula

You can substitute your own data into the McKee Formula thereby creating your own custom formula.


Click on the **Options** menu and then choose **Show Formulas**.



From the screen that follows, click on the **Edit** button in the Custom Formula section.



The following Custom Formula Entry screen appears.



Adjust the various fields to suit your own formula and click on Save. Your new formula will appear in the **Custom** section.

Determining the Strength of a Single Case


To run the single case Strength Analysis option, click on **Programs, Other Programs, Strength** at the Front Menu screen.

The Single Case Compression Strength Analysis is used to simulate in-lab test conditions for a single case using the case depth vertical on a flat pallet.

You will notice that under the **Options** menu, **Work with Case** is checked. This is the default. You can switch to a pallet load analysis by clicking on **Work with Pallet**.

Enter the **Product Name**, **Product Code**, case dimensions, dimension vertical and the **Solution Parameters**. Once all necessary data is entered, the **Solve** button will activate.

Click on **Solve** to calculate compression strength solution information.



Choose the appropriate **Display/Print** options and click on the Single Wall or Double Wall tabs.

Compression Analysis for Widget - (Results in in/lb)

File Options

Parameters		Single Wall			Double Wall	
Description	Burst Test	Material Combination	Flutes	Empty Strength	Static Strength	Dynamic Strength
Ring Crush ECT 27.6	125	26-26-26	E	261.8	209.4	0.0
Ring Crush ECT 30.7	125	26-33-26	E	298.2	238.5	0.0
Ring Crush ECT 31.5	150	33-26-33	E	312.9	250.3	0.0
Ring Crush ECT 34.6	150	33-33-33	E	351.2	281.0	0.0
Ring Crush ECT 27.9	125	26-26-26	B	351.3	281.0	0.0
Ring Crush ECT 34.9	175	38-26-38	E	356.8	285.4	0.0
Ring Crush ECT 36.7	200	42-26-42	E	385.5	308.4	0.0
Ring Crush ECT 38.0	175	38-33-38	E	396.5	317.2	0.0
Ring Crush ECT 31.2	125	26-33-26	B	398.2	318.6	0.0
Ring Crush ECT 37.3	250	47-26-47	E	402.0	321.6	0.0
Ring Crush ECT 31.8	150	33-26-33	B	405.9	324.7	0.0
Ring Crush ECT 28.3	125	26-26-26	C	421.3	337.1	0.0
Ring Crush ECT 39.8	200	42-33-42	E	426.2	341.0	0.0
Ring Crush ECT 35.1	150	33-33-33	B	454.0	363.2	0.0
Ring Crush ECT 35.2	175	38-26-38	B	455.3	364.2	0.0

Showing All Materials (using Formula), ordered by Compression Strength.

Print All Print Selected [Print...](#) [Close](#)


McKee Ring Crush in/lb 3:40 PM

There will be no Dynamic Strength available for single case problems.


Determining the Strength of a Palletized Case

The Palletized Case analysis is used to simulate a user-defined pallet loading situation where you input the case dimensions. This is useful for calculating compression strength and safe pallet load stacking heights for a particular pallet load configuration without having to run a palletizing analysis or if you only have limited palletizing information. It can also be used to plan 'what if' situations for potential pallet configurations when exact dimensions may not be known.

To run a Strength analysis on a palletized case, select **Strength** from the **Programs** menu, **Other Programs** at the Front Menu screen. The following screen will appear.



Click on the **Options** menu and **Work with Pallet**. The screen changes.



Enter your **Product Name** and **Product Code**.

Enter your case dimensions and weight.

Enter your **Pallet Dimensions** and **weight**. This information refers to the pallet itself, not the load.

Enter any overhang.

Enter the number of cases on a single layer of the load and the number of layers on the pallet.


Last, enter your **Solution Parameters**.

Data Fields

The following data fields are included in the Solution Parameters window.


Humidity	The maximum humidity your product will be subjected to through its shipping cycle (0-100%). Bear in mind that once humidity adversely affects corrugated, lowering the humidity will not repair the damage incurred under loading.
Days in Storage	The length of time the corrugated will be subjected to the specified conditions (0-999). As an alternative, this can also be used to find the proper board grade needed to survive a given number of days in storage.
Additional Internal Support	Enter (in lb.) the amount of additional support your product adds to the calculated corrugated case compression strength (0-9999). With this value at 0, only the strength of the case is calculated. Any other value will add the entered value to the calculated compression strength prior to displaying the final value on the Solution Report. If you do not know this value and cannot estimate a value, use a straight percentage of the case total. It is entirely possible that if you have a rigid or solid product this value could be more than the actual case compression strength value.
Pallet Stack Height	The number of pallets stacked one on top of another, for compression calculations.
Partition Type	From the list of available partition types (which all add support to the case) choose the type that most closely represents the one you use. If there is not an exact match, choose a style that uses a bigger or smaller factor, or change any factor to meet your own needs. The partition type factor, in the Case Configuration Database, is the percentage of the individual initial case compression strength added to the initial value prior to displaying the final calculated value on the Solution Report.
Partition Material	If the partition is made up of a material different than that of the case, select the material that most closely matches your partition material.
Case Type	Choose the case type that most closely matches your case type.
Amount of Printing	Choose the amount of printing that most closely matches your case.
Interlock of Load Layers	Click on this box if you are alternating the pattern arrangement for layers (or if at least the second layer from the bottom of the load).
Horizontal Fluting	Check this box if your case is made with horizontal fluting.
Gapped or Solid Pallet	If there are any gaps in the pallet surface, click on this field. You can then fine-tune the Gapped Input Factor in the Environmental Factors Database to reflect the amount of gap in your pallet surface relative to the panel lengths of the case you are evaluating.
Solution Mode	Specify the method of calculating the Edge Crush for the boards in the Single Wall and Double Wall databases.

Your completed screen should look something like the following.



Click on the **Solve** button to view the Parameters tab.

Keep in mind you are setting the parameters for a complete palletized load.



Click on the Single Wall or Double Wall tabs to see calculated strengths of the different boards in those databases. You will notice that Dynamic Strength is now filled in. This represents the Strength of your palletized load with the factors for humidity, days in storage, etc. included.

Compression Analysis for Widget1 - (Results in in/lb)

File Options

Parameters **Single Wall** **Double Wall**

Description	Burst Test	Material Combination	Flutes	Empty Strength	Static Strength	Dynamic Strength	Loads High
Ring Crush ECT 27.6	125	26-26-26	E	283.3	226.6	52.1	.7
Ring Crush ECT 30.7	125	26-33-26	E	322.7	258.1	59.4	.8
Ring Crush ECT 31.5	150	33-26-33	E	338.6	270.9	62.3	.8
Ring Crush ECT 34.6	150	33-33-33	E	380.1	304.1	69.9	.9
Ring Crush ECT 27.9	125	26-26-26	B	380.1	304.1	69.9	.9
Ring Crush ECT 34.9	175	38-26-38	E	386.1	308.9	71.0	.9
Ring Crush ECT 36.7	200	42-26-42	E	417.1	333.7	76.8	.9
Ring Crush ECT 38.0	175	38-33-38	E	429.1	343.2	78.9	1.0
Ring Crush ECT 31.2	125	26-33-26	B	430.9	344.7	79.3	1.0
Ring Crush ECT 37.3	250	47-26-47	E	435.0	348.0	80.0	1.0
Ring Crush ECT 31.8	150	33-26-33	B	439.2	351.4	80.8	1.0
Ring Crush ECT 28.3	125	26-26-26	C	455.9	364.7	83.9	1.0
Ring Crush ECT 39.8	200	42-33-42	E	461.2	369.0	84.9	1.0
Ring Crush ECT 35.1	150	33-33-33	B	491.3	393.0	90.4	1.1
Ring Crush ECT 35.2	175	38-26-38	B	492.7	394.1	90.7	1.1

Showing All Materials (using Formula), ordered by Compression Strength.


Print All Print Selected Print... Close

McKee Ring Crush in/lb 3:43 PM

Determining Strength for a Cape Pack Solution

The program can calculate the strength of a load designed in Pallet Group for cases, the Arrange Group, or the Design Group. The program cannot reliably calculate the strength of a mixed load or of a load that uses trays rather than cases.

Start the Strength program by clicking on **Strength** on the **Tools** menu in Multi-Viewer Graphics after calculating solutions for Pallet, Arrange or Design.



You will be presented with the following screen.

List of Solutions									
Sol #	Layers	Cases /Layer	Cases /Pallet	D V	Prod. Length	Prod. Width	Load Height	Length Over	
1	4	10	40	H	48.000	40.000	45.500	0	
2	4	10	40	H	48.000	40.000	45.500	0	
3	4	9	36	H	48.000	36.000	45.500	0	
4	4	9	36	H	48.000	40.000	45.500	0	
5	4	9	36	H	48.000	40.000	45.500	0	
6	4	9	36	H	48.000	40.000	45.500	0	
7	4	9	36	H	44.000	40.000	45.500	0	
8	4	9	36	H	48.000	40.000	45.500	0	
9	4	9	36	H	48.000	40.000	45.500	0	
10	4	9	36	H	48.000	40.000	45.500	0	

Click on the solution number to highlight the row(s) you want to evaluate and then click on **Continue**.

Bear in mind that when running a Pallet Analysis, each solution number represents the same size case dimensions (OD). In the Arrange or Design Analysis, each solution number represents a different size case dimension (OD).

The Case Compression Strength input screen will be displayed.

Case Compression Strength (Solution 1)

File Options Help

Product Name <input type="text" value="Pallet Group-Cases/Trays/Ovals"/> Product Code <input type="text"/>	Solution Parameters Humidity Level is <input type="text" value="90"/> % Cases stored for <input type="text" value="120"/> Days Internal Support <input type="text" value="0.0"/> lbs Pallets are Stacked <input type="text" value="2"/> High Partition Type <input type="text" value="0"/> Partition Material <input type="text" value="Case Material"/> Case Type <input type="text" value="RSC"/> Amount of Case Printing <input type="text" value="Complicated"/> Layers are Interlocked <input type="checkbox"/> Fluting Runs Horizontal <input type="checkbox"/> Pallet Surface is Solid <input type="checkbox"/> Solution Mode <input type="text" value="Ring Crush"/>		
Which Dimension is vertical to the Pallet? <input checked="" type="radio"/> Height <input checked="" type="radio"/> Width <input checked="" type="radio"/> Length	Case Dimensions Length <input type="text" value="16.0000"/> Width <input type="text" value="12.0000"/> Height <input type="text" value="10.0000"/> Weight <input type="text" value="22.0"/>	Pallet Dimensions Length <input type="text" value="48.0000"/> Width <input type="text" value="40.0000"/> Height <input type="text" value="5.5000"/> Weight <input type="text" value="50.0"/>	Overhang Length <input type="text" value="0"/> Width <input type="text" value="0"/> Cases/Layer <input type="text" value="10"/> Layers/Pallet <input type="text" value="4"/>
	<input type="button" value="Prev Set"/> <input type="button" value="Solve"/> <input type="button" value="Next Set"/> <input type="button" value="Close"/>		
Enter the Product name. <input type="text"/> Pallet <input type="text" value="in/lb"/> <input type="text" value="3:31 PM"/> CAPS NUI			

All of the Case, Pallet and Load information has been entered for you.


Enter your Solution Parameters information.

Data Fields

The following data fields are included in the Solution Parameters window.


Humidity	The maximum humidity your product will be subjected to through its shipping cycle (0-100%). Bear in mind that once humidity adversely affects corrugated, lowering the humidity will not repair the damage incurred under loading.
Days in Storage	The length of time the corrugated will be subjected to the specified conditions (0-999). As an alternative, this can also be used to find the proper board grade needed to survive a given number of days in storage.
Additional Internal Support	Enter (in lb.) the amount of additional support your product adds to the calculated corrugated case compression strength (0-9999). With this value at 0, only the strength of the case is calculated. Any other value will add the entered value to the calculated compression strength prior to displaying the final value on the Solution Report. If you do not know this value and cannot estimate a value, use a straight percentage of the case total. It is entirely possible that if you have a rigid or solid product this value could be more than the actual case compression strength value.
Pallet Stack Height	The number of pallets stacked one on top of another, for compression calculations.
Partition Type	From the list of available partition types (which all add support to the case) choose the type that most closely represents the one you use. If there is not an exact match, choose a style that uses a bigger or smaller factor, or change any factor to meet your own needs. The partition type factor, in the Case Configuration Database, is the percentage of the individual initial case compression strength added to the initial value prior to displaying the final calculated value on the Solution Report.
Partition Material	If the partition is made up of a material different than that of the case, select the material that most closely matches your partition material.
Case Type	Choose the case type that most closely matches your case type.
Amount of Printing	Choose the amount of printing that most closely matches your case.
Interlock of Load Layers	Click on this box if you are alternating the pattern arrangement for layers (or if at least the second layer from the bottom of the load).
Horizontal Fluting	Check this box if your case is made with horizontal fluting.
Gapped or Solid Pallet	If there are any gaps in the pallet surface, click on this field. You can then fine-tune the Gapped Input Factor in the Environmental Factors Database to reflect the amount of gap in your pallet surface relative to the panel lengths of the case you are evaluating.
Solution Mode	Specify the method of calculating the Edge Crush for the boards in the Single Wall and Double Wall databases.

To calculate solutions, click on the **Solve** button and you will be taken to the Parameters Screen.



Reviewing the Results

If you do not agree with the values shown or would like to investigate another set of circumstances, you can either change these inputs or modify the appropriate factors. Regardless of which compression analysis program option you run, the calculated compression strengths for each board grade selected from the database will be displayed on these tabs.



Click on the Single Wall tab and the Solution Report will display all the board grades in the database along with their respective compression strengths.

Compression Analysis for Pallet Group-Cases/Trays/Ovals - (Results in in/lb)							
Parameters		Single Wall			Double Wall		
Description	Burst Test	Material Combination	Flutes	Empty Strength	Static Strength	Dynamic Strength	Loads High
Ring Crush ECT 27.6	125	26-26-26	E	288.4	230.7	53.1	.9
Ring Crush ECT 30.7	125	26-33-26	E	328.5	262.8	60.4	.9
Ring Crush ECT 31.5	150	33-26-33	E	344.7	275.8	63.4	1.0
Ring Crush ECT 34.6	150	33-33-33	E	386.9	309.6	71.2	1.1
Ring Crush ECT 27.9	125	26-26-26	B	387.0	309.6	71.2	1.1
Ring Crush ECT 34.9	175	38-26-38	E	393.0	314.4	72.3	1.1
Ring Crush ECT 36.7	200	42-26-42	E	424.7	339.7	78.1	1.1
Ring Crush ECT 38.0	175	38-33-38	E	436.8	349.4	80.4	1.2
Ring Crush ECT 31.2	125	26-33-26	B	438.7	351.0	80.7	1.2
Ring Crush ECT 37.3	250	47-26-47	E	442.9	354.3	81.5	1.2
Ring Crush ECT 31.8	150	33-26-33	B	447.1	357.7	82.3	1.2
Ring Crush ECT 28.3	125	26-26-26	C	464.1	371.3	85.4	1.2
Ring Crush ECT 39.8	200	42-33-42	E	469.6	375.7	86.4	1.2
Ring Crush ECT 35.1	150	33-33-33	B	500.1	400.1	92.0	1.3
Ring Crush ECT 35.2	175	38-26-38	B	501.6	401.3	92.3	1.3

Showing All Materials (using Formula), ordered by Compression Strength.

Print All
 Print Selected

Print... Close

McKee Ring Crush in/lb 3:32 PM

You can scroll through the table by using the arrows on the right-hand side of the screen.

Solution Report Information

The new information calculated from your input data is as follows.

Safety Factor	This column added only if a Safety Factor has been selected on the Parameters tab.
Empty Strength	The case compression strength (lbs.) calculated as if the case were brand new or in a laboratory test environment at optimum conditions. It is derived from the McKee formula value multiplied by factors for flute direction, case position, case proportions and case type.
Static Strength	The empty case strength plus the printing and divider/partition factors.
Dynamic Strength	Compression Strength of the case remaining at the number of days you specified on the Solution Parameters input tab. This value is derived by taking the static value and multiplying it by each factor selected (e.g., humidity, days of storage, overhang, dimension vertical, pallet surface type, interlocked layers and additional internal support). It does take into account the number of pallet loads high specified. That parameter is used for sorting successful from unsuccessful materials.
Loads High	This figure represents the number of loads high you can stack this case under the environmental conditions you requested. It is determined using the Dynamic Strength of the case.
Safety Margin	The Safety Margin expresses a percentage of the effectiveness of this board compared to the required strength (weight on the bottom case). A positive percentage means that there is strength in excess of requirements (i.e., 33% means the board is 33% stronger than you need), and a negative number means you are lacking in required strength (-33% means that the board is lacking 33% of the required board strength). This gives you an accurate assessment of each board and a much better way to compare different boards than just using Loads High or straight Dynamic Strength.


Printing Results

The **Print** buttons on the tabs will print all or part of your information as follows.

- Parameters tab **Print** button: Prints all solution information for the analysis including the Parameters tab, the Single Wall and Double Wall solutions.
- Single Wall **Print** button: Prints the Parameters and Single Wall tabs only.
- Double Wall **Print** button: Prints the Parameters and Double Wall tabs only.

You can also select specific boards to print if you do not wish to print all of the data.


Click on the **Print Selected** field at the bottom of the screen next to the **Print** button, and then click on the **Print** button. The following box appears.



Highlight the boards you want to print and click on **Yes**, or highlight the boards you don't want to print and click on **No**.


Click on **OK** to print your report.

When you click on **Close**, the program will prompt you about saving your data for your graphical solution report.



If you want to save the data for inclusion in your normal Cape Pack report from the MultiViewer Graphics screen, mark that option. Then you can select if you want to print all boards or only the ones you selected. If you simply chose to print successful materials, that will be considered "selected" boards by the program.

If you choose to Print Selected boards, the following screen will appear when you click on Close.



Your Cape Pack graphical solution report will include the Strength data on additional pages.

Establishing Safety Factors

After you have clicked on the **Solve** button on the Solution Parameters data input screen, you will see the Parameters output tab.

On the screen you will choose what factors will be used to display the board grades which successfully meet your chosen requirements. Your **Display/Print** options are:

All Materials	Will display the solution for all the materials in the Single Wall and Double Wall databases.
Successful Materials	Will display only those solutions in which the dynamic strength will support the projected weight.
+/- Compression Strength >	Lets you set a percentage that will be applied to the weight on the bottom case figure to search for solutions whose Dynamic Strength falls within that range. Be aware that the percentage relates to the weight of an individual case.
Materials with Safety Factor >	<p>In the corrugated industry, and any theory related to the estimated compression strength of corrugated containers, the term safety factor means different things to different people who estimate it and calculate it many different ways.</p> <p>In theory, the safety factor is a estimation that, based on the various conditions the container will be subjected to, including its design, tells the designer how much stronger to design a container than the actual weight on the bottom container in a load. Usually, the more severe the shipping and distribution environment, the higher the safety factor you would want. For instance, if you want a container to be four times stronger than the greatest weight it will have to support, this means the initial compression strength of the container should be four times the most weight it will ever have to support. You would enter a safety factor of four. Keep in mind, everyone has a different idea of what their safety factor should be, but a rule of thumb in the corrugated industry is between 3 and 5. This means for a corrugated container, it should be designed to be 3 to 5 times stronger upon initial testing that the greatest load it will have to support.</p> <p>In the compression strength program, you can select the safety factor you want to use, and only those board combinations which meet or exceed the chosen safety factor will be displayed. For example, if your pallet loads will never be stacked more than two loads high, the greatest weight on the bottom container will never exceed the weight of the two pallet loads. If you ask for a safety factor of four, the calculations will only provide you with those board grade combinations in the database that meet or exceed four times the weight on the bottom container of the bottom pallet load.</p>

	Enter the Safety Factor you wish to use along with the Empty , Static or Dynamic Strength. Only those solutions that meet or exceed the specified Safety Factor will be added to the report.
--	---

Order Solutions

Choose the way you want the Single Wall and Double Wall databases ranked, either by **Burst Test**, **Flute Type** or **Compression Strength**.


Load Data

Displays the chosen number of pallets high and corresponding weight on the bottom case. This weight is the starting point for the calculation of the safety factors chosen.

On the Task Bar in the lower right-hand corner of the screen you will see the method of calculating the edge crush (i.e. ring crush), the units of measure, and the method of calculating the initial compression strength.

Exporting Solution Data

You can either copy your data to the clipboard and paste it into another application, such as Excel, or you can export the data to a text (TXT) file.



All data for this configuration will be exported/copied to the clipboard. You cannot export just a single board grade.

To exit the solution, click on **Close**.

To exit Strength, select the **File** menu and then choose **Close**, or use the **Close** button.

Metric Version of the Program

The McKee formula will calculate the initial (empty) case compression strength. The program will then multiply this value by the factors you have specified for the load parameters and environmental conditions. This methodology is designed to predict the case compression strength (dynamic strength) at the end of your specified time period.

The Strength Program uses the European version of the universally accepted McKee Formula for calculating the empty case, initial case compression strength (at “test conditions”). It then degrades the result by a series of user defined “environmental factors” - to predict the remaining strength of the case at the end of the storage period.

As input to the calculations, the McKee formula requires the combined board Edge Crush Test (ECT) in kN/m, Caliper (CAL) in mm and Case Perimeter (PER) in cm. The McKee formula is expressed as:

$$\text{Compression Strength} = 1.82 \times \text{ECT} \times 1.0194 \times \text{CAL}0.508 \times \text{PER } 0.492$$

Note: This program and the McKee formula relate to a standard RSC (top loading) case style.


Creating new Compression Strength Formulas

You can substitute your own data into the McKee formula – creating your own custom formula.

Once you enter the **Strength** program you will see a list of all the palletizing solutions available:

List of Solutions								
Sol #	Layers	Cases /Layer	Cases /Pallet	D V	Prod. Length	Prod. Width	Load Height	Length Over
1	7	10	70	H	1200.000	1000.000	1550.000	0
2	7	10	70	H	1200.000	1000.000	1550.000	0
3	7	9	63	H	1200.000	900.000	1550.000	0
4	7	9	63	H	1200.000	1000.000	1550.000	0
5	7	9	63	H	1200.000	1000.000	1550.000	0
6	7	9	63	H	1200.000	1000.000	1550.000	0
7	7	9	63	H	1100.000	1000.000	1550.000	0
8	7	9	63	H	1200.000	1000.000	1550.000	0
9	7	9	63	H	1200.000	1000.000	1550.000	0
10	7	9	63	H	1200.000	1000.000	1550.000	0

Click on **Cancel** and then select the **Options** menu and then choose **Show Formulas**:




You will see the following screen:

A screenshot of the 'Environmental Factors - Metric' software interface. The window title is 'Environmental Factors - Metric'. The menu bar includes 'File' and 'Help'. Below the menu is a toolbar with tabs: 'Storage Environment', 'Case/Divider Settings', 'For Future use', 'Single Wall Materials', 'Double Wall Materials', and 'Formulae'. The 'Formulae' tab is selected and highlighted with a green box. The main area displays 'Edge Crush Formulae' and two sections labeled 'For a Future version of Cape'. Below these sections, the 'The European McKee Formula' is shown as a mathematical expression: $1.82 * \text{The Edge Crush Value} \times 1.0194 \times (\text{the Caliper Value} ^{0.508}) \times (\text{Case Perimeter} ^{0.492})$. A 'Custom Formula (User defined)' section follows, containing the same formula and an 'Edit' button. The status bar at the bottom shows 'mm/kg', '3:50 PM', 'CAPS', 'NUM', and a numeric keypad icon.

You will see the **McKee formula** displayed and below that the “Custom Formula” fields.

Click on the **Edit** button:




Adjust the various fields to suit your own formula and click on **Save**. Your new formula will then appear in the **Custom** section.


Getting Started

The Strength Program can be accessed from two places:

From the **Programs** menu on the **Front Menu**:



Or, from the **Tools** menu (on the graphics screen) in the Pallet, Arrange or Design programs or from the “bar-bell” Strength icon:



If you access Strength from the **Tools** menu in the Pallet, Arrange and Design programs, the **Single Case** option **is not available**.

Note: The difference between the two analytical options is that running Strength from the **Main Menu** gives you the ability to evaluate compression strength for a single case OR a user defined palletized load. If you run Strength from the **Tools** menu, you are restricted to using one of the pallet patterns taken from one of the calculated solutions.

The basic data needed for the Strength program is stored in one of three databases:

- Singlewall Board Combination Factors (Board Grades)
- Doublewall Board Combination Factors (Board Grades)
- Storage Environment Factors

In addition you can change the basic McKee formula, choose the order your solutions are shown in and adjust a number of specialized parameters.

Board Grade Combination Database?

The Board Grade Combination Database will store up to 200 Singlewall and 100 Doublewall combinations along with their respective Description, Flute, Caliper and Edge Crush values.

When calculating initial case compression results the Edge Crush and Caliper values from the database are used as direct input into the McKee formula. This value is then multiplied by any of the Environmental Factors you have selected:

Description	Flutes	Edge Crush	Caliper	Use
Sample 2	A	10.5	2	Y
Sample 4	A	12	3	Y
Sample 3	A	13	2.5	Y
Sample 1	A	14	3	Y
Sample 5	A	9.5	2	Y
Sample 8	B	11	4	Y
Sample 6	B	12.5	2.5	Y
Sample 10	B	14	3.5	Y
Sample 9	B	15	3.5	Y
Sample 7	B	17	3.5	Y

NOTE: The edge crush values and calipers provided within the Board Grade Combinations Database are provided for demonstration purposes only. Do not use these values. You should create your own board grade information to use within the Cape Pack programs.

Data Fields

The following fields are included in the Board Grade Combinations Database:

Description

A description identifying each board grade (up to 35 characters may be used).

Flutes

Enter A, B, C or E to identify the flute type of each particular board.

Edge Crush

Enter the known (or estimated) Edge Crush value for each board combination, which will be used as input into the McKee formula and run through the Compression calculations.

Caliper

The caliper (thickness) of the board grade in millimeters. This value goes directly into the McKee formula for the compression calculations.


Use

Enter a **Y** if a particular board combination is to be used in compression calculations and displayed on the Solution Report.

Note: Over time, you will see how you can use this field in the calculations to fine tune each of your board grades for the exact compression strength you require.

Modifying your boards

To modify a field double click on that field (or use the **Edit** button) and enter the value(s) you wish to use:



To delete a row from the database select that row by clicking on the row number. Click on the **Delete button**.

Your changes will be automatically saved for you.

Storage Environment Factors

The Storage Environment Factors contain all of the environmental factors used in the predicted compression calculations and the respective values that are to be used when factoring (multiplying by) the initial calculated compression value. For example, if you only choose a humidity of 90% and the respective factor value is .50, the initially calculated compression strength will be multiplied by .50 (or reduced by 50%) prior to displaying the predicted compression strength.

If you select a series of environmental factors the program generate a series of calculations that will progressively influence the final results for the predicted case strength:

Environmental Factors - Metric

File Help

Single Wall Materials Double Wall Materials Formulae

Storage Environment Case/Divider Settings For Future use

If Average Relative Humidity is:	If Cases are stored for:	
0-35% 1.1	0 Days 1	31 - 60 Days 0.55
36-45% 1.1	1 - 3 Days 0.7	61 - 90 Days 0.55
46-55% 1	4 - 10 Days 0.65	91 - 120 Days 0.5
56-65% 0.9	11-30 Days 0.6	Over 121 Days 0.45
66-75% 0.8		
76-85% 0.7		
86-100% 0.5		
If Cases are:	If Case overhangs Pallet:	
Stacked 1	None 1	Height 1
Interlocked 0.6	Up to 10 0.9	Width 0.9
	Up to 20 0.8	Length 0.8
	Up to 30 0.7	
	Over 30 0.6	

All fields on this page are required.

Enter the board description (12 characters). mm/kg 3:56 PM CAPS NUM

Note: To change a value in any field – simply highlight that field and type in a new value

Once you have set the factors within your database to match the theoretical conditions to which your corrugated cases will be subjected, it can be used within the initial calculations to replicate your own distribution environment. This will allow you to fine-tune your corrugated requirements. Thus, you can ensure that you are only purchasing the strength of corrugated cases that you actually need.

Data Fields

The following data fields are included in the Environmental Factors Database:

Percent Humidity

A factor for each Relative Humidity range listed.

Days of Storage

A value for each range of days listed.

Case Dimension Vertical

A value for whichever dimension of the corrugated case will be placed vertically in the load.

Pallet Surface

A factor reflecting use of a gapped or solid surface on which the corrugated case will be placed.

Interlock

A factor to be used when you choose to rotate alternate layers, in the load. (This especially impacts the second layer of cases from the bottom of the load.)

Overhang

A value for each range of overhang listed. This is calculated for the maximum overhang on any one of the four pallet sides.

Additional Internal Support

Enter (in kg) the amount of additional support your product adds to the calculated corrugated case compression strength (0-999). With this value at 0, only the strength of the case is calculated. Any other value will add the entered value to the calculated compression strength prior to displaying the final value on the Solution Report. If you do not know this value and cannot estimate a value, use a straight percentage of the case total. It is entirely possible that if you have a rigid or solid product this value could be more than the actual case compression strength value.

Case Configuration

Case Proportions (Length/Width Ratio)

A value used to reflect how your corrugated case will perform in relation to one panel length to another. (It also works in conjunction with Dimension Vertical if a tall, narrow case is placed on its end).

Amount of Printing

Factors used to reflect the effect of the type and amount of printing on the corrugated case.

Case Types

As the McKee formula is based on a standard top-loading case (RSC style) these factors adjust the calculations for other case styles.

Direction of Fluting


The McKee formula is based on a case with the fluting running from the top to the bottom of the case (vertical). Therefore, an alternative factor for horizontal fluting is provided.

Divider Type

From the list of available divider types (which all add support to the case) choose the type that most closely represents the one you use. If there is not an exact match, choose another style that uses a bigger or smaller factor, or change any factor to meet your own needs. The divider type factor is the percentage of the empty case compression strength added to the initial value prior to displaying the final calculated value on the Solution Report.

Calculating Strength of a Cape solution?

To select a solution file choose **Strength** from the **Tools** menu:




You will be presented with the following screen showing details of all the available solutions:


List of Solutions								
Sol #	Layers	Cases /Layer	Cases /Pallet	D V	Prod. Length	Prod. Width	Load Height	Length Over
1	7	10	70	H	1200.000	1000.000	1550.000	0
2	7	10	70	H	1200.000	1000.000	1550.000	0
3	7	9	63	H	1200.000	900.000	1550.000	0
4	7	9	63	H	1200.000	1000.000	1550.000	0
5	7	9	63	H	1200.000	1000.000	1550.000	0
6	7	9	63	H	1200.000	1000.000	1550.000	0
7	7	9	63	H	1100.000	1000.000	1550.000	0
8	7	9	63	H	1200.000	1000.000	1550.000	0
9	7	9	63	H	1200.000	1000.000	1550.000	0
10	7	9	63	H	1200.000	1000.000	1550.000	0

Note: When running a Pallet Analysis, each solution number represents the same size case dimensions (OD). In the Arrange or Design Analysis, each solution number represents a different size case dimension (OD). As a result, compression strengths can vary between solution numbers in the Arrange and Design programs.

Select a Solution (e.g. #1) and click on **Continue** and you will see all of the relevant information for that particular solution:



In addition, on the right-hand side of the screen, you will see the values for the **Storage Environment Factors**. If these are okay then click on the **Solve** button and you will see the following **Parameters** screen:



Essentially, the details on the left-hand side of the screen are provided for information purposes only.

The options on the right-hand side of the screen allow you to choose the way you want to **View/Print** the results:

- **All Materials:** Meaning to display all the materials in your database.
- **Successful Materials:** Those materials that meet the required parameters.
- **+/- Dynamic Compression Strength:** Lets you set a % that will be applied to the “weight on the bottom case” figure to search for solutions that fall within that range. Be aware that the % (shown as +/-) relates to the weight of a single case.
- **Materials with Safety Factor** greater than your input figure: Allows you to set a minimum safety factor for your results.

If you change any of these settings, you will need to click on the **Solve** button once again to resort your report.

Now click on the **Single Wall Tab** to see the results:

Description	Flutes	Empty Strength	Static Strength	Dynamic Loads Strength/High
Sample 5	A	256.6	369.5	146.0 11.5
Sample 2	A	283.6	408.3	160.3 12.6
Sample 6	B	378.1	544.5	210.4 16.5
Sample 3	A	393.2	566.3	218.4 17.1
Sample 4	A	398.2	573.4	221.0 17.3
Sample 8	B	422.5	608.4	233.9 18.3
Sample 1	A	464.6	669.0	256.2 20.0
Sample 10	B	502.4	723.5	276.2 21.6
Sample 9	B	538.3	775.2	295.3 23.0
Sample 7	B	610.1	878.5	333.3 25.9

Showing All Materials (using McKee Formula), ordered by Compression Strength.

Print All
 Print Selected

Print... Close

McKee mm/kg 3:57 PM CAPS NUF

You can see the effect of the Storage Environment Factors – they have reduced the initial, Empty Case, figure by more than 50%.

If you do not agree with the values shown or would like to investigate another set of circumstances, you can either change the inputs or modify the appropriate factors in the Storage Environment Factors database.

Reviewing Your Results

The information calculated from your input data is explained as follows:

Empty Case Strength

The case compression strength (KN.) calculated as if the case were brand new or in a laboratory test environment at optimum conditions. It is derived from the McKee formula value multiplied by the Length/ Width Panel Ratio factor.

Static Case Strength

The case compression enhanced by any divider type or Additional Internal Support that is offered by the product itself.

Dynamic Strength

Compression Strength of the case remaining at the number of days you specified on the Storage Environment Factors screen. This value is derived by taking the initial value and multiplying it by each factor selected (e.g., humidity, days of storage, overhang, dimension vertical, pallet surface type, interlocked layers and additional internal support).


Pallet Loads High

This is the value that you should use to determine if your existing board grade is strong enough to suit your distribution requirements. If this is too low, select a stronger board or re-evaluate your input information.

Calculating the strength of a single case

The single Case Strength Analysis is used to simulate in-lab test conditions for a single case using the case depth vertical on a flat pallet. However, you can also calculate the predicted compression strength for some point of time in the future and compare that information to the initial value(s).

Go to the **Front Menu** and then select the **Programs** menu. Then select **Other Programs** and then choose **Strength**. Here is the Input Window:



Enter the appropriate information for the **Product Name** and **Code**, **Case Dimensions**, **Case Dimension Vertical** and the **Storage Environment Factors**.

Click on **Solve** to calculate compression strength solution information:

Compression Analysis for Widget1 - (Results in Metric)

File Options

Parameters		Single Wall		Double Wall	
Description	Flutes	Empty Strength	Static Strength	Dynamic Strength	
Sample 5	A	256.6	369.5	0.0	
Sample 2	A	283.6	408.3	0.0	
Sample 6	B	378.1	544.5	0.0	
Sample 3	A	393.2	566.3	0.0	
Sample 4	A	398.2	573.4	0.0	
Sample 8	B	422.5	608.4	0.0	
Sample 1	A	464.6	669.0	0.0	
Sample 10	B	502.4	723.5	0.0	
Sample 9	B	538.3	775.2	0.0	
Sample 7	B	610.1	878.5	0.0	

Showing All Materials (using McKee Formula), ordered by Compression Strength.

Print All
 Print Selected

McKee mm/kg 3:59 PM CAPS NUT


Notice that the fields **for Dynamic Strength** display zero. This is because it is a single case and the case is not being palletized.

Opening Saved Graphics Files

Introduction


Open Saved Solutions is a feature that has been provided to let you view saved graphics files at a later date/time. It can also be used in a network environment, to let your colleagues see the results of your work with Cape Pack.

The idea is that you run an analysis, choose a solution, manipulate the graphics and then save that graphics solution. Then, instead of having to rerun the analysis, you can use the conveniently located **Open Viewer\Open Saved Solutions** function under the **File** menu on the Front Menu screen.




You have these two choices when opening saved solutions for either the normal Cape Pack single product solutions or the Display Pallet (Club-store) solutions.

- Solution Dialog: Shows only those CLF files with saved graphical solutions.




- Standard Dialog: Shows all files in a standard Windows Open box.



If you have a large number of clf files in your private folder, it is recommended that you use the Standard Dialog method. The program response time will be much quicker this way.

Saving Graphics


Here is your screen in the Multi-Viewer Graphics.



From the **File** menu, select **Save Solution** to save your graphic solutions with your input data to the same file name, or **Save Solution As** to use a different file name.

Opening your Saved Graphics file

Go to the Front Menu and select the **File** menu. Choose **Open Viewer/Open Saved Solutions, cape pack, Solution dialog**. The program will display all the files in your Private path that have saved solutions.



Each file is identified by the name, the program module used to create it, the units of measure, the secondary package dimensions and the product name and code. Highlight the file you want to open and click on the **Select** button. Your file will be opened in the Multi-Viewer.

Points to remember about Saved Solutions

It is important to remember that you are saving the graphics for a single solution. If you rerun the data input, you will lose the saved graphics.

If you have saved the graphics for a particular solution and then try to re-run the analysis you will see a warning message when you select Save Input Data. In this situation you should choose the **Save As** option and give your saved graphics file another name. This will retain your original file with its saved graphics.

Data Import and Export

Introduction


Cape Pack has extensive and versatile import and export capabilities which make interfacing with other systems and programs an easy process. You can import your data from your existing files or systems with the use of our CIF file and a simple command line. We have provided examples of this process in the form of Excel and Access documents.

In addition, you can export ASCII text of your load results as well as standard graphics forms of your diagrams. These industry-standard file types can be used in virtually all systems that are used in the market place today.

Automating Your Input Data

The Cape Interface Files have been provided to allow users to import any or all of the data input required to automatically fill out the input fields for an individual Cape Pack program module (i.e. Pallet - Bags).

This approach avoids the user having to manually enter data that may already be available in existing databases or other proprietary programs. See below.



Once the data has been imported, via a macro, it is the responsibility of the user to check/validate the data before executing the Save or Save As commands, within Cape Pack.

The Cape Interface Files (CIF), supplied with your Cape Pack program, are in a Windows .INI format and they are located in the Tutor Path of Cape Pack. However, you can create as many CIF files as you need and locate them in a directory of your choice.

Remember, in the command line instruction, you must identify the name of your CIF file and where it is located.

There is a CIF for each of the following program modules in the Cape Pack Tutor directory.

Pallet Group

Rectangle/Oval	(PAL1.CIF)
Cylinder/Bottle	(PAL2.CIF)
Bags	(PAL3.CIF)
Trapezoids	(PAL4.CIF)

Arrange Group

Box/Bag/Bottle	(ARR1.CIF)
Cylinder/Bottle	(ARR2.CIF)
Trapezoids	(ARR3.CIF)

Folding Carton Arrange

New, Cartons Alternated in Bundles	(ARR4.CIF)
New, Bundles Alternated in Cases	(ARR5.CIF)
Fixed, Nested Cartons in Bundles, All Patterns	(ARR6.CIF)
Fixed, Nested Cartons in Bundles, Row/Column	(ARR7.CIF)
Fixed, Nested Bundles in Cases, Row/Column	(ARR8.CIF)

Design Group

Box/bag/Bottle	(DGN1.CIF)
Cylinder/Bottle	(DGN2.CIF)
Trapezoids	(DGN3.CIF)

Casefill Group

Box/Bag/Bottle - Fixed	(CF1.CIF)
Cylinder/Bottle - Fixed	(CF2.CIF)

Box/Bag/Bottle – Variable

(CF3.CIF)

KDF Group

Flatblank

(KDF1.CIF)

Made up Case

(KDF2.CIF)

Bale Flatblank

(KDF3.CIF)

Blae Made up Case

(KDF4.CIF)

You can create as many CIF files as you need **and** you are not restricted to using the filenames listed above. Any file name can be used. Just remember to include the name and location of your CIF file in your command line instruction.

Running Cape Pack using CIF Files

To operate the CIF file format you will need to create a macro that extracts the relevant data (for any or all fields within the required CIF) from another program or application. The macro must also place the appropriate information in the correct field for each piece of data input that might be available from the other program/application.

Any input data not available from another program/application can be entered manually by the user once the command line instruction has been activated and the fields on the Cape Pack input screens have been populated.

Use of Command Line Instructions


Once the CIF has been populated with the required input data, you will need to issue a command line instruction to run the appropriate CIF and start the Cape Pack program.

This action will initiate the appropriate program module, bypass the normal Cape Pack Licensing and Front Menu screens, and load the selected program module with the appropriate data input fields already populated.

Here is an example of the command line instruction to run a Pallet Group - Rectangle/Square (PAL1.CIF).


"C:\Program Files(x86)\cape16\Cmenu32.exe" /CIF C:\Program Files(x86)\cape16\Tutor\Pal1.cif

Once the CIF file is created you use the command line instruction to begin the process. You will not see the normal Cape License screen or the Front Menu. All you will see is the "Loading xxx Module" screen, followed by the first input screen (for your selected module) with your data already loaded.




Opening CIF Files for Data Input


We have added the option for you to open your previously created or saved CIF (Cape Interface File) from the Front Menu in Cape Pack, simply select it from the file menu and it will open the program group and the input data from the CIF as well.



Your program will open with the data preloaded.




And if you have the CIF designed to calculate, the program will automatically take you to Multi-Viewer Graphics.




Saving CIF Files

In the **Program Settings** under the **File** menu, choose **More Settings**.



The following screen appears.



Click on **Activate CIF** to activate this feature.

CIF Files Structure

Here is a separate listing and detailed description of the file structures for all of the CIF files for each of the program modules.

The File Extension

CIF

The File Type

Windows INI

File Format for Pallet - Rectangle/Oval

[General] - Section Name

Field #1 = 1 (Pallet - Rectangle/Oval)

Field #3 = Product Name (Maximum 50 characters)

Field #4 = Product Code (Maximum 25 characters)

Field #5 = Inside or Outside Dimensions (1=Inside Dimensions, 2=Outside Dimensions)

Field #7 = Bulge Allowed (1=Yes, 0= No)

Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)

Field #10 = Units of Measure (0=mm/kg, 1=in/lb)

Field #12 = Problem Date

Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Secondary Pack Data

[Secondary Pack] - Section Name

Field #1 = Outside Length Dimension
Field #2 = Outside Width Dimension
Field #3 = Outside Height Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)
3 = CSSC (2,2,4)
4 = SURFACE (2,2,2)
5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)
7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field #15 - 17)
9 = None
10 = No Package
11 = Shrink Wrap
1000 = Custom Shape Name (Enter shape name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1 = Material thickness
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #59 = Tray Wall height
Field #64 = Inside Length Dimension
Field #65 = Inside Width Dimension
Field #66 = Inside Height Dimension

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height

Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Percentage - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Percentage - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Percentage - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17 = Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. If Inside Dimensions (Field #5 in the General Section) for the Secondary Pack are selected then Fields 15-18.1 will need to be completed.

4. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required. Also, Field #3 and Field #4 in the Truck Restriction section are replaced by Field #5 and Field #6 respectively, also, Field #7 will now be relevant since this Field only works with Cylinders. The reason for this is since cylinders will be palletized into Trucks the patterns applied change from the Cape six standard patterns to Row / Columns or Nested.

File Format for Pallet - Bag

[General] - Section Name

Field #1= 3 (Pallet – Bag)
Field #3 = Product Name (Maximum 50 characters)
Field #4 = Product Code (Maximum 25 characters)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)

Field #12 = Problem Date
Field #19 = Number of Pallets (Range=1 to 3)
Field #26 = AutoCalc (1=Yes, 0=No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Secondary Pack Data

[Secondary Pack] - Section Name

Field #1 = Length Outside Dimension
Field #2 = Width Outside Dimension
Field #3 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Pack Type
1 = Default
1000 = Custom Shape Name (Enter shape name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Width Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)

Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)

Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)

Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)

Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Width Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)

Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)

Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)

Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)

Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style

Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style

Field #2 = Maximum Weight

Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)

Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)

Field #8 = Truck Length

Field #9 = Truck Width

Field #10 = Truck Height

Field #11 = Truck Tare Weight

Field #12 = Hybrid pattern applied (0=No, 1=Yes)

Field #13 = Trilock pattern applied (0=No, 1=Yes)

Field #14 = Diagonal pattern applied (0=No, 1=Yes)

Field #15 = Spiral pattern applied (0=No, 1=Yes)

Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)

Field #17=Maximum Truck Load Height

Notes:

1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required. Also, Field #3 and Field #4 in the Truck Restriction section are replaced by Field #5 and Field #6 respectively, also, Field #7 will now be relevant since this Field only works with Cylinders. The reason for this is since cylinders will be palletized into Trucks the patterns applied change from the Cape six standard patterns to Row / Columns or Nested.

File Format for Pallet - Cylinder/Bottle

[General] - Section Name

Field #1 = 2 (Pallet Cylinder/Bottle)

Field #3 = Product Name (Maximum 50 characters)

Field #4 = Product Code (Maximum 25 characters)

Field #6 = Recessed Allowed (1=Yes, 0=No)

Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)

Field #10 = Units of Measure (0=mm/kg, 1=in/lb)

Field #12 = Problem Date

Field #19 = Number of Pallets (Range=1 to 3)

Field #21 = Allow vary cylinder size (1=Yes, 0=No)

Field #26 = AutoCalc (1=Yes, 0-No)

Field #41= User Text free flow line 1

Field #42= User Text free flow line 2

Field #43= User Text free flow line 3

Field #44= User Text free flow line 4

Field #45= User Text free flow line 5

Field #46= User Text free flow line 6

Field #47= User Field 1

Field #48= User Field 2

Field #49= User Field 3

Field #50= User Field 4

Secondary Pack Data

[Secondary Pack] - Section Name

Field #3 = Height Outside Dimension

Field #4 = Top Outside Diameter

Field #5 = Bottom Outside Diameter
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Pack Type
1 = Default
1000 = Custom Shape Name (Enter shape name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #34 = Allow On Side Orientation on Pallet (1=Yes, 0=No)
Field #35 = Allow Upright Orientation on Pallet (1=Yes, 0=No)
Field #36 = Recess Factor
Field #50 = Diameter Dimensional Variance (+)
Field #51 = Height Dimensional Variance (+)
Field #52 = Diameter Dimensional Variance (-)
Field #53 = Height Dimensional Variance (-)
Field #54 = Diameter Dimensional Increment
Field #55 = Height Dimensional Increment
Field #56 = Vary Volume By (Percentage - %)
Field #57 = Vary Weight with Volume (1=Yes, 0=No)

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #20 = Row / Column Pattern Allowed on Pallet (1=Yes, 0=No)
Field #21 = Nested Pattern Allowed on Pallet (1=Yes, 0=No)
Field #22 = Hybrid Pattern Allowed on Pallet (1=Yes, 0=No)
Field #23 = Space Between
Field #24 = Partial Top Layer Permitted (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #29 = Pallet Height
Field #30 = Pallet Weight
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #20 = Row/Column Pattern Allowed on Pallet (1=Yes, 0=No)
Field #21 = Nested Pattern Allowed on Pallet (1=Yes, 0=No)
Field #22 = Hybrid Pattern Allowed on Pallet (1=Yes, 0=No)
Field #23 = Space Between
Field #24 = Partial Top Layer Permitted (1=Yes, 0=No)
Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Width Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #20 = Row / Column Pattern Allowed on Pallet (1=Yes, 0=No)

Field #21 = Nested Pattern Allowed on Pallet (1=Yes, 0=No)

Field #22 = Hybrid Pattern Allowed on Pallet (1=Yes, 0=No)

Field #23 = Space Between

Field #24 = Partial Top Layer Permitted (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style

Field #2 = Maximum Length Overhang

Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style

Field #2 = Maximum Weight

Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)

Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)

Field #5 = Row / Column Loading Pattern Applied (1=Yes, 0=No)

Field #6 = Nested Loading Pattern Applied (1=Yes, 0=No)

Field #7 = Space Between

Field #8 = Truck Length

Field #9 = Truck Width

Field #10 = Truck Height

Field #11 = Truck Tare Weight

Field #12 = Hybrid pattern applied (0=No, 1=Yes)

Field #13 = Trilock pattern applied (0=No, 1=Yes)

Field #14 = Diagonal pattern applied (0=No, 1=Yes)

Field #15 = Spiral pattern applied (0=No, 1=Yes)

Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)

Field #17=Maximum Truck Load Height

Notes:

1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required. Also, Field #3 and Field #4 in the Truck Restriction section are replaced by Field #5 and Field #6 respectively, also, Field #7 will now be relevant since this Field only works with Cylinders. The reason for this is since cylinders will be palletized into Trucks the patterns applied change from the Cape six standard patterns to Row / Columns or Nested.

File Format for Pallet - Trapezoid

[General] - Section Name

Field #1 = 4 (Pallet – Trapezoid)
Field #3 = Product Name (Maximum 50 characters)
Field #4 = Product Code (Maximum 25 characters)
Field #6 = Recessed Allowed (1=Yes, 0=No)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #19 = Number of Pallets (Range=1 to 3)
Field #26 = AutoCalc (1=Yes, 0=No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Secondary Pack Data

[Secondary Pack] - Section Name

Field #3 = Height Outside Dimension
Field #6 = Top Length Outside Dimension
Field #7 = Bottom Length Outside Dimension
Field #8 = Top Width Outside Dimension
Field #9 = Bottom Width Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Pack Type (1 = Default)
Field #14 = Pack Name (Maximum 15 characters)
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #36 = Recess Factor
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Percentage - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width at Fields #27 and 28)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Width Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required. Also, Field #3 and Field #4 in the Truck Restriction section are replaced by Field #5 and Field #6 respectively, also, Field #7 will now be relevant since this Field only works with Cylinders. The reason for this is since cylinders will be palletized into Trucks the patterns applied change from the Cape six standard patterns to Row / Columns or Nested.

File Format for Arrange - Box/Bag/Bottle

[General] - Section Name

Field #1= 5 (Arrange - Box/Bag/Bottle)
Field #3= Product Name (Max. 50 Characters)
Field #4= Product Code (Max. 25 Characters)
Field #5= Inside or Outside Dimensions (1= Inside Dimensions, 2=Outside Dimensions)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #13 = Product Allowed (1=Yes, 0=No)
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2

Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Product Data

[Product] - Section Name

Field #1= Product Name
Field #2 = Pack Type (1000 = Custom Shape Name)
Field #3 = Shape Name

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Length Outside Dimension
Field #2 = Width Outside Dimension
Field #9 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No)
Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No)
Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No)
Field #29 = Length Bulge Allowance
Field #30 = Width Bulge Allowance
Field #31 = Height Bulge Allowance
Field #32 = Pack Type
1 = Seal End (3,2,6)
2 = Eco Seal (3,2,4)
3 = Cover Tray (6,3,2)
4 = Tray (4,2,1)
5 = DW Tray (8,4,1)
6 = REV Tuck (3,2,4)
7 = STR Tuck (3,2,4)
8 = Auto Bottom (3,2,5)
9 = TAP SHAD (2,2,2)
10 = HOL Shadow (2,3,4)
11 = Surface (2,2,2)
12 = Custom (Specify Mat. Thicknesses in Field Numbers 42-44) 1000 = Custom Shape Name (Enter shape name in Field #33)
Field #33 = Shape Name
Field #34 = Pack Name (Maximum 15 characters)
Field #42 = Number of thicknesses in Length
Field #43 = Number of thicknesses in Width
Field #44 = Number of thicknesses in Height
Field #45= Material thickness
Field #46= Material Weight
Field #47= Glue Flap Width
Field #52 = Length Inside Dimension
Field #53 = Width Inside Dimension
Field #54 = Height Inside Dimension

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type

1 = RSC (2,2,4)

2 = FOL (2,2,6)

3 = CSSC (2,2,4)

4 = SURFACE (2,2,2)

5 = SLEEVE (2,2,0)

6 = TRAY (4,2,1)

7 = END (2,2,4)

8 = Custom (Specify Mat. Thicknesses in Field #15 - #17)

9 = None

10 = No Package

11 = Shrink Wrap

1000 = Custom Shape Name (Enter Shape Name in Field #13)

Field #13 = Shape Name

Field #14 = Pack Name (Maximum 15 characters)

Field #15 = Number of thicknesses in Length

Field #16 = Number of thicknesses in Width

Field #17 = Number of thicknesses in Height

Field #18.1= Material thickness

Field #19= Material Weight

Field #20= Glue Flap Width

Field #21= Primary Pack Count per Secondary Pack #1

Field #22= Primary Pack Count per Secondary Pack #2

Field #23= Primary Pack Count per Secondary Pack #3

Field #24= Primary Pack Count per Secondary Pack #4

Field #25= Primary Pack Count per Secondary Pack #5

Field #26= Primary Pack Count per Secondary Pack #6

Field #27= Primary Pack Count per Secondary Pack #7

Field #28= Primary Pack Count per Secondary Pack #8

Field #29= Minimum Count per Secondary Pack

Field #30= Maximum Count per Secondary Pack

Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)

Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)

Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)

Field #37 = Length Bulge Allowance

Field #38 = Width Bulge Allowance

Field #39 = Height Bulge Allowance

Field #40 = Slack Length Allowance

Field #41 = Slack Width Allowance

Field #42 = Slack Height Allowance

Field #43 = Maximum Weight

Field #44 = Minimum Length Outside Dimension

Field #45 = Minimum Width Outside Dimension

Field #46 = Minimum Height Outside Dimension

Field #47 = Maximum Length Outside Dimension

Field #48 = Maximum Width Outside Dimension

Field #49 = Maximum Height Outside Dimension

Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) - Only applies if you are working in (in/lb) Units.

Field #59 = Tray Wall height

Field #60 = Divider / Partition

0 = None

1 = 1-Way

2 = 2-Way

3 = 3-Way

4 = Sleeve

5 = H-Pad

6 = S-Strip
7 = 8-Strip
8 = Divides Length
9 = Divides Width
10 = Divides Height
11 = Divide Rows
12 = Divide Columns
13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider / Partition thickness
Field #62 = Divider / Partition material weight
Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes:

1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.
3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Arrange - Cylinder / Bottle

[General] - Section Name

Field #1= 6 (Arrange Cylinder / Bottle)
Field #3 = Product Name (Max. 50 Characters)
Field #4 = Product Code (Max. 25 Characters)
Field #6 = Recessed Allowed (1=Yes, 0=No)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #3 = Top Outside Diameter
Field #4 = Bottom Outside Diameter
Field #9 = Outside Height
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #26 = Allow On Side Orientation in Secondary Pack (1=Yes, 0=No)
Field #27 = Allow upright Orientation in Secondary Pack (1=Yes, 0=No)
Field #28 = Recess Factor
Field #32 = Pack Type
1 = Default
1000 = Custom Shape (Write Shape Name to Field #33)
Field #33 = Shape Name
Field #34 = Pack Name (Maximum 15 characters)
Field #41 = Allow nested pattern (1=Yes, 0=No)

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)

3 = CSSC (2,2,4)
4 = SURFACE (2,2,2)
5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)
7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field numbers 15 - 17)
9 = None
10 = No Package
11 = Shrink Wrap
1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width
Field #21= Primary Pack Count per Secondary Pack #1
Field #22= Primary Pack Count per Secondary Pack #2
Field #23= Primary Pack Count per Secondary Pack #3
Field #24= Primary Pack Count per Secondary Pack #4
Field #25= Primary Pack Count per Secondary Pack #5
Field #26= Primary Pack Count per Secondary Pack #6
Field #27= Primary Pack Count per Secondary Pack #7
Field #28= Primary Pack Count per Secondary Pack #8
Field #29= Minimum Count per Secondary Pack
Field #30= Maximum Count per Secondary Pack
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #40 = Slack Length Allowance
Field #41 = Slack Width Allowance
Field #42 = Slack Height Allowance
Field #43 = Maximum Weight
Field #44 = Minimum Outside Length Dimension
Field #45 = Minimum Outside Width Dimension
Field #46 = Minimum Outside Height Dimension
Field #47 = Maximum Outside Length Dimension
Field #48 = Maximum Outside Width Dimension
Field #49 = Maximum Outside Height Dimension
Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) – [Valid only for in/lb units]
Field #59 = Tray Wall height
Field #60 = Divider / Partition
0 = None
1 = 1-Way
2 = 2-Way
3 = 3-Way
4 = Sleeve
5 = H-Pad
6 = S-Strip
7 = 8-Strip
8 = Divides Length

9 = Divides Width
10 = Divides Height
11 = Divide Rows
12 = Divide Columns
13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider / Partition thickness
Field #62 = Divider / Partition material weight
Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required. Also,

File Format for Arrange - Trapezoid

[General] - Section Name

Field #1 = 7 (Arrange – Trapezoid)
Field #3 = Product Name (Max. 50 Characters)
Field #4 = Product Code (Max. 25 Characters)
Field #6 = Recessed Allowed (1=Yes, 0=No)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #5= Top Outside Length
Field #6 = Bottom Outside Length
Field #7 = Top Outside Width
Field #8 = Bottom Outside Width
Field #9 = Outside Height
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No)
Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No)
Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No)
Field #28 = Recess Factor
Field #29 = Length Bulge Allowance
Field #30 = Width Bulge Allowance
Field #31 = Height Bulge Allowance
Field #32 = Pack Type, 1 = Default
Field #34 = Pack Name (Maximum 15 characters)

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)
3 = CSSC (2,2,4)

4 = SURFACE (2,2,2)
5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)
7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field numbers 15 - 17)
9 = None
10 = No Package
11 = Shrink Wrap 1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width
Field #21= Primary Pack Count per Secondary Pack #1
Field #22= Primary Pack Count per Secondary Pack #2
Field #23= Primary Pack Count per Secondary Pack #3
Field #24= Primary Pack Count per Secondary Pack #4
Field #25= Primary Pack Count per Secondary Pack #5
Field #26= Primary Pack Count per Secondary Pack #6
Field #27= Primary Pack Count per Secondary Pack #7
Field #28= Primary Pack Count per Secondary Pack #8
Field #29= Minimum Count per Secondary Pack
Field #30= Maximum Count per Secondary Pack
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #40 = Slack Length Allowance
Field #41 = Slack Width Allowance
Field #42 = Slack Height Allowance
Field #43 = Maximum Weight
Field #44 = Minimum Outside Length Dimension
Field #45 = Minimum Outside Width Dimension
Field #46 = Minimum Outside Height Dimension
Field #47 = Maximum Outside Length Dimension
Field #48 = Maximum Outside Width Dimension
Field #49 = Maximum Outside Height Dimension
Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) – [Valid only for in/lb units]
Field #59 = Tray Wall height
Field #60 = Divider / Partition
0 = None
1 = 1-Way
2 = 2-Way
3 = 3-Way
4 = Sleeve
5 = H-Pad
6 = S-Strip
7 = 8-Strip
8 = Divides Length
9 = Divides Width
10 = Divides Height

11 = Divide Rows
12 = Divide Columns
13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider / Partition thickness
Field #62 = Divider / Partition material weight
Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4)
*.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17 = Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Folding Carton Arrange, New

[General] - Section Name

Field #1= 24 FCA, new, Nested Bundles in Case
Field #3= Product Name (Max. 50 Characters)
Field #4= Product Code (Max. 25 Characters)
Field #9 = Palletizing Type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0:mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #13 = Product Allowed (1=Yes, 0=No)
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0=No)
Field #31= use the default 0 (no idea what this is)
Field #39 = use the default 1 (no idea what this is)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Length Outside Dimension
Field #2 = Width Outside Dimension
Field #9 = Height Outside Dimension (use 0)
Field #10 = carton Weight
Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No) - always 0
Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No) always 1
Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No) always 0
Field #34 = Pack Name (Maximum 15 characters) Always Carton
Field #56 = 0 unknown
Field #57 = min bundle count
Field #58 = max bundle count
Field #59 = Thickness 1
Field #60 = thickness 2

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)
3 = CSSC (2,2,4)
4 = SURFACE (2,2,2)

5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)
7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field #15 - #17)
9 = None
10 = No Package
11 = Shrink Wrap
1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width
Field #21= Primary Pack Count per Secondary Pack #1
Field #22= Primary Pack Count per Secondary Pack #2
Field #23= Primary Pack Count per Secondary Pack #3
Field #24= Primary Pack Count per Secondary Pack #4
Field #25= Primary Pack Count per Secondary Pack #5
Field #26= Primary Pack Count per Secondary Pack #6
Field #27= Primary Pack Count per Secondary Pack #7
Field #28= Primary Pack Count per Secondary Pack #8
Field #29= Minimum Count per Secondary Pack
Field #30= Maximum Count per Secondary Pack
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #40 = Slack Length Allowance
Field #41 = Slack Width Allowance
Field #42 = Slack Height Allowance
Field #43 = Maximum Weight
Field #44 = Minimum Length Outside Dimension
Field #45 = Minimum Width Outside Dimension
Field #46 = Minimum Height Outside Dimension
Field #47 = Maximum Length Outside Dimension
Field #48 = Maximum Width Outside Dimension
Field #49 = Maximum Height Outside Dimension
Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) - Only applies if you are working in (in/lb) Units.
Field #59 = Tray Wall height
Field #60 = Divider / Partition
0 = None
1 = 1-Way
2 = 2-Way
3 = 3-Way
4 = Sleeve
5 = H-Pad
6 = S-Strip
7 = 8-Strip
8 = Divides Length
9 = Divides Width
10 = Divides Height

11 = Divide Rows
12 = Divide Columns
13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider / Partition thickness
Field #62 = Divider / Partition material weight
Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes:

1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Design - Box / Bag / Bottle

[General] - Section Name

Field #1 = 8 (Design - Box / Bag / Bottle)
Field #3=Product Name (max. 50 characters)
Field #4=Product Code (max. 25 characters)
Field #5= Inside or Outside Dimensions (1=Inside Dimensions, 2=Outside Dimensions)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #13 = Product Allowed (1=Yes, 0=No)
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Product Data

[Product] - Section Name

Field #1= Product Name
Field #2 = Pack Type (1000 = Custom Shape Name)
Field #3 = Shape Name

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Length Outside Dimension
Field #2 = Width Outside Dimension
Field #9 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Length Dimensional Variance (+)
Field #13 = Width Dimensional Variance (+)
Field #14 = Height Dimensional Variance (+)
Field #15 = Length Dimensional Variance (-)
Field #16 = Width Dimensional Variance (-)
Field #17 = Height Dimensional Variance (-)
Field #18.1 = Length Dimensional Increment
Field #19 = Width Dimensional Increment
Field #20 = Height Dimensional Increment
Field #21= Vary Volume By (Percentages - %)
Field #22 = Vary Weight with Volume (1=Yes, 0=No)

Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No)
Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No)
Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No)
Field #29 = Length Bulge Allowance
Field #30 = Width Bulge Allowance
Field #31 = Height Bulge Allowance
Field #32 = Pack Type
1 = Seal End (3,2,6)
2 = Eco Seal (3,2,4)
3 = Cover Tray (6,3,2)
4 = Tray (4,2,1)
5 = DW Tray (8,4,1)
6 = REV Tuck (3,2,4)
7 = STR Tuck (3,2,4)
8 = Auto Bottom (3,2,5)
9 = TAP SHAD (2,2,2)
10 = HOL Shadow (2,3,4)
11 = Surface (2,2,2)
12 = Custom (Specify Mat. Thicknesses in Field Numbers 42-44)
1000 = Custom Shape Name (Enter shape name in Field #33)
Field #33 = Shape Name
Field #34 = Pack Name (Maximum 15 characters)
Field #42 = Number of thicknesses in Length
Field #43 = Number of thicknesses in Width
Field #44 = Number of thicknesses in Height
Field #45= Material thickness
Field #46= Material Weight
Field #47= Glue Flap Width
Field #52 = Length Inside Dimension
Field #53 = Width Inside Dimension
Field #54 = Height Inside Dimension

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)
3 = CSSC (2,2,4)
4 = SURFACE (2,2,2)
5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)
7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field numbers 15 - 17)
9 = None
10 = No Package
11 = Shrink Wrap
1000 = Custom Shape Name (Enter Shape Name in
Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width

Field #21= Primary Pack Count per Secondary Pack #1
 Field #22= Primary Pack Count per Secondary Pack #2
 Field #23= Primary Pack Count per Secondary Pack #3
 Field #24= Primary Pack Count per Secondary Pack #4
 Field #25= Primary Pack Count per Secondary Pack #5
 Field #26= Primary Pack Count per Secondary Pack #6
 Field #27= Primary Pack Count per Secondary Pack #7
 Field #28= Primary Pack Count per Secondary Pack #8
 Field #29= Minimum Count per Secondary Pack
 Field #30= Maximum Count per Secondary Pack
 Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
 Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
 Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
 Field #37 = Length Bulge Allowance
 Field #38 = Width Bulge Allowance
 Field #39 = Height Bulge Allowance
 Field #40 = Slack Length Allowance
 Field #41 = Slack Width Allowance
 Field #42 = Slack Height Allowance
 Field #43 = Maximum Weight
 Field #44 = Minimum Length Outside Dimension
 Field #45 = Minimum Width Outside Dimension
 Field #46 = Minimum Height Outside Dimension
 Field #47 = Maximum Length Outside Dimension
 Field #48 = Maximum Width Outside Dimension
 Field #49 = Maximum Height Outside Dimension
 Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) – [Valid only in in/lb units]
 Field #59 = Tray Wall height
 Field #60 = Divider / Partition
 0 = None
 1 = 1-Way
 2 = 2-Way
 3 = 3-Way
 4 = Sleeve
 5 = H-Pad
 6 = S-Strip
 7 = 8-Strip
 8 = Divides Length
 9 = Divides Width
 10 = Divides Height
 11 = Divide Rows
 12 = Divide Columns
 13 = Z-Strip
 14 = Surface
 1000 = Custom Divider / Partition
 Field #61 = Divider / Partition thickness
 Field #62 = Divider / Partition material weight
 Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
 Field #2 = Maximum Height
 Field #3 = Maximum Weight
 Field #4 = Maximum Length Overhang

Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes:

1. No Fields are available to select 3D Images.
2. A maximum of 4 decimal places can be used.
3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Design - Cylinder/Bottle

[General] - Section Name

Field #1 = 9 (Design - Cylinder/Bottle)
Field #3 = Product Name (Max. 50 characters)
Field #4 = Product Code (Max. 25 characters)
Field #6 = Recessed Allowed (1=Yes, 0=No)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)

Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)

Field #26 = AutoCalc (1=Yes, 0=No)

Field #41= User Text free flow line 1

Field #42= User Text free flow line 2

Field #43= User Text free flow line 3

Field #44= User Text free flow line 4

Field #45= User Text free flow line 5

Field #46= User Text free flow line 6

Field #47= User Field 1

Field #48= User Field 2

Field #49= User Field 3

Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #3 = Top Outside Diameter

Field #4 = Bottom Outside Diameter

Field #9 = Height Outside Dimension

Field #10 = Gross Weight

Field #11 = Nett Weight

Field #14 = Height Dimensional Variance (+)

Field #17 = Height Dimensional Variance (-)

Field #20 = Height Dimensional Increment

Field #21= Vary Volume By (Percentage - %)

Field #22 = Vary Weight with Volume (1=Yes, 0=No)

Field #26 = Allow On Side Orientation in Secondary Pack (1=Yes, 0=No)

Field #27 = Allow upright Orientation in Secondary Pack (1=Yes, 0=No)

Field #28 = Recess Factor

Field #32 = Pack Type

1 = Default

1000 = Custom Shape (Write Shape Name to Field #33)

Field #33 = Shape Name

Field #34 = Pack Name (Maximum 15 characters)

Field #41 = Allow nested pattern (1=Yes, 0=No)

Field #48 = Diameter Dimensional Variance (+)

Field #49 = Diameter Dimensional Variance (-)

Field #50 = Diameter Dimensional Increment

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type

1 = RSC (2,2,4)

2 = FOL (2,2,6)

3 = CSSC (2,2,4)

4 = SURFACE (2,2,2)

5 = SLEEVE (2,2,0)

6 = TRAY (4,2,1)

7 = END (2,2,4)

8 = Custom (Specify Mat. Thicknesses in Field #15 - 17)

9 = None

10 = No Package

11 = Shrink Wrap

1000 = Custom Shape Name (Enter Shape Name in Field #13)

Field #13 = Shape Name

Field #14 = Pack Name (Maximum 15 characters)

Field #15 = Number of thicknesses in Length

Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width
Field #21= Primary Pack Count per Secondary Pack #1
Field #22= Primary Pack Count per Secondary Pack #2
Field #23= Primary Pack Count per Secondary Pack #3
Field #24= Primary Pack Count per Secondary Pack #4
Field #25= Primary Pack Count per Secondary Pack #5
Field #26= Primary Pack Count per Secondary Pack #6
Field #27= Primary Pack Count per Secondary Pack #7
Field #28= Primary Pack Count per Secondary Pack #8
Field #29= Minimum Count per Secondary Pack
Field #30= Maximum Count per Secondary Pack
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #40 = Slack Length Allowance
Field #41 = Slack Width Allowance
Field #42 = Slack Height Allowance
Field #43 = Maximum Weight
Field #44 = Minimum Length Outside Dimension
Field #45 = Minimum Width Outside Dimension
Field #46 = Minimum Height Outside Dimension
Field #47 = Maximum Length Outside Dimension
Field #48 = Maximum Width Outside Dimension
Field #49 = Maximum Height Outside Dimension
Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) – [Valid only in in/lb units]
Field #59 = Tray Wall height
Field #60 = Divider / Partition
0 = None
1 = 1-Way
2 = 2-Way
3 = 3-Way
4 = Sleeve
5 = H-Pad
6 = S-Strip
7 = 8-Strip
8 = Divides Length
9 = Divides Width
10 = Divides Height
11 = Divide Rows
12 = Divide Columns
13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider / Partition thickness
Field #62 = Divider / Partition material weight
Field #63 = Divider / Partition Glue flap width

Pallet Restrictions Data
[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang

Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17 = Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Design - Trapezoid

[General] - Section Name

Field #1 = 10 (Design – Trapezoid)
Field #3 = Product Name (Max. 50 characters)
Field #4 = Product Code (Max. 25 characters)
Field #6 = Recessed Allowed (1=Yes, 0=No)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #9 = Palletizing Type (1=Objects onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date

Field #19 = Number of Pallets (Range=1 to 3)
Field #20 = Show Flap Indicator (1=Yes, 0=No)
Field #22 = Secondary Pack Count Type (1=8 Single Counts, 2=Min./Max. Count)
Field #23 = Allow Secondary Pack Minimum Outside Dimensions (1=Yes, 0=No)
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #5 = Top Length Outside Dimension
Field #6 = Bottom Length Outside Dimension
Field #7 = Top Width Outside Dimension
Field #8 = Bottom Width Outside Dimension
Field #9 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Length Dimensional Variance (+)
Field #13 = Width Dimensional Variance (+)
Field #14 = Height Dimensional Variance (+)
Field #15 = Length Dimensional Variance (-)
Field #16 = Width Dimensional Variance (-)
Field #17 = Height Dimensional Variance (-)
Field #18.1 = Length Dimensional Increment
Field #19 = Width Dimensional Increment
Field #20 = Height Dimensional Increment
Field #21= Vary Volume By (Percentage - %)
Field #22 = Vary Weight with Volume (1=Yes, 0=No)
Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No)
Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No)
Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No)
Field #28 = Recess Factor
Field #29 = Length Bulge Allowance
Field #30 = Width Bulge Allowance
Field #31 = Height Bulge Allowance
Field #32 = Pack Type (1 = Default)
Field #34 = Pack Name (Maximum 15 characters)

Secondary Pack Data

[Secondary Pack] - Section Name

Field #12 = Pack Type
1 = RSC (2,2,4)
2 = FOL (2,2,6)
3 = CSSC (2,2,4)
4 = SURFACE (2,2,2)
5 = SLEEVE (2,2,0)
6 = TRAY (4,2,1)

7 = END (2,2,4)
8 = Custom (Specify Mat. Thicknesses in Field #15 - 17)
9 = None
10 = No Package
11 = Shrink Wrap
1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #13 = Shape Name
Field #14 = Pack Name (Maximum 15 characters)
Field #15 = Number of thicknesses in Length
Field #16 = Number of thicknesses in Width
Field #17 = Number of thicknesses in Height
Field #18.1= Material thickness
Field #19= Material Weight
Field #20= Glue Flap Width
Field #21= Primary Pack Count per Secondary Pack #1
Field #22= Primary Pack Count per Secondary Pack #2
Field #23= Primary Pack Count per Secondary Pack #3
Field #24= Primary Pack Count per Secondary Pack #4
Field #25= Primary Pack Count per Secondary Pack #5
Field #26= Primary Pack Count per Secondary Pack #6
Field #27= Primary Pack Count per Secondary Pack #7
Field #28= Primary Pack Count per Secondary Pack #8
Field #29= Minimum Count per Secondary Pack
Field #30= Maximum Count per Secondary Pack
Field #31 = Allow Length Vertical on Pallet (1=Yes, 0=No)
Field #32 = Allow Width Vertical on Pallet (1=Yes, 0=No)
Field #33 = Allow Height Vertical on Pallet (1=Yes, 0=No)
Field #37 = Length Bulge Allowance
Field #38 = Width Bulge Allowance
Field #39 = Height Bulge Allowance
Field #40 = Slack Length Allowance
Field #41 = Slack Width Allowance
Field #42 = Slack Height Allowance
Field #43 = Maximum Weight
Field #44 = Minimum Outside Length Dimension
Field #45 = Minimum Outside Width Dimension
Field #46 = Minimum Outside Height Dimension
Field #47 = Maximum Outside Length Dimension
Field #48 = Maximum Outside Width Dimension
Field #49 = Maximum Outside Height Dimension
Field #58 = Round to the nearest 1/16" (1=Yes, 0=No) – [Valid only in/lb units]
Field #59 = Tray Wall height
Field #60 = Divider / Partition
0 = None
1 = 1-Way
2 = 2-Way
3 = 3-Way
4 = Sleeve
5 = H-Pad
6 = S-Strip
7 = 8-Strip
8 = Divides Length
9 = Divides Width
10 = Divides Height
11 = Divide Rows
12 = Divide Columns

13 = Z-Strip
14 = Surface
1000 = Custom Divider / Partition
Field #61 = Divider/Partition thickness
Field #62 = Divider/Partition material weight
Field #63 = Divider/Partition Glue flap width

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Length Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)

Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)

Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)

Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)

Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style

Field #2 = Maximum Length Overhang

Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style

Field #2 = Maximum Weight

Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)

Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)

Field #8 = Truck Length

Field #9 = Truck Width

Field #10 = Truck Height

Field #11 = Truck Tare Weight

Field #12 = Hybrid pattern applied (0=No, 1=Yes)

Field #13 = Trilock pattern applied (0=No, 1=Yes)

Field #14 = Diagonal pattern applied (0=No, 1=Yes)

Field #15 = Spiral pattern applied (0=No, 1=Yes)

Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)

Field #17 = Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required

File Format for Casefill - Box/Bag/Bottle(Fixed)

[General] - Section Name

Field #1 = 11 (Casefill - Box/Bag/Bottle(Fixed))

Field #3 = Product Name (Maximum 50 characters)

Field #4 = Product Code (Maximum 25 characters)

Field #7 = Bulge Allowed (1=Yes, 0=No)

Field #10 = Units of Measure (0=mm/kg, 1=in/lb)

Field #12 = Problem Date

Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)

Field #25=Primary Pack Count Type (1=8 Single Counts, 0=Min/Max Count)

Field #26 = AutoCalc (1=Yes, 0-No)

Field #41= User Text free flow line 1

Field #42= User Text free flow line 2

Field #43= User Text free flow line 3

Field #44= User Text free flow line 4

Field #45= User Text free flow line 5

Field #46= User Text free flow line 6

Field #47= User Field 1

Field #48= User Field 2

Field #49= User Field 3

Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Length Outside Dimension

Field #2 = Width Outside Dimension

Field #9 = Height Outside Dimension

Field #10 = Gross Weight

Field #11 = Nett Weight

Field #23 = Allow Length Vertical in Secondary Pack (1=Yes, 0=No)

Field #24 = Allow Width Vertical in Secondary Pack (1=Yes, 0=No)

Field #25 = Allow Height Vertical in Secondary Pack (1=Yes, 0=No)

Field #29 = Length Bulge Allowance

Field #30 = Width Bulge Allowance

Field #31 = Height Bulge Allowance

Field #32 = Pack Type

1 = Seal End (3,2,6)

2 = Eco Seal (3,2,4)

3 = Cover Tray (6,3,2)

4 = Tray (4,2,1)

5 = DW Tray (8,4,1)

6 = REV Tuck (3,2,4)

7 = STR Tuck (3,2,4)

8 = Auto Bottom (3,2,5)

9 = TAP SHAD (2,2,2)

10 = HOL Shadow (2,3,4)

11 = Surface (2,2,2)

1000 = Custom Shape Name (Enter Shape Name in Field #13)

Field #33 = Shape Name

Field #34 = Pack Name (Maximum 15 characters)

Field #35 = Minimum Slack (ID) in Length

Field #36 = Minimum Slack (ID) in Width

Field #37 = Minimum Slack (ID) in Height

Field #38 = Number of UnitPack Per Primary Pack

Casefill Data

[Casefill] - Section Name

Field #1 = Maximum Case Weight
Field #2 = Database record #1 to Use
Field #3 = Database record #2 to Use
Field #4 = Database record #3 to Use
Field #5 = Database record #4 to Use
Field #6 = Database record #5 to Use
Field #7 = Database record #6 to Use
Field #8 = Database record #7 to Use
Field #9 = Database record #8 to Use
Field #10 = Database record #9 to Use
Field #11 = Database record #10 to Use
Field #12 = Pallet footprint Length
Field #13 = Pallet footprint Width
Field #14 = Simple Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #15 = Medium Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #16 = Complex Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #17 = Vacant
Field #18.1 = Multi-Dimensional Solutions Allowed (1=Yes, 0=No)
Field #23 = Casefill Database to Use (Filename must include full path)
Field #24 = All Records flag (1=Yes, 0=No)
Field #25 = Primary Pack Count per Secondary Pack #1
Field #26 = Primary Pack Count per Secondary Pack #2
Field #27 = Primary Pack Count per Secondary Pack #3
Field #28 = Primary Pack Count per Secondary Pack #4
Field #29 = Primary Pack Count per Secondary Pack #5
Field #30 = Primary Pack Count per Secondary Pack #6
Field #31 = Primary Pack Count per Secondary Pack #7
Field #32 = Primary Pack Count per Secondary Pack #8
Field #33 = Minimum PP per SP count
Field #34 = Maximum PP per SP count
Field #35 = Pallet Size flag (0=all, 1>Select)

File Format for Casefill - Cylinder/Bottle(Fixed)

[General] - Section Name

Field #1 = 12 (Casefill - Cylinder/Bottle(Fixed))
Field #3 = Product Name (Maximum 50 characters)
Field #4 = Product Code (Maximum 25 characters)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date
Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #25 = Primary Pack Count Type (1=8 Single Counts, 0=Min/Max Count)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #3 = Outside Diameter
Field #9 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #26 = Allow On Side Orientation in Secondary Pack (1=Yes, 0=No)
Field #27 = Allow Upright Orientation in Secondary Pack (1=Yes, 0=No)
Field #32 = Pack Type
1 = Default
1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #33 = Shape Name
Field #34 = Pack Name (Maximum 15 characters)
Field #35 = Minimum Slack (ID) in Length
Field #36 = Minimum Slack (ID) in Width
Field #37 = Minimum Slack (ID) in Height
Field #38 = Number of UnitPack Per Primary Pack

Casefill Data

[Casefill] - Section Name

Field #1 = Maximum Case Weight
Field #2 = Database record #1 to Use
Field #3 = Database record #2 to Use
Field #4 = Database record #3 to Use
Field #5 = Database record #4 to Use
Field #6 = Database record #5 to Use
Field #7 = Database record #6 to Use
Field #8 = Database record #7 to Use
Field #9 = Database record #8 to Use
Field #10 = Database record #9 to Use
Field #11 = Database record #10 to Use
Field #12 = Pallet footprint Length
Field #13 = Pallet footprint Width
Field #19 = Row/Column Pattern Allowed in Secondary Pack (1=Yes, 0=No)
Field #20 = Nested Pattern Allowed in Secondary Pack (1=Yes, 0=No)
Field #21 = Partial Top Layer Permitted (1=Yes, 0=No)
Field #23 = Casefill Database to Use (Filename must include full path)
Field #24 = All Records flag (1=Yes, 0=No)
Field #25 = Primary Pack Count per Secondary Pack #1
Field #26 = Primary Pack Count per Secondary Pack #2
Field #27 = Primary Pack Count per Secondary Pack #3
Field #28 = Primary Pack Count per Secondary Pack #4
Field #29 = Primary Pack Count per Secondary Pack #5
Field #30 = Primary Pack Count per Secondary Pack #6
Field #31 = Primary Pack Count per Secondary Pack #7
Field #32 = Primary Pack Count per Secondary Pack #8
Field #33 = Minimum PP per SP count
Field #34 = Maximum PP per SP count
Field #35 = Pallet Size flag (0=all, 1>Select)

File Format for Casefill - Box/Bag/Bottle(Variable)

[General] - Section Name

Field #1 = 13 (Casefill - Box/Bag/Bottle(Variable))
Field #3 = Product Name (Maximum 50 characters)
Field #4 = Product Code (Maximum 25 characters)
Field #7 = Bulge Allowed (1=Yes, 0=No)
Field #10 = Units of Measure (0=mm/kg, 1=in/lb)
Field #12 = Problem Date

Field #24 = Allow Slack in Secondary Pack. (1=Yes, 0=No)
Field #25=Primary Pack Count Type (1=8 Single Counts, 0=Min/Max Count)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Length Outside Dimension
Field #2 = Width Outside Dimension
Field #9 = Height Outside Dimension
Field #10 = Gross Weight
Field #11 = Nett Weight
Field #12 = Length Dimensional Variance (+)
Field #13 = Width Dimensional Variance (+)
Field #14 = Height Dimensional Variance (+)
Field #15 = Length Dimensional Variance (-)
Field #16 = Width Dimensional Variance (-)
Field #17 = Height Dimensional Variance (-)
Field #18.1 = Length Dimensional Increment
Field #19 = Width Dimensional Increment
Field #20 = Height Dimensional Increment
Field #21= Vary Volume By (Percentage - %)
Field #29 = Length Bulge Allowance
Field #30 = Width Bulge Allowance
Field #31 = Height Bulge Allowance
Field #32 = Pack Type
1 = Seal End (3,2,6)
2 = Eco Seal (3,2,4)
3 = Cover Tray (6,3,2)
4 = Tray (4,2,1)
5 = DW Tray (8,4,1)
6 = REV Tuck (3,2,4)
7 = STR Tuck (3,2,4)
8 = Auto Bottom (3,2,5)
9 = TAP SHAD (2,2,2)
10 = HOL Shadow (2,3,4)
11 = Surface (2,2,2)
1000 = Custom Shape Name (Enter Shape Name in Field #13)
Field #33 = Shape Name
Field #34 = Pack Name (Maximum 15 characters)
Field #35 = Minimum Slack (ID) in Length
Field #36 = Minimum Slack (ID) in Width
Field #37 = Minimum Slack (ID) in Height
Field #38 = Number of UnitPack Per Primary Pack
Field #51 = Dimension Vertical in Case (1= Length, 2=Width, 3=Height.)

Casefill Data

[Casefill] - Section Name

Field #1 = Maximum Case Weight
Field #2 = Database record #1 to Use
Field #12 = Pallet footprint Length
Field #13 = Pallet footprint Width
Field #14 = Simple Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #15 = Medium Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #16 = Complex Loading Patterns to use for filling Secondary Pack (1=Yes, 0=No)
Field #23 = Casefill Database to Use (Filename must include full path)
Field #25 = Primary Pack Count per Secondary Pack #1
Field #26 = Primary Pack Count per Secondary Pack #2
Field #27 = Primary Pack Count per Secondary Pack #3
Field #28 = Primary Pack Count per Secondary Pack #4
Field #29 = Primary Pack Count per Secondary Pack #5
Field #30 = Primary Pack Count per Secondary Pack #6
Field #31 = Primary Pack Count per Secondary Pack #7
Field #32 = Primary Pack Count per Secondary Pack #8
Field #33 = Minimum PP per SP count
Field #34 = Maximum PP per SP count
Field #35 = Pallet Size flag (0=all, 1>Select)

File Format for KDF-Flatblank

[General] - Section Name

Field #1 = 19 KDF/Flatblank
Field #3 = Product name (Max. 50 Characters)
Field #4 = Product code (Max. 25 Characters)
Field #7 = Bulge allowed (1=Yes, 0=No)
Field #9 = Palletizing type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)
Field #10 = Units of measure (0=mm/kg, 1=in/lb)
Field #12 = Problem date
Field #19 = Number of pallets (Range=1 to 3)
Field #26 = AutoCalc (1=Yes, 0-No)
Field #41= User Text free flow line 1
Field #42= User Text free flow line 2
Field #43= User Text free flow line 3
Field #44= User Text free flow line 4
Field #45= User Text free flow line 5
Field #46= User Text free flow line 6
Field #47= User Field 1
Field #48= User Field 2
Field #49= User Field 3
Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Flatblank length
Field #2 = Flatblank width
Field #9 = Flatblank height
Field #10 = Flatblank weight
Field #11 = Add. bundle weight
Field #34 = Flatblank name
Field #45 = Flat thickness
Field #56 = Height factor (1 – 100 %)

Secondary Pack Data

[Secondary Pack] - Section Name

Field #14 = Pack name (Maximum 15 characters)
Field #29= Min. Flat count per bundle
Field #30= Max. Flat count per bundle
Field #31 = Allow length vertical on pallet (1=Yes, 0=No)
Field #32 = Allow width vertical on pallet (1=Yes, 0=No)
Field #33 = Allow height vertical on pallet (1=Yes, 0=No)
Field #37 = Bundle length bulge allowance
Field #38 = bundle width bulge allowance
Fields #68 = Formula number
Field #69 = Number of straps across length
Field #70 = Number of straps across width
Field #71 = Width of straps (1-100 (%))
Field #72 = KDF length
Field #73 = KDF width
Field #74 = KDF height

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)

Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)

Field #17=Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for KDF-Made-up Case

[General] - Section Name

Field #1 = 20 (KDF/Made-up Case)

Field #3 = Product name (Max. 50 Characters)

Field #4 = Product code (Max. 25 Characters)

Field #7 = Bulge allowed (1=Yes, 0=No)

Field #9 = Palletizing type (1=Object onto Pallet, 2=Objects onto Pallet into Truck, 3=Objects into Truck)

Field #10 = Units of measure (0=mm/kg, 1=in/lb)

Field #12 = Problem date

Field #19 = Number of pallets (Range=1 to 3)

Field #26 = AutoCalc (1=Yes, 0-No)

Field #41= User Text free flow line 1

Field #42= User Text free flow line 2

Field #43= User Text free flow line 3

Field #44= User Text free flow line 4

Field #45= User Text free flow line 5

Field #46= User Text free flow line 6

Field #47= User Field 1

Field #48= User Field 2

Field #49= User Field 3

Field #50= User Field 4

Primary Pack Data

[Primary Pack] - Section Name

Field #1 = Made-up Case length

Field #2 = Made-up Case width

Field #9 = Made-up Case height

Field #10 = Made-up Case weight

Field #11 = Add. Bundle weight

Field #45 = Made-up Case thickness

Field #56 = Height factor (1 – 100 %)

Field #34 = Made-up Case name

Secondary Pack Data

[Secondary Pack] - Section Name

Field #14 = pack name (Maximum 15 characters)

Field #29= Min. Made-up Case count per bundle

Field #30= Max. Made-up Case count per bundle

Field #31 = Allow length vertical on pallet (1=Yes, 0=No)

Field #32 = Allow width vertical on pallet (1=Yes, 0=No)

Field #33 = Allow height vertical on pallet (1=Yes, 0=No)

Field #37 = Bundle length bulge allowance

Field #38 = Bundle width bulge allowance

Field #68 = Formula number

Field #69 = Number of straps across length

Field #70 = Number of straps across width

Field #71 = Width of straps (1-100 (%))

Field #72 = KDF length

Field #73 = KDF width

Field #74 = KDF height

Pallet Restrictions Data

[Pallet Restrictions#1] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Length Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)

Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)

Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)

Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)

Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#2] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Length Overhang

Field #6 = Minimum Load Length

Field #7 = Minimum Load Width

Field #8 = Minimum Area Efficiency

Field #9 = No Pattern Gaps (1=Yes, 0=No)

Field #10 = Clamp in Length (1=Yes, 0=No)

Field #11 = Clamp in Width (1=Yes, 0=No)

Field #12 = Maximum offset

Field #13 = Minimum Contact (Integer - %)

Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)

Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)

Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)

Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)

Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #37 = Load Target

[Pallet Restrictions#3] - Section Name

Field #1 = Pallet Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style 0 = No Pallet (Specify Length, Width and Height at Fields # 27 - 29)
Field #2 = Maximum Height
Field #3 = Maximum Weight
Field #4 = Maximum Length Overhang
Field #5 = Maximum Length Overhang
Field #6 = Minimum Load Length
Field #7 = Minimum Load Width
Field #8 = Minimum Area Efficiency
Field #9 = No Pattern Gaps (1=Yes, 0=No)
Field #10 = Clamp in Length (1=Yes, 0=No)
Field #11 = Clamp in Width (1=Yes, 0=No)
Field #12 = Maximum offset
Field #13 = Minimum Contact (Integer - %)
Field #14 = Column Pallet Pattern Allowed (1=Yes, 0=No)
Field #15 = Interlock Pallet Pattern Allowed (1=Yes, 0=No)
Field #16 = Trilock Pallet Pattern Allowed (1=Yes, 0=No)
Field #17 = Diagonal Pallet Pattern Allowed (1=Yes, 0=No)
Field #18.1 = Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #19 = Expanded Spiral Pallet Pattern Allowed (1=Yes, 0=No)
Field #27 = Pallet Length
Field #28 = Pallet Width
Field #37 = Load Target

Master Pallet Base Data (Optional)

[Master Base] - Section Name

Field #1 = Master Base Style (e.g. ukstd.pa4) *.pa4 = Valid name for a named Pallet Base Style
Field #2 = Maximum Length Overhang
Field #3 = Maximum Width Overhang

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) *.pa4 = Valid name for a named Truck Base Style
Field #2 = Maximum Weight
Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)
Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)
Field #8 = Truck Length
Field #9 = Truck Width
Field #10 = Truck Height
Field #11 = Truck Tare Weight
Field #12 = Hybrid pattern applied (0=No, 1=Yes)
Field #13 = Trilock pattern applied (0=No, 1=Yes)
Field #14 = Diagonal pattern applied (0=No, 1=Yes)
Field #15 = Spiral pattern applied (0=No, 1=Yes)
Field #16 = Expanded Spiral pattern applied (0=No, 1=Yes)
Field #17=Maximum Truck Load Height

Notes: 1. No Fields are available to select 3D Images.

2. A maximum of 4 decimal places can be used.

3. When Field #9=1 in the General Section then No Truck Restriction data is required. When Field #9=2 in the General Section then both Pallet and Truck Restriction data are required. When Field #9=3 in the General Section then No Pallet Restriction data is required.

File Format for Display Pallet

[General] - Section Name

Field #1 = Module program you want to run. (0 = Normal Run, 15 = Display Pallet)
Field #3 = Product Name (Maximum 50 characters).

Field #4 = Product Code (Maximum 25 characters).
Field #5 = Box Description Allowed
Field #6 = Palletising Type (1=Pallet, 2=Pallet and Truck)
Field #7 = Units of Measure (0=Metric, 1=English)
Field #8 = Problem Date
Field #9 = Total Number of Secondary Packs in Display Pallet
Field #18.1 = Pallet Maker (Alvey) export path.
Field #26 = AutoCalc (1=Yes, 2 = No)

Secondary Pack Data for Display Pallet

[Secondary Pack#x] - Where “#x” is the secondary pack number

Field #1 = Box Name (Max. of 12 characters)
Field #2 = Label (Max. of 2 characters)
Field #3 = Box Type (To select a box type, assign the number that corresponds to the box type of your choice. See list below). If you choose box type 4 or 5 as stated below. Get shape name from Field #4.

- 1 = Standard Box
- 2 = RSC Box
- 3 = End Loader box
- 4 = Display Case
- 5 = Variable Tray

Field #4 = Shape name (CSF name).

Field #5 = Tray wall height

Field #8 = Color (To select a color , assign the number that corresponds to the color of your choice. See list below)

- 1 = Red
- 2 = Green
- 3 = Blue
- 4 = Cyan
- 5 = Pink
- 6 = Yellow
- 7 = Brown
- 8 = Magenta
- 9 = Dark Cyan
- 10 = Dark Blue
- 11 = Dark Green
- 12 = Dark Red

Field #9 = Length Dimension

Field #10 = Width Dimension

Field #11 = Height Dimension

Field #12 = Weight

Field #13 = Box Description (Max. of 25 Characters)

Field #14 = Absolute maximum

Field #15 = Desired Minimum

Field #35 = Allow Length Vertical on Pallet (1=Yes, 0=No)

Field #36 = Allow Width Vertical on Pallet (1=Yes, 0=No)

Field #37 = Allow Height Vertical on Pallet (1=Yes, 0=No)

Field #38 = Quantity Allowed (Order Fulfilment ONLY)

Field #39 = Max. in Column

Field #40 = Load Priority

Field #41 = Must not be stacked on Base; (0=No, 1=Yes)

Field #42 = Stacked together; (0=No, 1=Yes).

Display Pallet Build Data

[Display Pallet Build] - Section Name

Field #1 = Algorithm to use. (Select from the list below, a number that corresponds to the algorithm of your choice, then assign to field #1)

- 1 = Column Algorithm
- 2 = Column Editor
- 3 = Layer Algorithm
- 4 = Layer Editor
- 5 = Mixed Load Editor

Field #2 = Time limit for each strategy (in seconds)

Field #8 = Do not allow mixed top (0=No, 1=Yes)

Field #9 = Do not allow mixed layers (0=No, 1=Yes)

Field #10 = Spread to biggest layer (0=No, 1=Yes)

Field #11 = Maximum spread (0=No, 1=Yes)

Field #12 = Type of Optimization (0=Single Pallet method (Default), 1=Order Fulfilment)

Field #13 = Package Loading rules (0=No Loading Restrictions (Default), 1=Limit Column Height, 2=Load Priority)

Field #14 = Allow Mixed Columns (0=Do not Allow Mixed Columns (Default), 1=Allow Mixed Columns)

Pallet Restrictions Data

[Pallet Restrictions] - Section Name

Field #1 = Pallet Base Style (e.g. UKSTD.PA4)

*.pa4 = Valid name for a named Pallet Base Style

0 = No Pallet (Specify Length, Width at Fields 27 and 28)

Field #2 = Maximum Height

Field #3 = Maximum Weight

Field #4 = Maximum Length Overhang

Field #5 = Maximum Width Overhang

Field #27 = Pallet Length

Field #28 = Pallet Width

Field #29 = Pallet Height

Field #30 = Pallet Weight

Field #31 = Acceptable center of gravity cylinder height

Field #32 = Acceptable center of gravity cylinder radius

Field #33 = Maximum Boxes

Truck Restrictions Data

[Truck Restrictions] - Section Name

Field #1 = Truck Base Style (e.g. 40stan.pa4) (*.pa4 = Valid name for a named Truck Base Style)

Field #2 = Maximum Weight

Field #3 = Simple Loading Pattern Applied (1=Yes, 0=No)

Field #4 = Complex Loading Pattern Applied (1=Yes, 0=No)

Field #8 = Truck Length

Field #9 = Truck Width

Field #10 = Truck Height

Field #11 = Truck Tare Weight


Field #17 = Maximum Truck Load Height

Export Features

Cape Pack allows you to export numerical data, graphics images and standard Cape reports for use in other program applications.

These capabilities mean you can maintain or create your own printouts/reports and pass information to the other program applications that you use within your department or company.

Here is the Export Settings screen.



This screen is very similar to the Page Setup screen for printing. The essential differences are:

Export Width and Height: Allows you to set the size of the image you want to export.


Decimal Places: Allows you to specify the number of decimal places for the information you are exporting.

Export Features

Cape Pack allows you to export numerical data, graphics images and standard Cape reports for use in other program applications.

These capabilities mean you can maintain or create your own printouts/reports and pass information to the other program applications that you use within your department or company.

Here is the Export Settings screen.




This screen is very similar to the Page Setup screen for printing. The essential differences are:

Export Width and Height: Allows you to set the size of the image you want to export.

Decimal Places: Allows you to specify the number of decimal places for the information you are exporting.

Export Options

There are a variety of export types available.



Export Information Only

Refers to numerical and text information. These are provided in the form of a “flat ASCII” file.

Export Cape Diagram

Refers to diagrams or images that can be exported in a variety of graphics file formats.

Export Cape Report

Refers to Standard Cape reports (diagrams and numerical header information) or full Cape Reports plus an ASCII file. These reports can be exported in a variety of graphics file formats.

Export to Databases

Allows you to export your solution information to a Casefill database for use in the Casefill programs, your case information to either the Display Pallet or Secondary Pack databases, and your primary pack information to your Primary Pack Database.

Robot

Allows you to export information in the Cape Robotics File format for use by automatic palletizers.

Export to Esko


Allows you to export information to several different Esko programs including the Cape Pack cloud database.

SAP

Allows you to export information for use in SAP as either XML, ASCII or comma-separated value data.

Export Information Only

Here are the options.




Pallet Load

This option is designed to work with a new program to be launched later in the year.

ASCII Solution Information

You can export the ASCII Solution Data (the text and numerical information from your analysis) in the form of a text (.TXT) file. You can then write a macro to extract any or all of the information to another program application.

Because you can calculate on up to three pallets, at the same time, you will be prompted to select either Pallet 1, 2 or 3 depending on the number of pallets you selected at the input stage.



The details of what is exported is contained in a key file in the Tutor folder after your first export. The file is called Soln Header.TXT. As we add fields to this export information, that file will be updated with current info. Here is a sample file.

Solution Data Text File – Single Product Modules

Field Number	Information
Field #1	Product Name
Field #2	Product Code
Field #3	Solution Reference
Field #4	.CLF File Name
Field #5	Analysis Create Date
Field #6	Primary Pack Name
Field #7	Secondary Pack Name
Field #8	Pallet Base Name
Field #9	Units of Measure
Field #10	Primary Pack Type
Field #11	Secondary Pack Type
Field #12	PP per SP
Field #13	PP Arrangement in SP Length
Field #14	PP Arrangement in SP Width
Field #15	PP Arrangement in SP Height
Field #16	PP Dimension in SP Length
Field #17	PP Dimension in SP Width
Field #18.1	PP Dimension in SP Height
Field #19	Secondary Packs per Layer
Field #20	Layers per Load
Field #21	Secondary Packs per Load
Field #22	Primary Pack Length (ID)
Field #23	Primary Pack Width (ID)
Field #24	Primary Pack Height (ID)
Field #25	Primary Pack Length (OD)
Field #26	Primary Pack Width (OD)
Field #27	Primary Pack Height (OD)
Field #28	Primary Pack Nett Weight
Field #29	Primary Pack Gross Weight

Field #30	Primary Pack Material Thickness
Field #31	Primary Pack Material Weight
Field #32	Secondary Pack Length (ID)
Field #33	Secondary Pack Width (ID)
Field #34	Secondary Pack Height (ID)
Field #35	Secondary Pack Length (OD)
Field #36	Secondary Pack Width (OD)
Field #37	Secondary Pack Height (OD)
Field #38	Secondary Pack Nett Weight
Field #39	Secondary Pack Gross Weight
Field #40	Secondary Pack Material Thickness
Field #41	Secondary Pack Material Weight
Field #42	Pallet Load Area Efficiency
Field #43	Pallet Load Cubic Efficiency
Field #44	Pallet Base length
Field #45	Pallet Base Width
Field #46	Pallet Base Height
Field #47	Pallet Base Weight
Field #48	Product Length
Field #49	Product Width
Field #50	Product Height
Field #51	Load Nett Weight
Field #52	Load Gross Weight
Field #53	Load Length
Field #54	Load Width
Field #55	Load Height
Field #56	Bundles per Secondary Pack
Field #57	Bundles per Pallet Load
Field #58	Primary Pack per Bundle
Field #59	Primary Packs per Load
Field #60	Bundle Length (OD)
Field #61	Bundle Width (OD)
Field #62	Bundle Height (OD)
Field #63	Bundle Nett Weight
Field #64	Bundle Gross Weight
Field #65	Bundle Name
Field #66	User Text Line #1
Field #67	User Text Line #2
Field #68	User Text Line #3
Field #69	User Text Line #4
Field #70	User Text Line #5
Field #71	User Text Line #6
Field #72	User Field Line #1
Field #73	User Field Line #2

Field #74	User Field Line #3
Field #75	User Field Line #4
Field #76	Truck Load Length
Field #77	Truck Load Width
Field #78	Truck Load Height
Field #79	Truck Load gross Weight
Field #80	Truck Load Nett Weight
Field #81	Pallet Loads per Truck
Field #82	Secondary Packs per Truck
Field #83	Truck Name
Field #84	Secondary Packs per Multi-Dimensional Load
Field #85	Secondary Pack Blank Area
Field #86	Divider Type
Field #87	No of Dividers in Length
Field #88	No of Dividers in Width
Field #89	No of Dividers in Height
Field #90	Divider Blank Area
Field #91	Num of Layer Pads per Load
Field #92	Secondary Packs per Max. Load
Field #93	Primary Pack Additional Weight
Field #94	Secondary Pack Additional Weight
Field #95	Primary Packs per Truck Load
Field #96	Per Layer Quantities after editing Pallet Load
Field #97	Secondary Pack Dimension Vertical on Pallet
Field #98	Product_Nett_Weight
Field #99	Product_Gross_Weight
Field #100	Truck Product Length
Field #101	Truck Product Width
Field #102	Truck Product Height
Field #103	Truck Product Nett Weight
Field #104	Truck Product Gross Weight
Field #105	Pallet Load Accessories Weight
Field #106	Secondary Pack Material Saved
Field #107	Layers per Truck Load
Field #108	Truck Load Ref
Field #109	Secondary Pack Area Eff.
Field #110	Secondary Pack SlackID Length
Field #111	Secondary Pack SlackID Width
Field #112	Secondary Pack SlackID Height
Field #113	Truck Cube Used
Field #114	Truck Area Eff.
Field #115	MD Load length
Field #116	MD Load Width
Field #117	MD Load Height

Field #118.1	MD Load Net Weight
Field #119	MD Load Gross Weight
Field #120	MD Load Product Length
Field #121	MD Load Product Width
Field #122	MD Load Product Height
Field #123	MD Load Product Net Weight
Field #124	MD Load Product Gross Weight[sp-123]
Field #125	MD Load Area Eff.
Field #126	MD Load Cube Eff.
Field #127	Max Load Length
Field #128	Max Load Width
Field #129	Max Load Height
Field #130	Max Load Length
Field #131	Max Load Width
Field #132	Max Load Height
Field #133	Max Product Gross Weight
Field #134	Max Load Net Weight
Field #135	Max Load Gross Weight
Field #136	Max Load Area Eff.
Field #137	Max Load Cube Eff.
Field #138	Secondary Pack Tray Wall Height
Field #139	Product Weight
Field #140	Bundle Length (ID)
Field #141	Bundle Width (ID)
Field #142	Bundle Height (ID)
Field #143	Master Pallet Base Style
Field #144	Master Load Length
Field #145	Master Load Width
Field #146	Master Load Height
Field #147	Master Product Length
Field #148	Master Product Width
Field #149	Master Product Height
Field #150	Master Load Nett Weight
Field #151	Master Load Gross Weight
Field #152	UnitLoad per Master Load
Field #153	Secondary pack per Master Load
Field #154	Master Load Cube Efficiency
Field #155	Master Load Area Efficiency
Field #156	ArtiosCAD ARD Filename
Field #157	Primary Pack Volume (cm^3/cuft)
Field #158	Secondary Pack Volume (cm^3/cuft)
Field #159	Bundle Volume (cm^3/cuft)
Field #160	Pallet Load Volume (cm^3/cuft)
Field #161	Master Load Volume (cm^3/cuft)

Field #162	MDA Load Volume (cm^3/cuft)
Field #163	Maximizer Load Volume (cm^3/cuft)
Field #164	Truck Load Volume (cm^3/cuft)

Solution Data Text File – Display Pallet

Line Number	Information
Line 1	Product Name
Line 2	Product Code
Line 3	Solution Reference
Line 4	File Name
Line 5	File Date
Line 6	Pallet Name
Line 7	Units of Measure (0=Metric;1=English)
Line 8	Packages per Load
Line 9	Pallet Load Cubit Efficiency
Line 10	Pallet Length
Line 11	Pallet Width
Line 12	Pallet Height
Line 13	Pallet Weight
Line 14	Product Length
Line 15	Product Width
Line 16	Product Height
Line 17	Product Gross Weight
Line 18.1	Load Length
Line 19	Load Width
Line 20	Load Height
Line 21	Load Net Weight
Line 22	Load Gross Weight
Line 23	Pallet Loads per Truck
Line 24	Packages per Truck
Line 25	Truck Name
Line 26	Truck Length
Line 27	Truck Width
Line 28	Truck Height
Line 29	Truck Product Length
Line 30	Truck Product Width
Line 31	Truck Product Height
Line 32	Truck Load Gross Weight
Line 33	Truck Load Net Weight
Line 34	Truck Product Net Weight
Line 35	Truck Product Gross Weight
Line 36	Number of Package Types per Load
The following lines are repeated for each	

different package on the load, but are numbered sequentially.	
Line 37	Package Name (#1)
Line 38	Package Length (#1)
Line 39	Package Width (#1)
Line 40	Package Height (#1)
Line 41	Package Weight (#1)
Line 42	Primary Packs Per Package (#1)
Line 43	Number of this Package Type per Load (#1)
Line 44	Package Type (#1)
Line 45	Package RGB Component (#1)
Line 46	Package Label (#1)

XML

You can export the same data as in the ASCII Solution Data (the text and numerical information from your analysis) in XML format. You can then write a macro to extract any or all of the information to another program application.

Comma-Separated Values

You can export the same data as in the ASCII Solution Data (the text and numerical information from your analysis) in CSV format. You can then write a macro to extract any or all of the information to another program application.

Exporting Cape Diagrams

There are several ways you can export diagrams to other software applications.




Diagram Only

Here you export the on-screens diagrams in a wide range of graphics file formats.

Click on **PCX** or any of the other file formats.

Diagram and ASCII

This option not only exports the diagram as in **Diagram Only**, but also sends the ASCII file solution information to the directory of your choice.

Single Diagrams and ASCII

This feature allows you to save each diagram on the screen as a separate file. Thus, a screen with four diagrams would save out **four** individual bitmap files. The ASCII file for a single pallet load will be just one file.

If you have more than one pallet load on the screen then the diagrams will be exported as normal, but a separate ASCII file will be exported for each pallet load.

The file extension for the individual diagrams is name.BM1 through name.BM4. You can instruct another program application to read this file or you can rename the file name.BMP.

The file extension for the ASCII file(s) is name.TX1 through name.TX3. Again, you can instruct your program application to read this file extension or you can rename it.

Cape's Web Page (Html format)

This format is an ideal attachment to an email. You can export either the Diagram Only or the full Cape Report:

Simply click on the **Cape's Web Page (html format)** option and a Save As dialog box appears.

Enter a filename and the target directory. The HTML style file, in a JPEG format, will be saved to that directory.

3D PDF Output

We have added a new feature that allows users to create a 3D PDF file that can be viewed and manipulated in Adobe PDF Viewer. Users can change the view of the pallet load by clicking on it and dragging it to the desired angle.

The feature can be accessed from the 3D PDF button in the toolbar.

Create a .PDF Diagram

This option lets you create a PDF file of only your Cape Pack diagrams rather than the full report.

Sending Email Attachments


Using your normal email program, write your email and then attach the Cape JPEG file to your email

This is a very easy way to communicate the results of a Cape analysis with anyone, anywhere in the world.

Please also refer to the **email** menu where you automatically attach the Cape Report or Diagrams to an email.

Exporting Cape Reports

Here are the options.



Report Only

This works in a similar fashion to the previously explained **Diagram Only** option, except that here you are exporting the entire Cape Report. You can use the Export settings to customize the report and set the exact size you want.

Cape Report and ASCII

This option not only exports the report as in **Report Only**, it also sends the ASCII solution file information to a directory of your choice.

Web Page (Html format)

This option exports the Cape Pack report to a graphics HTML file. All settings for the normal exported report apply to this format.

Create a PDF Report

This option lets you create a PDF of your exported Cape Pack report.

Other Export Options

Using the Clipboard

The information sent from the Multi-Viewer to the Clipboard is in a graphical format, even if it contains some text. This means that you cannot manipulate or edit the text once it has been pasted into another Windows application.

If you want to manipulate the solution information (text), you should use the **Copy** command in the Solution Report screen.

The solution shown in the Multi-Viewer Graphics is the solution which is sent to the Clipboard.


Choose **Copy Cape Report** from the **Edit** menu.

To send a copy of just the diagrams to the Windows Clipboard, choose **Copy Diagram** from the **Edit** menu.

You can import the information on the Clipboard into any other application using the **Paste** command under the **Edit** menu.


Exporting Graphics from Print Preview

Using the **Export** button you can export a graphics file to a directory/destination of your choice.




Exporting Information from the Solution Report

The data from the Solution Report and Alternate Solution Report can be copied to the Clipboard for use in another Windows application. You can also export the information to a comma separated value (csv) format. Use the **Edit** menu to accomplish this task.



Exporting Information for a Palletizing Robot

You can do this through the **Export** menu **Robot** option.



Robotic Interface

This option creates a “flat ASCII file” containing the entire pallet load information and the XYZ coordinates of the cases. This data can then be transferred, via an external interface, to the PLC of the robotic palletizer.

Select this option and you will be prompted for a file name and location.

Provide a file name and path and the program will save the Cape Robotic Interface file and send it to your chosen directory. The file extension is .CRF.

Cape Robotic Interface File Format

[LoadHeader]

sPDNAME * Load FileName
SolRef * Solution Reference

[LoadInfo]

iLDBNUM * Number of Pallet Base style used
iLDTNUM * Number of SP per Load
sLDTIME * Create Date and Time
fLDM1 * Cube Efficiency
AreaEff * Area Efficiency
fLDDIM1 * Product Length (Metric)
fLDDIM2 * Product Width (Metric)
fLDDIM3 * Product Height (Metric)
fLDLGWT * Product Weight (Metric)
fLDDIM1E * Product Length (English)
fLDDIM2E * Product Width (English)
fLDDIM3E * Product Height (English)
fLDLGTE * Product Weight (English)
LoadX * Load Length
LoadY * Load Width
LoadZ * Load Height
LoadWgt * Load Weight

[ProbDef]

sPDSDESC * Product Code
sPDLDESC * Product Name
sPDDATE * Problem Date
sPDUNITS * Units of Measure (0=Metric, 1=English)
iPDSCALE * Scale Factor (25.4)
Utext1 * User Text Line 1
Utext2 * User Text Line 2
Utext3 * User Text Line 3
Utext4 * User Text Line 4
Utext5 * User Text Line 5
Utext6 * User Text Line 6
Ufield1 * User Fields Line 1
Ufield2 * User Fields Line 2
Ufield3 * User Fields Line 3
Ufield4 * User Fields Line 4

[PalRest]

sLBFILE * Name of Pallet Base style
fLBLEN * Pallet Length (Metric)
fLBWID * Pallet Width (Metric)
fLBHGT * Pallet Height (Metric)
fLBWGT * Pallet Weight (Metric)
fLBMAXLH * Maximum Load Height
fLBMAXLW * Maximum Load Weight
fLBLENE * Pallet Length (English)
fLBWIDE * Pallet Width (English)
fLBHGTE * Pallet Height (English)
fLBWGTE * Pallet Weight (English)

[SPInfo]

SPName	* Secondary Pack Name
SPODLength	* Secondary Pack Outside Length
SPODWidth	* Secondary Pack Outside Width
SPODHeight	* Secondary Pack Outside Height
SPIDLength	* Secondary Pack Inside Length
SPIDWidth	* Secondary Pack Inside Width
SPIDHeight	* Secondary Pack Inside Height
SPNWeight	* Secondary Pack Net Weight
SPGWeight	* Secondary Pack Gross Weight
SPMatThick	* Secondary Pack Material Thickness
SPMatWeight	* Secondary Pack Material Weight

[SolutionInfo]

LayersPerLoad	* Layer per Load
SPperLoad	* Secondary Pack per Load
SPperLayer	* Secondary Pack per Layer

[PalletLocation]

PalletLoc=xPos,yPos,zPos

[BoxLocations]

;iLDK=SpNo,No current use,Orientation,x,y,z

Example : 1=1,0,6,0,0,0

[SPDLayerN]

Notes: Where N is the Layer Number, e.g. If Layer 1 then section name will be "[SPDLayer1]"

LayerLevel	* The bottom height of Layer
LayerTray/Pad	* Identifies if Layer Tray or Pad is present at Layer Level. (0=No, 1=Yes).
LayerTray/PadThickness	* LayerTray/Pad Thickness, if Layer Tray or Pad is present.
TopCap	* Identifies if Top Cap is present at Layer Level. (0=No, 1=Yes).
TopCapThickness	* LayerTray/Pad Thickness, if Layer Tray or Pad is present.
Dimension Vertical	* Dimension vertical of Secondary Pack at Layer Level
Pos_z	* Middle Z position
SecondaryPackperLayer	* Number of Secondary Packs per Layer
SPNo.=Middle X,Middle Y,SP Turn(L/W). Example : 1=203,162,L	

The above example denotes the first SP on layer Level has a mid X distance of 203 and a middle Y distance of 162 and going by the orientation of the SP whatever dimension falls in the Length is in the X-direction and whatever dimension falls in the Width is in the Y-direction.

Here is an example of the CRF file generated by the Pallet Group - Rectangle/Square program:

[LoadHeader]
sPDNAME=3DIEXAM2
SolRef=1 I

[LoadInfo]
iLDBNUM=1
iLDTNUM=40
iLDTTime=29/04/97 19:02:12
fLDM1=100.0
AreaEff=100.0
fLDDIM1=1200.0
fLDDIM2=1000.0
fLDDIM3=1500.0
fLDLWGT=65.0

```

LoadX=1200.0
LoadY=1000.0
LoadZ=1650.0
LoadWgt=90

[ProbDef]
sPDSDESC=bill
sPDLDESC=peter
sPDDATE=22/06/96
sPDSUNITS=0
sPDSCALE=1
UTEXT1=
UTEXT2=
UTEXT3=
UTEXT4=
UTEXT5=
UTEXT6=
UFIELD1=peter
UFIELD2=***** USER FIELD 2 *****
UFIELD3=*** USER FIELD 3 ***
UFIELD4=*** USER FIELD 4 **

[PalRest]
sLBFILE=UKSTD
fLBMAXLH=1650
fLBMAXLW=9999
fLBLEN=1200.0
fLBWID=1000.0
fLBHGT=150.0
fLBWGT=25.0

[SPInfo]
SPName=CASETWO
SPODLength=400.0
SPODWidth=300.0
SPODHeight=375.0
SPIDLength=400.0
SPIDWidth=300.0
SPIDHeight=375.0
SPNWeight=0.0
SPGWeight=1.0
SPMatThick=3.0
SPMatWeight=0.0

[SolutionInfo]
LayersPerLoad=4
SPperLoad=40
SPperLayer=10

[PalletLocation]
PalletLoc=0,0,0

[BoxLocations]
1=1,0,1,0,0,150
2=1,0,1,400,0,150
3=1,0,1,800,0,150

```

4=1,0,1,0,300,150
5=1,0,1,400,300,150
6=1,0,1,800,300,150
7=1,0,4,0,600,150
8=1,0,4,300,600,150
9=1,0,4,600,600,150
10=1,0,4,900,600,150
11=1,0,1,0,0,525
12=1,0,1,400,0,525
13=1,0,1,800,0,525
14=1,0,1,0,300,525
15=1,0,1,400,300,525
16=1,0,1,800,300,525
17=1,0,4,0,600,525
18.1=1,0,4,300,600,525
19=1,0,4,600,600,525
20=1,0,4,900,600,525
21=1,0,1,0,0,900
22=1,0,1,400,0,900
23=1,0,1,800,0,900
24=1,0,1,0,300,900
25=1,0,1,400,300,900
26=1,0,1,800,300,900
27=1,0,4,0,600,900
28=1,0,4,300,600,900
29=1,0,4,600,600,900
30=1,0,4,900,600,900
31=1,0,1,0,0,1275
32=1,0,1,400,0,1275
33=1,0,1,800,0,1275
34=1,0,1,0,300,1275
35=1,0,1,400,300,1275
36=1,0,1,800,300,1275
37=1,0,4,0,600,1275
38=1,0,4,300,600,1275
39=1,0,4,600,600,1275
40=1,0,4,900,600,1275

[SPDLayer1]
LayerLevel=150
LayerTray/Pad=0
TopCap=0
Dimension Vertical=H
Pos_Z=337
SecondaryPackPerLayer=10
1=200,150,L
2=200,450,L
3=150,800,W
4=450,800,W
5=600,150,L
6=600,450,L
7=750,800,W
8=1000,150,L
9=1000,450,L
10=1050,800,W

[SPDLayer2]
LayerLevel=525
LayerTray/Pad=0
TopCap=0
Dimension Vertical=H
Pos_Z=712
SecondaryPackPerLayer=10
1=200,150,L
2=200,450,L
3=150,800,W
4=450,800,W
5=600,150,L
6=600,450,L
7=750,800,W
8=1000,150,L
9=1000,450,L
10=1050,800,W

[SPDLayer3]
LayerLevel=900
LayerTray/Pad=0
TopCap=0
Dimension Vertical=H
Pos_Z=1087
SecondaryPackPerLayer=10
1=200,150,L
2=200,450,L
3=150,800,W
4=450,800,W
5=600,150,L
6=600,450,L
7=750,800,W
8=1000,150,L
9=1000,450,L
10=1050,800,W


[SPDLayer4]
LayerLevel=1275
LayerTray/Pad=0
TopCap=0
Dimension Vertical=H
Pos_Z=1462
SecondaryPackPerLayer=10
1=200,150,L
2=200,450,L
3=150,800,W
4=450,800,W
5=600,150,L
6=600,450,L
7=750,800,W
8=1000,150,L
9=1000,450,L
10=1050,800,W

Orientation Guide for Robotic Interface (CRF)

No.	Orientation	X-axis	Y-axis	Z-axis
1	1	Length	Width	Height
2	2	Width	Length	Height
3	3	Length	Width	Height
4	4	Width	Length	Height
5	15	Length	Width	Height
6	16	Width	Height	Height
7	13	Length	Width	Height
8	14	Width	Length	Height
9	19	Length	Height	Width
10	20	Height	Length	Width
11	17	Length	Height	Width
12	18.1	Height	Length	Width
13	5	Length	Height	Width
14	6	Height	Length	Width
15	7	Length	Height	Width
16	8	Height	Length	Width
17	9	Height	Width	Length
18.1	10	Width	Height	Length
19	11	Height	Width	Length
20	12	Width	Height	Length
21	21	Height	Width	Length
22	22	Width	Height	Length
23	23	Height	Width	Length
24	24	Width	Height	Length

Exporting Information use in CAD Programs

We currently have 3 separate interface options for CAD programs, with the Esko interfaces being the most complex.



Export to Esko

These options create several different file types that can be sent to ArtiosCAD and Artios WebCenter.

Send to ArtiosCAD

This option send dimensional data to ArtiosCAD and recreates flat drawings of standard box types in that program.

XML and JPEG Report

This option creates XML and JPEG files for inclusion in WebCenter

CRF/VRML

This option creates a CRF/VRML for use in ArtiosCADs 3D graphics rendering programs.

Show XML


This option opens the XML data for the analysis.

Export Pallet Load (XML)


This option exports the pallet load information in XML format

Configure Cape Pack Cloud Connection

This option allows you to setup the parameters for the cloud or proxy settings if required. Normally the cloud configuration will be set during installation. If there is an issue, this will allow you to make changes.




Make whatever changes are required and then click on OK.




Send to Cape Cloud


This feature starts the upload action to the Cape cloud database. You can also use the orange cloud button in the tool bar.




You will be presented with a field to categorize the analysis further if you wish. You can enter Customer Name and Project information then click on OK.




Type in your Esko ID and password and click on Sign In.



The program will upload your information for the analysis and then ask if you wish to review it on the cloud. Click Yes to open the cloud.



You will be asked to sign into the cloud.



Export to KASEMAKE

This option creates a text file that can be read into KASEMAKE CAD programs for processing

Export to ImpactCAD/WEBcnx

This option creates a text file that can be read into ImpactCAD/WEBcnx programs for processing

Other Features of Cape Pack

Data Input Features


Open Input Data

Allows you to select and open your previously saved data input files. Cape Pack defaults to your Private folder when opening and saving files.

You can open either .clf files created in the Pallet, Arrange, Design, Casefill, KDF groups or the Display Pallet program. Cape Pack will open the correct program with the file you choose.


Inside/Outside Dimensions

The Cape Pack default is set for Outside Dimensions. If you wish to work with Inside Dimensions, click on the **Enter ID's** option. When you return to the input screen there will be some additional fields. They are **Material Thickness** box and the **Number of Material Thicknesses** in the length, width and height of your object.




Show Flap Indicator

This option is available under the **Input Settings** feature on the **Input** menu.




It turns the flap indicators on so that they automatically appear on the Multi-Viewer Graphics screen. Here is an example.




Bulge Allowed

Bulge is a factor which can be added to some object shapes to take account of ballooning or outward distortion of the sides of the object. If you select this option on the **Input Settings** feature of the **Input** menu, an extra set of fields for **Bulge Allowance** will appear, permitting a bulge factor to be added to the length, width and height of the object.


You have 3 options for bulge which are all available on the Input Settings screen.



- Regular Bulge including negative Bulge. Enter the positive or negative amount of bulge you wish to include in each dimension of the carton or case.




- Percentage of Bulge




Enter the percentage of bulge you want to include for each dimension, or you can use the scroll arrows to select this amount.

- Minimum or maximum Bulge. After you activate this option, use the Input menu and Min/Max PP Bulge Input to enter the parameters.



Fill in the minimum and maximum bulge allowed along with an incremental variant. Your screen will populate like this.




Additional Palletizing Input

If you wish to restrict the solutions displayed in Cape Pack, you can specify a minimum load efficiency or the minimum load dimensions.

These specifications are optional and do not need to be entered. They are designed to eliminate less efficient solutions from the Solution Report and to deal with the parameters for Clamp Trucks.

To enter these types of restrictions click on **Additional Palletizing Input** on the **Input** menu. A dialog box will appear.



If you want the load generated to pack the boxes together so there is no space between them, mark the *No Pattern Gaps* field.

If you know you want the load to be at least so many inches by so many inches, enter those dimensions in the *Length* and *Width* fields of the *Minimum Load Dimensions* box. Cape Pack will not report on any solutions that do not meet the dimensions you specify in this field.

If you know you want the load to have at least a certain area efficiency, enter the percentage in the *Min Area Efficiency* field.

The *Load Target* field is for you to enter a target load quantity. The program will still calculate all possible solutions, but the solution report will only show answers with the specific quantity you have entered.

If you are going to use clamp trucks in your warehouse to move pallet loads, specify the options in the *Clamp Requirements* section.

Dimension Label Decimal Places

This option is provided if you need to work in the Primary Pack Input, Bundle Wizard, Multi-Viewer graphics screens and your reports/printouts in a specified number of decimal places.

English versions of the program default to **two** decimal places.

If you want to change the decimal places, select the **Dim Label Decimal Places** option from the **Input** menu. The following screen will appear.





Changing this setting does **not** change the number of decimal places on the input fields. These are fixed at four decimal places.

Type in the number of decimal places you require and click on **OK**.

Glue Flap Allowed


Another option available on **Input Settings** in Arrange, this feature opens up a field on the Secondary Pack tab for you to enter the size of the Glue Flap to be used in the calculations of the case blank area.




Vary Volume/Weight

Cape Pack has always given you the ability to modify your primary pack volume based on a percentage of change, or to keep that amount constant. We now offer you a third option to fix a specific volume.

To change your volume, click on the **Input** menu and **Vary Volume/Weight**.




The following screen will open.




Your three choices are:

Keep volume as it is now by setting your Vary Volume By setting at 0% as shown above.

Change your volume variance by entering a percentage of change.



Set your volume to a specific measurement as shown below.



Customizing the Pack Names List

When you are specifying an object you should give it a pack name. That way, when a report is generated, a label will appear to identify related information. You can manually type in a pack name in the *Pack Name* field on the input tab. Alternatively, you can build your own list of Pack Names and then choose one where required. Cape Pack is supplied with a small list of generic names (e.g., Carton, Box, Case and Tray).


Adding a Pack Name

Select **Pack Names** from the **Tools** menu. A dialog box will appear.

Pack. Name	Include in List
Bag	<input checked="" type="checkbox"/>
Book	<input checked="" type="checkbox"/>
Bottle	<input checked="" type="checkbox"/>
Bundle	<input checked="" type="checkbox"/>
Carton	<input checked="" type="checkbox"/>
Case	<input checked="" type="checkbox"/>
Cylinder	<input checked="" type="checkbox"/>
Insert	<input checked="" type="checkbox"/>
Lift	<input checked="" type="checkbox"/>
Sig	<input checked="" type="checkbox"/>
Signature	<input checked="" type="checkbox"/>
Tray	<input checked="" type="checkbox"/>


Click on the **Add** button. A new row will become available at the bottom of the list. The Pack Name column will be highlighted by a double lined rectangle.

Type a name for the pack name you are defining. For example, **Drum**.



You can continue to follow these steps until all your pack names have been defined. If at a later date, you need to add another one, repeat the same steps.

When you are finished click on **OK**. All of your Pack Names will now be added to the pull down list. The list will be available throughout the Cape Pack programs.



Deleting a Pack Name


Highlight the row of the Pack Name you wish to delete. Click on the **Delete** button. A message box will appear confirming that you really want to delete the pack name associated with the highlighted row.

Click on **OK**. The entry will now disappear from the list.

Temporarily Removing a Pack Name

If you find that you no longer use a particular pack name you can hide it from view on the Pack Name pull down list.

In the list, find the pack name you wish to hide. Click once on the red check mark associated with that pack name. The check mark will go away.



Click on **OK**. The pack name will no longer be on the pull down list.

Customizing the Material Thicknesses List

When you are specifying the inside dimensions of an object, you must specify the thickness of the material from which the object is made. Cape Pack can then calculate an outside dimension for your object. On the input tab, you can manually type in the thickness of the material (board) in the *Thickness* field.

However, if you cannot remember the thickness of a particular board, you can choose it from the pull down list. Cape Pack is provided with a small English units list as well as a small Metric units list. However, you can customize these lists by selecting **Material Thicknesses** from the **Tools** menu.

When you are working in metric units, the metric list will be available for customizing. When you are working in English units, the English units list will be available. The program will not convert these lists between English and metric units.

Adding a Material Thickness

From the **Tools** menu, select **Material Thicknesses**. A dialog box will appear.

Thickness Description	Thickness	Mat. Weight LB/MSF	Include in List
125 A Flute	0.1960	80.0000	<input checked="" type="checkbox"/>
125 B Flute	0.1100	80.0000	<input checked="" type="checkbox"/>
125 C Flute 26-26-26	0.1530	80.0000	<input checked="" type="checkbox"/>
125 E Flute	0.0630	80.0000	<input checked="" type="checkbox"/>
200 A Flute	0.2030	112.0000	<input checked="" type="checkbox"/>
200 B Flute	0.1200	112.0000	<input checked="" type="checkbox"/>
200 C Flute 42-26-42	0.1600	112.0000	<input checked="" type="checkbox"/>
200 Double Wall	0.3125	145.0000	<input checked="" type="checkbox"/>
200 E Flute	0.0770	112.0000	<input checked="" type="checkbox"/>
275 A Flute	0.2170	145.0000	<input checked="" type="checkbox"/>
275 B Flute	0.1340	145.0000	<input checked="" type="checkbox"/>
275 C Flute 69-26-69	0.1730	145.0000	<input checked="" type="checkbox"/>
275 Double Wall	0.3125	165.0000	<input checked="" type="checkbox"/>
275 E Flute	0.0930	145.0000	<input checked="" type="checkbox"/>
350 Double Wall	0.3125	185.0000	<input checked="" type="checkbox"/>
500 Double Wall	0.3125	230.0000	<input checked="" type="checkbox"/>
600 Double Wall	0.3125	325.0000	<input checked="" type="checkbox"/>

Click on the **Add** button. A new row will become available at the bottom of the list. The Thickness Description column will be highlighted by a double lined rectangle.

Thickness Description	Thickness	Mat. Weight LB/MSF	Include in List
125 A Flute	0.1960	80.0000	<input checked="" type="checkbox"/>
125 B Flute	0.1100	80.0000	<input checked="" type="checkbox"/>
125 C Flute 26-26-26	0.1530	80.0000	<input checked="" type="checkbox"/>
125 E Flute	0.0630	80.0000	<input checked="" type="checkbox"/>
200 A Flute	0.2030	112.0000	<input checked="" type="checkbox"/>
200 B Flute	0.1200	112.0000	<input checked="" type="checkbox"/>
200 C Flute 42-26-42	0.1600	112.0000	<input checked="" type="checkbox"/>
200 Double Wall	0.3125	145.0000	<input checked="" type="checkbox"/>
200 E Flute	0.0770	112.0000	<input checked="" type="checkbox"/>
275 A Flute	0.2170	145.0000	<input checked="" type="checkbox"/>
275 B Flute	0.1340	145.0000	<input checked="" type="checkbox"/>
275 C Flute 69-26-69	0.1730	145.0000	<input checked="" type="checkbox"/>
275 Double Wall	0.3125	165.0000	<input checked="" type="checkbox"/>
275 E Flute	0.0930	145.0000	<input checked="" type="checkbox"/>
350 Double Wall	0.3125	185.0000	<input checked="" type="checkbox"/>
500 Double Wall	0.3125	230.0000	<input checked="" type="checkbox"/>
600 Double Wall	0.3125	325.0000	<input checked="" type="checkbox"/>
	0.0000	0.0000	<input checked="" type="checkbox"/>

Type a name for the material thickness you are defining. For example, **32 ECT, C-Flute**.

Move the mouse over and click on the **Material** column. Type the thickness of the board. For example, **.15** inches.

Now click on the Material Weight column and enter **80**. This represents the weight of 1000 square feet of board if you are using English units, or grams per meter of board if you are using Metric units.

When you have finished click on **OK**. Your descriptions and material specifications will now be added to the pull down list. This information will then be available in the Pallet, Arrange and Design Programs.

Deleting a Material Thickness

Highlight any column in the row of the material thickness you wish to delete. Click on the **Delete** button.

A message box will appear asking you to confirm that you really want to delete the material thickness associated with the highlighted row. Click on **OK** and the item will be deleted.

Temporarily Removing a Material Thickness


If you find that you no longer use a particular material thickness, you can hide it from view.

In the list, find the material thickness you wish to hide. Click once on the red check mark associated with that material thickness. The check mark will go away. The material thickness will not appear on the list.

Change Pallet Weight

This feature allows you to modify the weight of any pallet base style within Cape Pack. You must be on one of the Pallet tabs to activate this feature.

Select **Change Pallet Weight** from the **Tools** menu.



Select the pallet you want to change.

Type in the new weight and click on **Save**. You will see the Save As dialog box. Enter the same name or a new name and the pallet base will be saved with the new weight.


Change Pallet Color

Cape Pack gives you the ability to change the color of your pallet and then save it as the original file or as a new file.

Click on the **Colors** menu and then select **Change Pallet Color**.

Select the pallet base style you want to work with. Then click on the **Color** button.

Select a color from the palette and click on **OK**.



Click on the **Save** button to save the pallet file. You may change the file name, or save over the original file if you wish.


Right-Click Shortcuts

The following demonstrate the right-click shortcuts available in the groups indicated.


Pallet Group

The following options can be accessed by right-clicking on the data input tabs in the Pallet Group.

For Data Entry options, right click on the active tab.




To access the ounce to decimal conversion, right click on the weights field.. This same option is available in the Arrange and Design groups.



There is also a new feature for converting weights entered in metric to pounds, or vice versa. So if you know that your product weights 3.2 kilos, but don't know the pound equivalent, you can use this feature to convert it.

To deselect loading patterns on the Truck tab, right-click in the pattern selection box.



Multi-Viewer Graphics Features

Formatting your Graphics

If you are new to the Multi-Viewer, here are some tips for setting up your screen.

Select the solution you want to manipulate by using the **Solution Report** button or the arrow icons.

Using the **Format Screen** button, set the number of screen panels or diagrams you want to view and print.

Next, using the **Format Panel** option, set each panel to a particular type of diagram.

If you need to use the **Layer Editor**, use it at this point.

Use **Format Load** to alternate layers, add layer pads, etc.

Run your **Truck Analysis**.

Use the **Format Objects** option to open the case, shrink-wrap objects, etc.

Finally, use the **Review** function from the **Format** menu as a final quality check on your work.

You can now print, copy or export your diagrams.

Diagram Types and Views

After you have chosen the number of diagrams, you can choose which types of diagrams you want in each panel. You then choose which view of the diagram types you want to view and print.

There are many different diagram types depending on the options and type of program you ran. All the different diagram types are listed below. If you do not see one of the diagram types in your list, then you did not select the option at input. The following is a complete list of the diagram types with available views.

Diagram Type	Diagram Views	
Pallet Load (1, 2, or 3)	Corner View Single Steps Top View Top View (outline) Bottom View Bottom View (outline) Twin Top View Side Views	Break Load Multi-Stack Multi-Break Indicators Remove Indicators Pallet Base Cap (upright) Pallet Base Cap (inverted) Remove Pallet Base Cap
Truck	Corner View Single Steps Top View Top View (outline)	Bottom View Bottom View (outline) Side Views Multi Stack
Pallet + Layer	Corner View Top View	Indicators Remove Indicators
Custom Arrangement (Pallet only) (only appears if you used Fill Wizard in the Pallet – Rectangle/Square)	Corner View Side Views Invert Content	
Bundle 1 (only appears if you have specified bundles in Arrange or Design)	Corner View Side Views Invert Content	
Primary Pack	Corner View Default View	Side Views

Product	Corner View	
Secondary Pack	Corner View	Pop Last Item
	Top View	Unpop Last Item
	Side Views	Rotate Content
	Default View	Invert Content


Inverting the contents of the Secondary Pack

This option inverts the contents of the secondary package.

Using the **Invert** function in the *Diagram View* list, the product can be turned upside down.

Customizing Materials for Top Caps, Corner Posts and Layer Pads/Trays

In the **Format Load** feature you can add Tops Caps, Corner Posts, Layer Pads, Layer Trays and Top Boards. All these options require you to enter material weights, thicknesses and heights. Entering this data every time you use the program can be a laborious process. To make this easier, we have provided three **Material Databases**, under the **Tools** menu on the Format Load screen.



These databases are very easy to complete. Here is an example for Tops Caps and Layer Trays.


No.	Description	Material Thickness	Material Height	Material Weight	Include in List
1	123 F Flute	0.6000	6.0000	1.2800	<input checked="" type="checkbox"/>
2	125 A Flute	0.1960	6.0000	1.2800	<input checked="" type="checkbox"/>
3	125 B Flute	0.1100	6.0000	1.2800	<input checked="" type="checkbox"/>
4	125 C Flute 26-26-26	0.1530	6.0000	1.2800	<input checked="" type="checkbox"/>
5	125 E Flute	0.0630	6.0000	1.2800	<input checked="" type="checkbox"/>
6	200 A Flute	0.2030	6.0000	1.7900	<input checked="" type="checkbox"/>
7	200 B Flute	0.1200	6.0000	1.7900	<input checked="" type="checkbox"/>
8	200 Double Wall	0.3125	6.0000	2.3200	<input checked="" type="checkbox"/>
9	200 E Flute	0.0770	6.0000	1.7900	<input checked="" type="checkbox"/>
10	275 A Flute	0.2170	6.0000	2.3200	<input checked="" type="checkbox"/>
11	275 B Flute	0.1340	6.0000	2.3200	<input checked="" type="checkbox"/>
12	275 C Flute 69-26-69	0.1730	6.0000	2.3200	<input checked="" type="checkbox"/>
13	275 Double Wall	0.3125	6.0000	2.6400	<input checked="" type="checkbox"/>
14	275 E Flute	0.0930	6.0000	2.3200	<input checked="" type="checkbox"/>
15	350 Double Wall	0.3125	6.0000	2.9600	<input checked="" type="checkbox"/>
16	500 Double Wall	0.3125	6.0000	3.6800	<input checked="" type="checkbox"/>
17	600 Double Wall	0.3125	6.0000	5.2000	<input checked="" type="checkbox"/>
18	C Flute 42-26-42	0.1000	6.0000	1.7900	<input checked="" type="checkbox"/>

To create your own specifications, simply click on **Add** and fill out the *Description*, *Thickness*, *Height* and *Weight* fields.

Click on **OK** and your entry will be saved in the database.


Formatting the Objects in the Load

The many features available for formatting objects (**Format Object** button) provide a very powerful and useful way to enhance your final diagram printouts. The features available depend on which object you are dealing with. For example, you can open the flaps on a case or show the contents of a case, but you cannot show the contents of a cylindrical object. The controls for formatting objects look like this.




Show Wrap

This option provides the ability to shrink-wrap an object. Here is the pallet load when shrink-wrapped.




Right-click on the show wrap field to see more options for your wrap.




Show Cutaway

This removes or adds a cut away wrapping from bundle packs.




Open Flaps

This option opens or closes the flaps on a case and lifts the contents out of the case.




Show Contents

This removes three sides of the secondary pack to show the contents inside.




Show Case Content

Allows you to reveal the contents of the case on the top corner of the pallet load.




Zoom

This menu item lets you expand the diagram in a selected panel.



Default Graphics View


This option allows you to set up a default number of panels and diagram views that appear every time you run an analysis. Here is an example where we have set the screen for three panels with the pallet load, pallet layer and secondary pack as our default.



The next time we run an analysis with different input data the same screen with the same diagram layout appears.

Set Dimension Label to


This option lets you set the dimensions around the Pallet Load to either those of the **Product**, the actual **Load** dimensions or the **Product with Load Height**.




Right-Click Shortcuts

The following demonstrate the right-click shortcuts available for the diagrams indicated.


Pallet Load




Truck Load




Pallet + Layer




Secondary Package



Bundle



Primary Package



Calculation of Weights in Cape Pack

The following table describes the methods used by the program for calculation of weights.


Primary Pack (PP) figures (ID)	PP Net Weight = Input PP Net Weight PP Gross Weight = Input PP Net + Add Weight + PP material weight
Primary Pack (PP) figures (OD)	PP Net = Input PP Net Weight PP Gross = Input PP Net + Add Weight
Bundle figures	Bundle Net Weight = Gross Weight of PP x PP per bundle Bundle Gross Weight = Gross Weight of PP x PP per bundle + bundle material weights
Secondary Pack (SP) figures (no bundles)	SP Net Weight = PP Gross Weight x PP per SP SP Gross Weight = PP Gross Weight x PP per SP + SP material and divider weights
Secondary Pack (SP) figures (with Bundles)	SP Net Weight = Bundle Gross Weight x Bundles per SP SP Gross weight = Bundle Gross Weight x Bundles per SP + SP material and divider weights

Pallet figures in Pallet, Arrange and Design	Product Net Weight = SP Net Weight x SP per load Product Gross Weight = SP Gross Weight x SP per load Load Net Weight = SP Gross Weight x SP per load Load Gross Weight = SP Gross Weight x SP per load + pallet weight
Truck figures	Truck Net Weight = Gross Weight of Pallet x pallets per truck. Truck Gross Weight = Truck Net Weight + weight of truck
Product Weight in Arrange and Design (for Pack Report only)	Product weight = PP Net Weight x PP per load
Working from ID's in Arrange and Design	PP Gross Weight = PP Net + Add Weight + PP material weight


Adding or Changing Print Languages for Reports

This feature allows you modify your printed verbiage for your reports, or create an entirely new language for use on reports. English, French, German, Spanish, Swedish and Italian languages are available.


In Multi-Viewer Graphics, click on the **File** menu and then **Print Language Options**.



The following screen appears.




Select the language that you want to use for printing from the Available Languages drop down list in the upper right corner. The lists of languages will change.



You will see the default of English in the left column, followed by the Chosen Language in the middle column, and the number of characters available in the last column.


Changing Languages Lists

To change any of the language items, simply click on the line you want to change and type over the phrase. Here is an example in English. We will change "Layer" to "Tier".



After you have made all your changes click on **Save**. And then click on **Close** to exist the Print Language Option screen.


Here is Print Preview with our changes.



Creating a New Language for Printing

Cape Pack is capable of storing the printed labels and text for up to ten languages. In addition to the six provided, you have the ability to create four additional languages. To create a new language, you simply define what each of the “labels” should say.

In the Print Language Options screen, click on the **Add/Remove Languages** button at the bottom.




The following will appear.




Add your new language (ours is Lingo) at the bottom of the list and click the **Show** column.




Click **OK**, then select your language from the list of available languages.



Type in the terms you want to use for your language. You must enter something for each line in the language.



After you have created your language, select it in Page Setup as your Print Language.



Here is your language being used in Print Preview.

	Longness	Wideness	Tallness	Smaller	Larger	Cuft
Case (OD)	16.000	12.000	10.000 in	10.000	10.000 lb	1.11 cuft
Product	48.000	40.000	40.000 in	400.000	400.000 lb	44.44 cuft
Total	48.000	40.000	45.500 in	400.000	450.000 lb	50.56 cuft

Adding Graphics With 3D Imaging

Introduction

The 3D Imaging Program allows you to transfer scanned images or artwork files onto the surface of the packaging components in Cape Pack programs. This provides a very high level of "visual reality" and brings your packaging to life!

You can work with boxes, cases, trays, cans, bottles, bags, cones, trapezoids, ovals, gable-ended packages and many more.

The idea behind the 3D Imaging Program is to transfer scanned images or artwork files to the surfaces of the packaging components that are already available within Cape Pack or are created using the Make a new Shape feature. The combination is remarkable!



To start the program:

From the Multi-Viewer Graphics screens: In this mode you can work with the current file and objects. You can create or add graphics.

From the input screens: In this mode you can only add graphics to the current file.

Regardless of where you start the program, to create a 3D Imaging file (*.3DI), you must run a Cape Pack analysis and save the resulting Cape Load File. This provides the file structure necessary for a 3D Imaging file to recognize the shapes and types of packaging components used in a particular analysis. Once created, 3D Imaging files can be used with different load files.

Graphic File Types

Image files (source files) that contain "flat" graphics can come from a wide variety of programs and different sources. They can also be saved in many different file formats. They can be artwork files that have been converted to another format or they can be scanned images that have been saved to a file format.

The following table lists some of the file formats (256 color) that can be imported into the 3D Imaging Program.

File Format	File Extensions	Notes
Windows &OS/2 Bitmap	BMP	Windows independent Bitmap
CALS Raster	CAL	A 1-bit standard set by the US government
LEAD	CMP	LEAD Technologies' own compressed format


Postscript Raster	EPS	Encapsulated PostScript
GEM Image	IMG	
JPEG	JPG JEF JTF	Includes SPEG File interchange Format and Tagged Interchange Format which are industry standards
MacPaint	MAC	
Microsoft Paint	MSP	A Windows Version 2.0 Format
PhotoCD	PCD	A Kodak Format
Macintosh Pict	PCT	
PC Paintbrush	PCX	ZSoft Format
SUN Raster	RAS	
Truevision	TGA	
Tagged Image File	TIF	High Quality file format
WordPerfect Graphic	WPG	

Image Sizes


It is important to understand that the size of the image being used must relate to the size of the object onto which you are going to place the image.

Imagine if you scanned a postage stamp and tried to put it onto a panel of a case measuring 16 x 12 inches. The image would have to be stretched so much that the result would be distorted and very grainy and you would probably find it unacceptable.

Here is an example of a small Cape logo put onto the side of a case as label.



Here is the same size logo use on the entire side panel of the case.



As you can see, the logo is now distorted and will appear very grainy. For best results, make sure the image is the right size for the package you want to use.

Types of 3D Imaging Wizards

There are two types of 3D Imaging Wizards.

The new Quick Wizard lets you quickly and easily design graphics for cases. In this wizard, you will be able to apply graphics to the entire side of cases, trays and cartons only.


Standard Wizard allows you to create more customized graphic imaging files for any type of packaging in Cape Pack. This wizard allows you to use the masking and transparency features as well as design labels for bottles.

Once created, the 3DI files will be added to the list of graphics and can be added to any package of the same basic shape.


Quick Wizard

Here is an example of creating a 3DI file for a case using the Quick Wizard.

First select the **Add Graphics** menu, and then click on **Quick Wizard**.




The following screen Quick Wizard appears.



The screen shows you a 3D view of the case at 0 degrees and scroll buttons to change the view. Beneath that picture are pictures depicting sides A through F of the case with labels to indicate where they are positioned on the case. This screen has very limited controls.

Select face(s) to add Image: this drop down list lets you select the face or side of the case that you want the image to appear on.



Open New Image: allows you to browse to find the graphic file you want to use.


Add Image: places the graphics file on the panel(s) you selected from the drop down box.

Save and Exit prompts you for a name to save your new 3DI file and exits you back to Multi-Viewer Graphics.


Let's add an image to **Face A**.

Select **Face A** from the drop down list.

Click on **Open New Image** and select a graphic to use.




Click on **Add Image**. Your image is added to the top of the case.




Complete this process with as many sides of the case as you wish, and then click on **Save and Exit**. You will be prompted for a file name. Enter a name and click on save.

When you return to Multi-Viewer Graphics, your new 3DI file has been applied to the case.




You will also find it in the drop down list under **Add Graphics, Add Graphics**.




Standard Wizard

Here is an example of creating a 3DI file for a case.


First select the **Add Graphics** menu, and then click on **Standard Wizard**.




The **Choose a package** screen will appear.



This screen allows you to select which package type you want to work with. In our example, we have only a case or a truck to choose from. Click on **Case** and then on **OK**. You will then see the following screen.



You will see the case in the top left corner panel. Now select **3DI** from the menu bar and Click on **New** as we are creating a new graphic file.




A Save As dialog box appears. Enter a file name (**TEST**) and click on **Save**.

You will see a line drawing of your case in the top left corner and the flat-blank of the case in the bottom left of the screen. Creating a 3DI file for a case means putting an image on one or more of the panels and then creating the 3D shape.


To begin we must locate the images we have for the surfaces of this case. We have provided some bitmaps for you in the **Tutor** folder. These bitmaps are called Capea25.bmp, Capeb25.BMP Capef25.BMP. The letter a, b, c, d, e, and f after the name Cape, represents each of the six panels of the case.

Select the **3DI** menu and then select **Panel Names**. The following diagram appears to show you which panel is which. All you have to do is match the Capea25.BMP to the panel A, and so on.




Select the **Image** menu and then select **Open**. A File Open dialog box appears.

Select the **Images** folder and scroll down/across the contents of the **Faces** folder, and then find the file **Capea25.bmp**. Double-click on this file and the following screen will appear.




Now click on panel **A** (the panel marked A in the lower left corner of the screen).



You will see that all the panels **except panel A** are grayed out. This identifies where the image will be placed. Now select the camera on the tool bar. It will display a message saying **Snapshot**.


Click on the camera.




The image for panel A appears on the flat-blank and on the top of the 3D case. Now repeat this procedure for panel B.

Click on panel **B**. Then select the **Image** menu, and **Open**.

Select the Images directory, faces and click on **Capeb25.BMP**. Click on the **Open** button.




Click on the camera.




Now repeat this procedure for panels **C**, **D**, **E** and **F**. Your completed case should look like this.

Double-click on the white area around the flat-blank. All the “gray” panels on your screen become brighter.



To see your case in greater detail, click on the **View** menu and then select **Maximize Package**.



All we have to do now is save the case with the images on each panel. Select the **3DI** menu and then choose **Save**.

Remember, we already selected a file name when we entered the program. So now the file has been saved as TEST.3DI. This file can now be used with a case or rectangular object in Pallet, Arrange, Design or Casefill programs.

To leave the program, select the **File** menu and then choose **Exit**.

In some circumstances you will be prompted to save the 3DI file with your CLF file. If you select **Yes**, this will attach the files together. If you select **No**, the 3DI file will be saved to the specified folder without being attached to the CLF.


Using 3D Image Files

Having created our TEST.3DI file, let's use it in a Arrange Group analysis.


Launch the Arrange Group for Cartons program and calculate a solution.

Click on the picture of the case.


Now select the **Add Graphics** menu and then choose **Add 3D Graphics**.



You will see this screen. Select the **Test.3DI** file that you saved.



Click on **OK**.




Labeling Bottles

Create a bottle in the Make a New Shape feature, run an Arrange (Cylinders) analysis using that bottle.

Go to the Multi-Viewer and then select **Create Graphics** from the **Add Graphics** menu.

Highlight **Bottle** in the list.




Click on **OK** and the 3D Imaging program will open.

Now select **New** from the **3DI** menu

The Save As dialog box appears. Give your image a file name (NewBott.3DI) and click on **Save**.

Now select the **3DI** menu and choose **Default Fill Color**.




Select a color and click on **OK**.


Be careful when selecting your Default Fill Color. Make sure that **Color** you select and the **Solid** color are compatible. Some dark colors can become a solid black and some light colors can become a solid white.

Now select the **Image** menu and then **Open**.


Select the folder and image you want to use. We are using the Cape1.BMP from the PACK99 folder. The image will appear in the right hand box of the screen.



Click on the flat bottle in the bottom left panel, and the small circles (top and bottom of the bottle) change to a darker color.




Now select the **Image** menu and choose **Mask**.




The right screen panel will turn gray and a white outline of the bottle will appear around your image.

You can resize the white bottle by grabbing the corners or you can move it by clicking on the bottle and dragging it. You cannot move the image. However, you can resize it with the zoom drop-down box.

Resize the image to **50%** and then reposition the bottle panel as shown.




Now click on the camera to Snapshot the image to the bottle.




Now let's add a blue cap to the bottle. To add a cap or neck label we need to avoid moving or affecting the body label already on the bottle.

Select the **Image** menu and choose **Transparency**.

Resize the bottle so that the image fits into the neck of the bottle. Resize the image if necessary.




Once you are satisfied with the location of the neck label click on the camera to Snapshot the label to the bottle.



Now do the same for the top of the cap.

Double-click in the white area of the flat black panel to lighten the pictures.



Select **Save** from the **3DI** menu.

Select **Exit** from the **File** menu.

Your 3D Image can then be used in the Cape Pack programs on any cylindrical object.

In Multi-Viewer Graphics, select the **Add Graphics** menu and then **Add 3D Graphics**. Select your NewBott 3dimage file and apply it to the bottle.

Menu Options

The menu options of the 3D Imaging program provide a vehicle for you to easily switch between the different features and settings, as well as to perform different tasks. The following table describes the options found on the menus.

Menu	Option	Description
File	Open	Display a File Open dialog box allowing you to open a CLF.
	Save	Saves the current CLF with any associated 3DI files.
	Save As	Saves the existing CLF with a new name.
	Print	Generates a standard 3D Imaging Report showing the 3D image of the current package from all 10 alternate view angles, and a diagram of the Image Wrap from the current 3DI file.
	Print Preview	Displays a screen image of the standard 3D Imaging Report.
	Print Setup	Allows you to change your printer settings.
	List of Previous CLFs	Listing of the last four CLFs opened in the program. Clicking on any of these files will open it for your use.
	Exit	Exits the 3D Imaging program.
Edit	Undo	Allows you to back up one step and undo selected operations. This feature is not yet available in version 1.0 of the 3D Imaging Program.
View	Standard	Shows the program main screen with the package window, ImageWrap window and the source image window.
	Maximize Package	Shows an enlarged version of the package.
	Maximize 3DI	Shows an enlarged version of the ImageWrap Window.
	Maximize Image	Shows an enlarged version of the source image Window
	Summary Information	Provides information about the file names, folders, sizes for the current CLF, 3DI file and source image file.
	Toolbar	Turns the toolbar on or off.
	Status Bar	Turns the status bar on or off.
Package	Choose	Allows you to select an available package from the CLF.
	0° Corner	A view of the package as if the viewer was above, in front and to the left of it.
	90°	A view of the package as if the viewer was above, in front and to the left of it.
	18.10°	A view of the package as if the viewer was above, behind and to the right of it.
	270°	A view of the package as if the viewer was above, in front and to the right of it.
	Side 1	A view from the front of side 1 of the package.
	Side 2	A view from the front of side 2 of the package.
	Side 3	A view from the front of side 3 of the package.
	Side 4	A view from the front of side 4 of the package.
	Top	A top-down view of the package.
	Bottom	A bottom up view from the package.
3DI	New	Creates a new 3DI file.
	Open	Opens existing 3DI file.
	Save	Saves the current 3DI file to the Images folder of your program.
	Save As	Saves the 3DI file to the 3DI folder with a new filename.
	Clear	Clears all the images from the active 3DI ImageWrap.
	Remove	Removes the association between the active 3DI file and the active package. It does not modify or change the last saved version of the 3DI file.
	Load Bitmap Series	Automatically loads a series of Bitmap images that have been saved for all panels of the 3DI ImageWrap.
	Panel Names	Panel names are used to identify each panel in the ImageWrap. When they are tuned on, they show up as "letter labels" in all panels that do not have an image assigned.
	Edit Inside Panels	Allows you to assign images to the inside panels of a package. The inside panels of a package are automatically set to default fill color.
	Default Fill Color	Allows you to set a default fill color for the currently activated panel.

	Current Panel - Fill Color	Allows you to select a fill color for the current panel, you need to toggle this selection in order to activate the fill color.
	Current Panel - Clear	Clears the panel of the image in that panel.
Image	Acquire	Activates the scanning process for the scanner attached to your machine so that you may import a source image from that device.
	Open	Opens a source image file of your choice.
	Get from Current Panel	Captures the current panel in the 3DI ImageWrap window and loads it into the source image window.
	Save	Saves the contents of the source image windows to the file it was originally imported from.
	Mask	Activates the Masking option.
	Snapshot	Sends the image or masked image to the current panel in the ImageWrap window.
	Flip Vertically	Flips the image in the source image window vertically.
	Transparency	This is a toggle feature that allows you to "protect" an image that has been applied to a part of the panel so that additional images can be applied to other parts of the same panel.
	Flip Horizontally	Flips the image in the source image window horizontally.
	Rotate 90°	Rotates the image in the source image windows 90° clockwise.
	Zoom	Allows you to "zoom in" on the source image by the percentage chosen from the submenu.
	Copy	Copies the contents of the source image window to the Windows Clipboard.
	Paste	Pastes the contents of the Windows Clipboard into the source image window.
Help	Index	Launches the 3DI help feature.
	Using Help	Assists you in navigating through the Help feature.
	About 3D Image	Lists information about your version of the 3D Imaging program.

Using Image Files

There are three basic methods of importing a source image into the 3D Imaging Program. Once imported, some or all of that image can be applied to one or more of the ImageWrap panels of the package.

Use an existing Graphics File

Use the **Open** option on the **Image** menu to open an existing graphics file that you want to include on your package.

Use a Screen Capture Program

Use a standard graphics program such as Paintbrush, Corel Draw, Quark Express, etc., to display the image on your screen. Then you can use a screen capture utility such as Paint Shop Pro or Hijack to capture the portion of screen that contains the desired source image. Save the result in one of the acceptable graphics formats (Bitmap, PCX or TIF). Once saved, you can import the graphics into the 3D Imaging Program.

Use a Scanner

Use a standard scanning device connected to your PC to capture a source image directly into the 3D Imaging program. This procedure requires that:

- You have a printed page with the desired source image.
- You have an actual printed flat-blank with your package's artwork.
- You can place one or more sides of the package directly on the scanner to capture the desired source image.

Use the **Acquire** option on the **Image** menu to start the scanning process. Your scanner has a dialog box that you can use to control the scanning process. Refer to the user's manual of your scanner for specified instructions on the required options and settings needed.

Size and Resolution of Graphics Files

Graphics files come in all sizes and in a wide variety of resolutions. These characteristics are determined at the time they are created. They can be high resolution, have large color depths, and be quite large.

If you have worked with the graphics in other applications, you know that it takes a very fast PC or a long processing time for every editing or printing operation you may want to perform using graphics. There are many millions of calculations and read/writes to be accomplished when working with very large graphics files.


However, Cape Pack is only designed to handle a reasonable representation of the 3D Image. In addition, the packages are usually depicted as small objects in the context of a bigger package, pallet load, truck, etc. Thus, a 3DI file does not need to maintain the high resolution and color depth frequently found in original packaging artwork images. The 3D Imaging Program will automatically reduce the color depth to 256 colors and will sometimes reduce the resolution of the image to a more manageable size.

This compromise is needed in order to reduce the processing time. If the original color depth and resolution were maintained, the processing time would quickly exceed your patience in moving from one analysis step to the next.

Remember, the purpose of the 3D Imaging program is to provide realistic shapes of packages and their associated images. It is not intended to provide artwork quality or detail and it is not intended to be a high-end CAD program. It is meant to provide good, useable images in a realistic time frame on a standard Windows PC.

3DI ImageWrap Panel - Masking Techniques


The portion of the source image contained inside of the mask is transferred to the current ImageWrap panel during the snapshot operation.



Notice that the mask has been moved from its original position centered on the source image. Sometimes it is also necessary to resize the mask.

Moving the Mask

When your mouse cursor is inside the mask, it turns into a 4-pointed arrow.



Click your left mouse button and drag the mask to any point in the source image window. When you release the mouse button, the mask will be in its new position.


If you drag the mask off the screen or outside of the image window, the mask may disappear. To get it back, simply select the panel of your choice in the 3DI ImageWrap window and click on the mask button on the toolbar.

Resizing the Mask

When your mouse cursor is on the corner of the mask, it turns into a 2-pointed arrow.

Click on your left mouse button and drag the mouse in one of the directions of the arrow. This will make the mask either larger or smaller depending on which direction you moved. When you release the mouse button, the mask will be resized as specified.

The diagram below shows the results of moving and re-sizing the mask. Notice that the portion of the source image contained inside of the mask is transferred to the current ImageWrap panel.




Remember that when the mask is not turned on, the entire contents of the source image is warped to fit the current panel.

Composite Images


Sometimes it is necessary to combine several source images onto one ImageWrap panel. Examples of situations where this may be necessary include:

- Two different labels that need to be placed on the side of a bottle.
- Two different source images representing the two flaps on the top panel of a box.
- Adding a company logo to a panel that already has an image on it.
- Adding a texture image first that covers the entire panel, such as corrugated texture, and then adding a smaller label image in the center of the panel.


Here is a label image that needs to be split in two and reversed before applying to a can.



To reverse the front and back images first use **Clear** option on the **3DI** menu to clear the contents of the 3DI file and the ImageWrap panels, but retain the package and the source image.




Select the side panel and position the left portion of the mask over the back portion of the image and click on the Snapshot button. You will then see the following results.



Notice that only the back portion of the image was transferred to the panel.

Select **Transparency** from the **Image** menu. This needs to be done so that the next time we Snapshot an image to the right side of the ImageWrap panel, the image that we have already copied will not be overwritten with the default fill color.

Finally, select the side panel once again, but this time, position the right portion of the mask over the Front portion of the image and click on the **Snapshot** button.



This example is meant to show you the basic method of placing multiple images onto one ImageWrap panel. Although we took both of our images from the same source image, it would have been possible to use portions of images from several different sources.

Pallet Audit

Introduction

The Pallet Audit module offers a very powerful and easy way to evaluate the benefits of


- Considering the pallet loading efficiency of an existing range of case sizes on up to four different pallet sizes.
- Potential or proposed case sizes, as additions, within an existing product range or overall product mix.
- Changing your palletizing loading parameters (e.g. adding overhang, reducing overhang, changing pallet size etc.)
- Marginal changes to existing case sizes to improve overall palletizing efficiency.
- Pallet loading improvements that might be obtained by using better or Industry Standard pallet sizes.

Pallet Audit has been designed to allow the user to enter very simple input information so the program can create a database of ALL possible 2 dimensional Case Footprint sizes (length and width dimension only), for ALL Cape's pallet patterns, on up to four different pallet sizes. While the database can take several hours to complete the potential millions of calculations that might be involved - it can often be time well spent.


The completed Audit Database contains a wealth of information at a glance. In addition, it can be exported for use in other applications.

Getting Started

From the Front Menu of Cape Pack, click on the **Programs** menu, **Other Programs** and **Audit**.



Your program will open and you will see the following screen.



On this screen you have 2 options. You can either create a new database or review an existing one. We will start by creating a new database.

Creating a New Database

The example we will create will show us how different case footprints (case length and width dimensions) palletize on two different pallet sizes. Each of these pallet sizes will be specified in a set of Palletising Criteria. Once the calculations have been completed and the Audit Database has been created, we will be able to see how well certain Case Footprints palletize, under both criteria.

Analysis Definition

On the Analysis Definition tab we need to specify basic information. Fill in the following data items.


Enter **Audit Training** in the *Title* field.

Select **2** from the drop down list in the *Number of Palletizing Criteria* field. When you do this, the second Criteria tab will activate.

Select **In/Lb** from the *Units of Measure* box.

Enter **8.00** in the Minimum Case Footprint field. This is the smallest case length or width that we want to consider.

Enter **24.00** in the Maximum Case Footprint field. This is the largest case length or width that we want to consider. Your finished definition will look like this.




These parameters will give us the smallest case size of 8" x 8" and the largest case size of 24" x 24". The program will calculate incremental increases in the case sizes for every 1/16th inch. So the first case size will be 8x8, the second will be 8.0625x8. This process will continue in 1/16th inch increments up to 24x24.

Next we need to complete our palletizing criteria.

Pallet Criteria

We have 2 palletizing criteria, one for each of our different pallet sizes that we want to use. The first screen looks like this.



Fill in the information according to the following.

Enter **US Pallet** for the *Criteria Name*.

Enter **Standard US GMA Pallet** for the *Criteria Description*.

Select **48x40.pa4** as the pallet base style to use from the *Pallet Dimensions* drop down list. The pallet dimensions will fill in for you.


Overhang is the amount that the load on the pallet can extend past the edges of the pallet. For the *Maximum Overhang*, leave both the *Length* and *Width* at **zero**. We do not want to consider overhang for this database.

The *Minimum Load* is the smallest footprint that you want to consider for your pallet load. For the *Minimum Load*, leave both the *Length* and *Width* at **zero**.


The *Minimum Area Efficiency* is the smallest percentage of pallet space that will create an acceptable load. Leave the *Minimum Area Efficiency* at **zero** as well.

We are not using *Clamp Trucks* so that bock can remain unchecked.

Leave all the *Pallet Pattern Types to be Used* turned on. Your completed Criteria screen should look like the following.



Let's move to the second criteria tab and fill it in.




Enter **Euro Pallet** for the *Criteria Name*.

Enter **Standard European Pallet** for the *Criteria Description*.

Select **Euro1.pa4** as the pallet base style to use from the *Pallet Dimensions* drop down list. The pallet dimensions will fill in for you.

Leave all the rest of the criteria fields as they are. Your completed screen should look like this.



Our data entry is completed and we are ready to build our database.


Calculating Results

Calculating the results of the database could take some time depending your criteria and case dimensions. Remember that the program will calculate every case size in 1/16" increments from the smallest dimension to the largest selected.

Click on the Analysis Definition tab.


At the bottom of this tab you will see a **Save/Calc.** button. You can click on that, the diskette button in the tool bar or use the File menu to save and calculate your database.

Whichever method you choose, you will see this PreCalculation Status screen informing you of how many case sizes will be generated.



Click **OK** and you will be prompted for a file name.

Enter **Audit Training** as a file name and click on **Save**. The calculation process will start and you will see a progress screen.




When your database is complete, you will see the Solution Report screen with your results.

Solution Report- (c:\cape216\database\audit\audit training.mdb)										
File Edit Tools Help										
Criteria 1			Criteria 2			Criteria 3			Criteria 4	
Page 01 of 166										X
Criteria Name			AUDIT Database			Maximum Product Height				
US Pallet			audit training.mdb			0.0000				
Criteria Description			Title							
Standard US GMA Pallet			Audit Training							
48X40 Dimensions			Length		Width					
			48.0000		40.0000					
Overhang Allowed			0.0000		0.0000					
Minimum Load Dimensions			0.0000		0.0000					
Rec. No.	Footprint Length	Footprint Width	C	I	T	S	D	X	Area	Eff.%
1	8.0000	8.0000	30	30	30	30	25	30	100.00	
2	8.0625	8.0000	25	24	24	21	20	23	83.98	
3	8.0625	8.0625	20	20	20	20	20	20	67.71	
4	8.1250	8.0000	25	24	24	21	20	23	84.64	
5	8.1250	8.0625	20	20	20	20	20	20	68.24	
6	8.1250	8.1250	20	20	20	20	20	20	68.77	
7	8.1875	8.0000	25	24	24	21	20	23	85.29	
8	8.1875	8.0625	20	20	20	20	20	20	68.76	
9	8.1875	8.1250	20	20	20	20	20	20	69.30	

Use > Button to Load Next Criteria or < to Load Previous (in/lb) 3:03 PM CAPS NUM

Reviewing the Results

Your completed Audit database looks like the following.



All of your basic information appears on this screen along with the database name, the page number and a spreadsheet at the bottom. The spreadsheet information is defined as follows.

- **Rec. No.:** The record number is a 1-up number that numbers the cases from smallest to largest in incremental order. It is for reference only.
- **Footprint Length:** Length of the case.
- **Footprint Width:** Width of the case.
- **C:** Column type pattern. Listed in this column is the number of cases per layer of this footprint that can fit on the pallet. There is a column for each of Cape's 6 pallet patterns.
- **I:** Interlock type pattern.
- **T:** Trilock type pattern.
- **S:** Spiral type pattern.
- **D:** Diagonal type pattern.
- **X:** Expanded spiral type pattern.
- **Area Eff. %:** Area efficiency of the pallet pattern considering the highest case per layer count. This is calculated based on the area of the case footprint times the number of cases per layer, divided by the total space available.

By click on the Criteria 2 tab, you can review the other set of criteria for a comparison.

The screenshot shows the Audit software interface with the following details:

- Criteria 1:** Euro Pallet
- Criteria 2:** AUDIT Database audit training.mdb
- Criteria 3:** Maximum Product Height 0.0000
- Criteria 4:** Title Audit Training
- EURO1 Dimensions:**

Length	Width
47.2441	31.4961
- Overhang Allowed:** 0.0000
- Minimum Load Dimensions:** 0.0000
- Table of Case Sizes:**

Rec. No.	Footprint Length	Footprint Width	C	I	T	S	D	X	Area Eff. %
1	8.0000	8.0000	15	15	15	15	14	15	64.52
2	8.0625	8.0000	15	15	15	15	14	15	65.02
3	8.0625	8.0625	15	15	15	15	14	15	65.53
4	8.1250	8.0000	15	15	15	15	14	15	65.52
5	8.1250	8.0625	15	15	15	15	14	15	66.04
6	8.1250	8.1250	15	15	15	15	14	15	66.55
7	8.1875	8.0000	15	15	15	15	14	15	66.03
8	8.1875	8.0625	15	15	15	15	14	15	66.54
9	8.1875	8.1250	15	15	15	15	14	15	67.06

By doing this we can see that the 8"x8" case palletizes at 100% area efficiency on the US GMA pallet, but less than 65% on the Euro Pallet.

Database Sorting and Searching

Audit has 2 separate features included to make your data easier to manipulate: Sorting and Searching. You can sort the database by either the footprint size (which is the default) or by Area Efficiency. In addition, you can search for record number, case sizes or area efficiencies in either ascending or descending order.

Sorting

To sort your database, click on the **Tools** menu and then **Sort By**, and then choose either **Footprint Size** or **Area Efficiency** and the order you wish. Here is an example of **Area Efficiency, Descending** order.

The screenshot shows the Audit software interface with the following details:

- File Edit Tools Help**
- Criteria 1:** Page 01
- Criteria 2:** Solution Summary F4
- Criteria 3:** Calculate Product height/Load Info
- Criteria 4:** Calculate Pallet Load
- Criteria 5:** Goto Record/Search F8
- Criteria 6:** Sort By
 - Footprint Size
 - Area Efficiency
 - Descending
 - Ascending
- Criteria 7:** US Pallet
- Criteria 8:** Criteria Description
- Criteria 9:** Title

The following results return with our most efficient case sizes at the top of the list.

The screenshot shows the 'Solution Report' application window for 'audit training.mdb'. The 'Criteria 1' tab is active, displaying the following information:

- Criteria Name:** US Pallet
- AUDIT Database:** audit training.mdb
- Maximum Product Height:** 0.0000
- Criteria Description:** Standard US GMA Pallet
- Title:** Audit Training
- Dimensions:**

Length	Width
48.0000	40.0000
- Overhang Allowed:**

0.0000	0.0000
--------	--------
- Minimum Load Dimensions:**

0.0000	0.0000
--------	--------

Below this is a table of records:


Rec. No.	Footprint Length	Footprint Width	C	I	T	S	D	X	Area Eff. %
8289	16.0000	10.0000	12	10	11	10	10	8	100.00
2081	12.0000	8.0000	20	20	20	19	16	18	100.00
529	10.0000	8.0000	24	24	23	21	20	23	100.00
2113	12.0000	10.0000	16	15	15	12	12	14	100.00
8321	16.0000	12.0000	9	10	9	9	9	8	100.00
18657	20.0000	16.0000	6	5	5	0	4	0	100.00
8257	16.0000	8.0000	15	15	15	15	14	15	100.00
18593	20.0000	12.0000	8	7	7	0	4	0	100.00
1	8.0000	8.0000	30	30	30	30	25	30	100.00

At the bottom, there is a message: 'Use > Button to Load Next Criteria or < to Load Previous' and status indicators: '(in/lb) 3:05 PM CAPS NUM'.


You can change the sort order whenever you wish and sort each of your criteria differently.

Searching


To search for a particular record or type of information menu, you can use the **Tools** menu and click on **Goto Record/Search**, or you can hit the **F8** key on your keyboard.



Either option brings up this screen.



From here you choose to either search for a **Record Number**, a **Footprint Size**, or an **Area Efficiency**. Here is an example of searching for a footprint size of 10.5 x 10".



And your screen returns with the selected record.

Rec. No.	Footprint Length	Footprint Width	C	I	T	S	D	X	Area Eff. %
22704	21.2500	15.8125	4	5	4	0	4	0	87.50
30484	23.3750	14.3750	4	5	4	0	4	0	87.50
11757	17.5000	16.0000	6	5	5	0	4	0	87.50
18569	20.0000	10.5000	8	7	7	0	4	0	87.50
4657	14.0000	8.0000	15	15	15	14	14	15	87.50
11693	17.5000	12.0000	8	8	7	6	6	7	87.50
8297	16.0000	10.5000	9	10	10	10	9	8	87.50
853	10.5000	10.0000	16	15	15	12	12	14	87.50
8269	16.0000	8.7500	12	11	11	10	10	9	87.50

Comparing Solutions Across Criteria

To compare results on a particular record across all of your criteria we have given you the Solution Summary. To access this feature, click on the **Tools** menu and **Solution Summary**. The following screen appears.

The screenshot shows the 'Solution Information Report' window with the following details:

- Record Number:** 10686, **Case Footprint:** 10.5000 x 10.0000
- AUDIT Database:** audit training.mdb
- AUDIT Title:** Audit Training
- Criteria Name:** US Pallet, Euro Pallet
- Maximum Load:**

	Length	Width
US Pallet	48.0000	40.0000
Euro Pallet	47.2441	31.4961
- Minimum Load:**


	Length	Width
US Pallet	0.0000	0.0000
Euro Pallet	0.0000	0.0000
- Min. Area:** 0, 0
- Patterns:** A grid showing pattern availability across criteria C, I, T, S, D, X.
- Criteria Description:**

Criteria Description	Clamp	Pallet Name	Most C	Cases I	/Layer T	per S	Pattern D	Type X
Standard US GMA Pallet	N	48X40	16	15	15	12	12	14
Standard European Pallet	N	EURO1	4	5	5	0	4	0
- Message:** Use < and > to move through the list of Solutions
- Status Bar:** (in/lb) 3:07 PM CAPS NUM

This screen shows comparative information for both criteria for the single case size requested.

Calculating Load Dimensions

Audit allows you to calculate the dimensions of the load for your database records, based on the cubic volume you require for the case. To use this option, click on the **Tools** menu and **Calculate Product height/Load Info** option.



The following screen appears.

The 'Load Specifications - (Criteria 1)' dialog box contains the following fields:

- Inside / Outside Dimensions:**
 - Inside Volume
 - Outside Volume
- Area Information:**
 - 8 x 8 Area: 64.00
 - 24 x 24 Area: 576.00
- Inside Volume Cubic feet:** 0.0000
- Material Thickness:** 0 L x 0 W x 0 H
- Caliper:** 0.0000
- Maximum Product Height:** 0.0000
- Buttons:** OK, Cancel

Fill in the information on this screen as follows.

Choose the **Inside Volume** measurement rather than the **Outside**.


For the Inside Volume Cubic Feet, enter **1.5**.

Enter **30** for the *Maximum Product Height*. This is the largest case height that you will accept.

Select a *Caliper* and enter material thicknesses if you wish. Here is your completed screen.

The dialog box is titled "Load Specifications - (Criteria 1)". It has two main sections: "Inside / Outside Dimensions" and "Area Information". In "Inside / Outside Dimensions", the "Inside Volume" radio button is selected. In "Area Information", the "8 x 8 Area" is 64.00 and the "24 x 24 Area" is 576.00. Below these are fields for "Inside Volume Cubic feet" (1.5000), "Maximum Product Height" (30.0000), "Material Thickness" (0 L x 0 W x 0 H), and "Caliper" (0.1600). At the bottom are "OK" and "Cancel" buttons.

Click on **OK** and your calculations begin.



When completed, the following screen appears.

The Solution Report window displays Criteria 1 details and a large table of pallet dimensions and load data. The Criteria 1 section includes fields for Criteria Name (US Pallet), Criteria Description (Standard US GMA Pallet), and Maximum Product Height (30.0000). The table below lists various pallet dimensions and their corresponding load data.

Rec. No.	Footprint Length	Footprint Width	Footprint Height	C	I	T	S	D	X	Area Eff.%	No. of Layers	No./Load	Cub. Eff.
8289	16.00	10.00	16.20	12	10	11	10	8	10	100.00	1	12	54.1
2081	12.00	8.00	27.00	20	20	20	19	18	19	100.00	1	20	90.1
529	10.00	8.00	32.40	24	24	23	21	23	21	100.00	0	0	0.1
2113	12.00	10.00	21.60	16	15	15	12	14	12	100.00	1	16	72.1
8321	16.00	12.00	13.50	9	10	9	9	8	9	100.00	2	20	90.1
18657	20.00	16.00	8.10	6	5	5	0	0	0	100.00	3	18	81.1
8257	16.00	8.00	20.25	15	15	15	15	15	15	100.00	1	15	67.1
18593	20.00	12.00	10.80	8	7	7	0	0	0	100.00	2	16	72.1
1	8.00	8.00	40.50	30	30	30	30	30	30	100.00	0	0	0.1


This screen contains more information calculated based on the parameters you specified.

- **Footprint Height:** This is the height of the case based on the volume of 1.5 cubic feet.
- **No. of Layers:** The number of layers on the pallet load given the 30" height restriction.
- **No. per Load:** Number of cases on the pallet load.
- **Cube Eff.:** Cubic Efficiency of the load based on the total height available.


Calculating Pallet Load

You can also use the Audit program to build your pallet load diagrams.


Click on the **Tools** menu and then **Calculate Pallet Load** to calculate the load of your selected case size.




The following screen appears.



Fill in the *Maximum Load Height* for your pallet load. We are entering **65**.




Click on the **Calculate** button and next you will see a solution viewer for your pallet load.




This screen will allow you to see the different pallet patterns that are available for this new case size you have developed based on your Audit Database footprint size and your volume measure with subsequent height.

Select the pallet pattern that you want and then click on the **File** menu and **Open Current Solution**.



Your MultiViewer Graphics screen will appear where you can customize and output your design by whatever method you choose.




When you are finished with this analysis, click on **File, Return to Pallet Audit.**


Printing and Exporting

Printing the audit database could take quite a bit of time and paper. The database we created for this user guide is 166 pages long. So we have given you the ability to only print a portion of the database if you wish.


Click on **File, Print Preview.**



The following screen appears.



You have a ability to print a section of records, print only the current record, all records or just the input data. Make your selections and click on **OK**. You will see a print preview of what you requested.



Notes on Using the Audit Program

1. Once you understand the power of Pallet Audit it will become a major source of information relating to your existing palletizing needs and how to improve them in the future.
2. When an Audit Database has been calculated the records are retained under your specified Audit Database name until you actually delete that database. Thus, it is possible to return to the same Audit Database, as and when you need to.
3. It might be a good idea to think about constructing an Audit database that covers your entire range of existing case sizes. Remember though, depending on the size range you allow, the calculations could take quite a while.
4. Returning to the Audit Database is a simple process known as **Review Audit Database**.
5. To exit the Solution Report screen, either **Change Input Data** or **Return to Front Menu**.
- 6.

Making New Shapes

Introduction


The **Make a new Shape** feature is a group of easy-to-use programs designed to create packaging and loading shapes for use in your Cape Pack programs. These shapes include rectangular bottles, bags, oval bottles, gable-end cartons, round bottles, other cylindrical shapes, cases, trays, pallet blocks, pallet bins and trucks or shipping containers. These “component designs” can be used within the Pallet, Arrange, Design, Casefill, Folding Cartong Arrange, KDF and 3D Imaging programs. Once you have created your shape/package style you can apply color to part or all of the object and save it for later use. You can also add graphics to any of the shapes that you create with the Make a new Shape feature.

It is important to understand that this feature saves the relative proportions of the shape you design and save. Thus, you can use one shape and apply several different dimensions to that shape in the other Cape Pack programs.

In the **Make a new Shape** feature, all measurements are in units. These can represent inches, millimeters, or any other units you want to use. It is helpful to use small whole increments when designing shapes rather than decimals. We recommend you use either millimeters or hundreds of inches (i.e., 5 inches would be entered as 500).

You can access this feature on either the Front Menu screen, or in the Pallet, Arrange, Design or Casefill groups. If you launch this feature from the Pallet, Arrange or Design groups, you will have the option to create new Pallet Blocks, Pallet bins or Trucks/Containers.

To make a shape, click on the **Make a New Shape** menu and select the shape you want to work with.



Or, you can select this option with the icon on the toolbar.

Either way you will be presented with a screen similar to the one below.




You have two choices. You can create a new file or open an existing file.

To create a new file, you simply fill in the Initial Parameters.

To open an existing file, click on **Cancel**. Then select **Open** from the **File** menu.

Shape Files Storage

The files are saved in separate folders within Cape Pack.



When you select **Save As**, the appropriate folder for the shape you are working on will be opened. You cannot save the file to another folder. You can share your shape files with other users. However, they must place the shape in the respective folder of their program. For example, if you share a tray shape, it will be retrieved from your VariableTray folder and the recipient will need to place it in their VariableTray folder.

When you save the shape files they become available in the Pack Type lists in Pallet, Arrange, Design and Casefill programs as follows.

Shape Type	Programs Where Used
Bags	Pallet Group – Bags, Arrange and Design Groups – Box/Bag/Bottle and Casefill Box/Bag/Bottle (Fixed and Variable)
Blisters	Pallet Group – Rectangle/Oval, Arrange and Design Groups – Box/Bag/Bottle and Casefill Box/Bag/Bottle (Fixed and Variable)
Cylindrical Shapes	Pallet Group - Cylinders, Arrange and Design Group –Cylinders and Casefill – Cylinders Fixed
Display Cases	Pallet Group – Rectangle/Oval, Arrange Group, Design Group, Folding Carton Arrange, Casefill
Gable-End Shapes	Pallet Group – Rectangle/Oval, Arrange and Design Groups – Box/Bag/Bottle and Casefill Box/Bag/Bottle (Fixed and Variable)
Oval Bottles	Pallet Group - Rectangle/Oval, Arrange and Design Groups – Box/Bag/Bottle and Casefill Box/Bag/Bottle (Fixed and Variable)
Rectangular/Square Bottles	Pallet Group – Rectangle/Oval, Arrange and Design Groups – Box/Bag/Bottle and Casefill Box/bag/Bottle (Fixed and Variable)
Pallet Blocks, Pallet Bins, Pallet Crates	Pallet Group, Arrange and Design Groups and KDF Group
Pallet Base Styles	Pallet Group, Arrange and Design Groups and KDF Group
Truck/Container	Pallet Group, Arrange and Design Groups and KDF Group

We have included examples for you in this chapter that can act as tutorials to get you started. In addition, the program is supplied with a large variety of shapes that have been created using this feature. You can modify these shapes as you see fit, or simply create your own.


Remember, in the **Make a new Shape** feature, all measurements are in units. These can represent inches, millimeters, or any other units you want to use. It is helpful to use small whole increments when designing shapes rather than decimals. We recommend you use either millimeters or hundreds of inches (i.e., 5 inches would be entered as 500).

Designing Cases

The **Make a new Case** lets you create a variety of "cut-away" or "display" case styles. You can represent many types of display packs, shipping trays and cases. Once you have created your case style, you can give it an overall color or you can select a color for each face within your case design.

Your program is provided with a variety of special case styles. These can be found under the Pack Type lists in the analysis programs. You can either modify these existing case styles or develop your own completely new designs.

Click on the **Make a new Shape** menu, and then on **Make a new Case**.



You will be presented with the following screen.



Enter the following numbers into the appropriate fields.


For the *Overall Initial Height* enter **1000** and press the **Tab** key.

For the *Overall Initial Length* enter **1200** and press the **Tab** key.

For the *Overall Initial Width* enter **1600** and press the **Tab** key.



Click on **OK**. You will then see the following screen.



You are presented with a case and one face (face B) on the left side of the screen. Face B is highlighted in the row of buttons marked A, B, C, D, E, and F.

The buttons marked A, B, C, D, E and F represent the six panels of the case and are labeled in accordance with the face/panel naming conventions of the 3D Imaging Program. Face A represents the top of the case and F represents the bottom. Thus, by maintaining this convention throughout Cape Pack, you can transfer images to the appropriate panels of the case in exactly the same way as you would for other packaging components.

Notice how, on this screen, there are four sections marked on face B on the left side of the screen. And that there are two sets of fields across the bottom of the screen. One row of fields is for setting the *Bottom* and *Top Height* and other row is for setting the *Right* and *Left Width*.

When you work with this screen, think of the face you are working on as a two dimensional (flat) drawing and that the changes you make to each section are like opening or closing the vertical or horizontal blinds on a window. The lower the number entered, the wider the gap on the face.


The changes you make are then shown in both 2D on the left side of the screen and 3D on the right side of the screen.

Let's remove all of face C. We need to reduce the numbers to zero in both the height and width settings. If you change the bottom height, the appropriate section will move up or down on the left side of the screen and the change will be immediately reflected in the three dimensional case on the right hand side. The same will happen when you change the top height.


Click on the button marked **C**.

The *Bottom Height* is set at **300** and the *Top Height* is also **300**. Change the *Bottom Height* to **0** and press the **Tab** key.


Now change the *Top Height* to **0**. Notice how the small inset diagram (2D) has changed.



Change the *Left Width* to **0** and press the **Tab** key.



You can see that half of face C has disappeared. Change the *Right Width* to **0**.




Notice how all the sections on the left side of the screen and face C on the right side have also disappeared. The idea of the Case Wizard is that, as you adjust the height and width sections of a particular face, you see both the two-dimensional changes on the left side of the screen and the three-dimensional case being formed on the right.

To better demonstrate the changes, let's color the box.

Click on the button marked **Overall Color**.



Pick a brown shade and click on **OK**.




Making the Opposite Face the Same

If you want the opposite face of the case to be the same, click on the **Match Face** button. This feature quickly duplicates your efforts to create two identical sides of the case.


Partial Top Flaps Cases

The Case Wizard offers a simple way to do this. Let's make a case with partial flaps along the length of the top panel. We will start with the same case as the first example.



Let's start with the top panel of face A. Click on the **A** button to activate the face.


Make the *Top and Bottom Heights 50*, and press the **Tab** key.



The three dimensional case has not changed. Now make the *Left Width 0* and press the **Tab** key.

Notice how the left side of face **A** has been removed and that we have a 50 unit partial top flap along the length of the panel.


Now enter **0** for the *Right Width*.




Now we have face A with two 50 unit-wide top flaps, along the length of our case.

Number of Material Thicknesses

Use the **Options** menu and select **No. of Material Thicknesses**.



You will be presented with a screen like this.




Simply enter the number of material thicknesses for the *Length*, *Width* and *Height* and click on **OK**. These numbers will be saved with the case style and then be carried through to the Pallet, Arrange, Design and Casefill programs.

Saving Your Case

Once you have finished the design of your case style you can save the design in the following way.

Select the **File** menu, then **Save As**. The Save As dialog box appears.



Enter the name you wish to use, and click on **Save**.

The Case shape files are saved with the .CSF extension (representing **Cape Shape File**) in their own folders and they will appear in the *Pack Type* list in the appropriate Pallet, Arrange, Design and Casefill programs.

To leave the **Make a new Case** screen, select **Close** from the **File** menu.


Designing Trays

The **Make a new Tray** feature lets you create a variety of tray styles. You can represent many types of display packs, shipping trays and crates. Once you have created your tray style you can give it an overall color or you can select a color for each face within your design.

A tray, within Cape Pack is defined as being “a case without a top”. If you need to create a tray or special case style that has any part of a top panel, you should use the **Make a new Case** feature.

Your program is provided with a variety of tray styles. These can be found under the *Pack Type* lists in the analysis groups. You can either modify these existing tray styles or develop your own new designs.

Click on the **Make a new Shape** menu, and then on **Make a new Tray**.



You will be presented with the following screen.



Enter the following numbers into the appropriate fields.


For the *Overall Initial Height* enter **600** to represent 6” and press the **Tab** key.

For the *Overall Initial Length* enter **1200** to represent 12” and press the **Tab** key.

For the *Overall Initial Width* enter **900** to represent 9” and press the **Tab** key.



Click on **OK** and you will see the following screen.




You are presented with a tray (a case without a top) on the right side of the screen and one face (face B) on the left side of the screen. Face B is highlighted in the row of buttons marked B, C, D, and E.

The buttons marked B, C, D, and E represent the four side panels of the tray and are labeled in accordance with the face/panel naming conventions of the 3D Imaging Program. The other two faces, A and F, are normally used for the top and bottom panels of a case in the 3D Imaging Program. Thus, by maintaining this convention throughout Cape Pack, you can transfer images to the appropriate panels of the tray in exactly the same way as you would for other packaging components.


Notice how there are five sections marked on face B on the left side of the screen, and that there are two rows of fields across the bottom of the screen. One row of fields is for setting the *Face Panel Heights* and other row is for setting the *Face Panel Widths*.

The idea of the Tray Wizard is that, as you adjust the height and width sections of a particular face, you see both the two-dimensional changes on the left side of the screen and the three-dimensional tray being formed on the right side.

Start with the *Face Panel Height* fields to adjust the height along the panel. Leave the first two fields at **600**, using the **Tab** key to move between fields. In the third field, type **400** and press the **Tab** key. Your screen should now look like this.



Type **400** in the next field and press the **Tab** key.




See how face B has changed.

Making the Opposite Face the Same

If you want the opposite face the same you can use the **Match Face** button. This feature duplicates your efforts to create two identical sides of the tray.

Click on the **Match Face** button and your screen should now look like this.




Now let's change face **C**. Click on the button for face **C**.


Leave the first two *Face Panel Height* fields at **600**.

Enter **300** for the next field and press the **Tab** key.

Enter **300** for the next field and press the **Tab** key. Your screen should now look like this.




Now click on **Match Face**.




Straightening the Sides of a “Cut-Out Panel”

Here is panel B with sloping sides.




Changing the sloping sides to straight sides is achieved by changing the numbers in the five *Face Panel Width* fields.

In the second field type **0** and press the **Tab** key.




Notice how the left hand side of the “cut-out” has become upright. Also notice how, as you change the numbers in the fields, the figures in the remaining fields adjust themselves. This is because the total number (all the fields added together) cannot exceed the size of the original width dimension you specified.

Now enter **0** in the fourth field and press the **Tab** key. Your screen should look like this.




Click on the **Match Face** button and the opposite face becomes the same.



Coloring the Tray

Click on the button marked **Overall Color**. The Windows color palette is now available, as you will see in the following picture.




Choose a color and click on **OK**.

Coloring Tray Panels


Select the button for the face you want to change (**B**, **C**, **D**, or **E**), and then click on the **Face Color** button.

Here is an example where each face of a tray has been given a different color.



Number of Material Thicknesses

Click on the **Options** menu, and then **No. of Material Thicknesses**.



You will be presented with a screen like this.




Simply enter the number of Material Thicknesses for the *Length*, *Width* and *Height* and click on **OK**.

These numbers will be saved along with tray style. When you later select the style, in the Pallet, Arrange, Design and Casefill programs, the number of material thicknesses will appear automatically.

Saving the Tray

Once you have finished the design of your tray style you can save the design in the following way.

Select the **File** menu.



Select **Save As**. The Save As dialog box appears.


Enter the name you wish to use. For our example, we will use the name **newtray**. Click on **Save**.

To leave the **Make a new Tray** screen, select **Close** from the **File** menu.

Designing Cylinders and Round Bottles

We are going to create a wine bottle.


Select **Make a new Cylinder/Bottle** from the **Make a new Shape** menu.




First, you need to enter the number of sections to be used. 12 is the maximum number of sections you can select. Enter **7**.

Then you need to enter an overall diameter and height. For the *Overall Initial Height* enter **1400** to represent 14 inches.

For the *Overall Initial Diameter* enter **350** to represent 3.5 inches. You can work with a figure up to twice the initial overall diameter.




Click on **OK** and you will see the following screen.




You are presented with a straight-sided cylinder. Now we have to create our bottle shape.

Notice how the *Height at Top of Section* is set in 200 unit increments. Thus, based on a height of 1400 units and 7 sections, the program has assumed 7 equal sections of 200 units. If you wish to change these settings you may. Just type in the appropriate number. Notice how the diameter is set to 350 for all sections, hence the straight-sided shape.

Change the very top of the cylinder to start creating the neck of our bottle. Click in the very top section diameter column, and type **100**. Use the arrow keys on your keyboard to move to the next lower section (6).




See how the top has changed. Now enter **100** for the next section down and move to section 5 diameter.




Now the top of our wine bottle is beginning to take shape. Enter **140** in the section 5 diameter field and then move to section 4.

Continuing in this manner, enter **200** for section 4 and **300** for section 3. Your screen should now look like this.




Now let's color the bottle.


Click on the **Overall** button. The Windows color palette is now available, as you will see in the following picture.



Select a green shade and then **OK**.




Notice how the vertical bar in the *Color* column has changed to the green you selected. Click on this bar and your bottle will change to green.




Now let's make the typical seal around the top of a wine bottle. We will color it yellow.

Click on the green button in the *Color* column for section 7. Select a yellow shade from the color palette and click on **OK**. You will see the green bottle with a yellow seal around the top section. Our bottle is nearly complete.



Let's simulate a bottle label. Click on the green button for Section 2. Choose white from the Palette and click on **OK**. Your screen should now look like this.



The **0, 90, 180, 270** buttons allow you to rotate the object to these angles. The **1, 2, 3, and 4** buttons allow you to see any of the four sides of the object. The **Top** and **Bot** buttons allow you to view the top and bottom of the object.

To save your bottle shape click on the **File** menu and select **Save As**.

Enter the file name you want to use and click on **OK**.


You can open existing files, make changes and then save the changes to another file name. The Cape shape files are saved with the .CSF extension in their own folders, and they will appear in the *Pack Type* list in the appropriate Pallet, Arrange, Design and Casefill programs.

To leave the **Make a new Cylinder/Bottle** screen, select **Close** from the **File** menu.


Designing Bags

Next we will create a potato chip bag.

Select **Make a new Bag** from the **Make a new Shape** menu.




You will see the Initial Parameters screen.



Enter **7** for the *Number of sections*. The maximum number is 12.

Enter **800** for the *Height*, **500** for the *Length*, **100** for the *Width* representing 8" x 5" x 1" respectively.


Click on **OK** and you will see the following screen.




While the shape on the screen may look a little unusual, it will quickly become the bag shape we want.

Click on the Length at Section 1 Bottom and change it to **500**. Change the Width of Section 1 Bottom to **5**.


Clicking on the appropriate fields, change the top length to **500** and the top width to **5**. Your screen should now look like this.



Now make the same changes for sections 2 and 6.



Next change all the lengths to 500.




Now let's color the bag.

Click on the **Overall** button and select a color. Click on **OK**.

Click on the top button in the *Color* column and choose a color for the “seal”.

Do the same for the bottom seal.




Last, save your shape by clicking on **File** and **Save As**.

To leave the **Make a new Bag** screen, select **Close** from the **File** menu.

Designing Gable-End Shapes

Select **Make a new Gable End Shape** from the **Make a new Shape** menu.




Enter the following Initial Parameter data.

Number of sections **7** (the maximum number is 12)


Overall Height **700**

Overall Length **350**


Overall Width **350**



Click on **OK** and you will see the following screen.



Make Section 5 **350** in the width instead of 175. Your screen should look like this.




Save your shape by selecting **Save As** from the **File** menu.

To leave the **Make a new Gable End Shape** screen, select **Close** from the **File** menu.


Designing Rectangular or Square Bottles

There are essentially two styles of rectangular bottles.

Straight Sided Bottles




Offset Rectangular Bottles



When you are changing length and width of the "cap area", you should change the width dimension first, starting at the top section.

Let's create an offset bottle shape.

Select **Make a new Rectangle Square Bottle** from the **Make a new Shape** menu.




Change the default settings to the following:

Number of sections **7**


Overall Height **800**

Overall Length **400**

Overall Width **200**




Click on **OK**.




To make this an offset bottle, we need to move either the neck or cap (or both). Towards the top of the screen you will see a block labeled *Offset Information*. Here you can move the neck or cap in either the length or width direction.

Let's make one side of the bottle into a straight side. Notice the number 1.0 in the *Increment* box. This indicates the amount the neck or cap will be offset each time you want to move it.


Click on the left arrow button marked **Along Length**, in the **Section 6 Offset** block. Each time you click the neck will move towards the left and it will eventually become a straight side. Here is the screen after 10 clicks, shown from the side.



Here is the screen after 25 clicks have occurred.



Now let's move the cap to the left-hand side of the top section. This time click on the left arrow marked **Along Length**, in the **Neck Offset** block. Click on this arrow until the cap has reached the end of the top section.




Save your bottle by clicking on the **File** menu and **Save As**.

To leave the **Make a new Rectangle Square Bottle** screen, select **Close** from the **File** menu.

Designing Oval Bottles

Oval bottles require information similar to rectangular bottles except that you do not enter a length and width, you enter a long diameter and a short diameter.

Select **Make a new Oval Shape** from the **Make a new Shape** menu.



Leave the default settings as they appear.


Number of sections **7**

Overall Height **200**

Overall Length **100**


Overall Width **50**

Click on **OK**.




When you create a thin bottle, the outline of the edge facing you may appear to be faded. This is because the edge is slightly rounded. Use the **Overall** color feature to improve the appearance.


Also note that when you are changing long and short diameters for the cap, you should change the short diameter first starting at the top section.




Let's make the cap taller. Go to section **6** of the *Height at Top of Section* column and change it to **160** move to the next field.




Change the *Short Diameter of Sec 1 Bottom* to **65** and press the **Tab** key.



Now click on the blue button for section 7 and change the color.



You can also create offset oval bottles.




The technique for changing the neck and section 6 offset is the same as rectangular bottles.

To leave the **Make a new Oval Bottle** screen, select **Close** from the **File** menu.


Designing Blister Pack Shapes

We have added a new **Make a New Shape** feature for Blister Packs as well. This shape can be used to simulate plastic blisters as well as card type packages with a hanging extension. You have to be in the Arrange or Design program for Blister Packs in order to access this feature.


From the **Make a New Shape** menu, select **Make a New Blister Pack**. Enter your starting dimensions.




Click **OK** to see the default shape on the screen.



Then adjust the placement of the card back and also the blister (or bubble) part of the package. The Flatboard is the card that attaches to the back of the blister. The Bubble is the blister itself.



If offset will not be possible, you will see the following prompt when you save.




Save your shape and it will appear in your list of options in the Arrange and Design Groups.


Designing Pallet Blocks

You cannot create a true pallet base style, but you can build three-dimensional **Pallet Blocks** to represent any pallet base size.


On the input screens choose the **Make a new Shape** menu, and **Make a new Pallet Block**.



The following screen will appear.



Enter a **Description**, the required **Length**, **Width**, **Height** and **Weight** of the pallet base you want to build:



Click on **Save** and a **Save As** dialog box appears:


Enter a name (maximum of 8 characters) for the "special" pallet base style and then click on **OK**.

Your new pallet block will now appear in the list of **Pallet Base Styles**.


Designing Trucks or Shipping Containers

Making new truck or container sizes is very similar to making a Pallet Block.


Make sure you are on one of the input screens. Now choose the **Make a New Shape** menu and then select **Make a New Truck/Container**.



The following screen appears:



Enter a **Description**, the dimensions and weight.




Click on **OK**. You will then be asked to enter a name (maximum of 8 characters) and save your **Truck/Container Style**:

Your newly created truck will automatically appear in the list of **Truck Types**:


Designing Pallet Bins

Pallet bins are often used as a disposable pallet container. Corrugated and carton manufacturers use them to deliver folding cartons, corrugated flatblanks and bundles of flat-glued cases (KDF's). Here is an example.




To create a Pallet Bin:

Go to the **Make a new Shape** menu on the Pallet, Arrange, Design or KDF input screens and select **Make a new Pallet Bin**.



The following screen will appear:



Create Pallet Bin	
Description	<input type="text"/>
Length	0.0000
Width	0.0000
Height	0.0000
Bin Weight	0.0000
Leg Width	0.0000
Leg Height	0.0000
Leg Offset from edge	0.0000
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Enter the following information in the appropriate fields.

Description -- **pallet bin**

ID for the bin length -- **48**

ID for the bin width -- **40**


ID for the bin height -- **50**

Bin Weight -- **35**

Leg Width for the width of the wooden runners -- **6**

Leg Height for the height of the wooden runners – **4.5**

Leg Offset from edge for how far the runners are from the edge -- **6**



Now click on the **Save** button.

Enter a filename for the bin. These file names cannot exceed 8 characters.


Your pallet bin has now been saved to the chosen file name. It is available to use from the Pallet Base Style list on the Pallet tab.

Designing Pallet Crates


Pallet crates are best described as a box that sits on a regular pallet base style. They have a variety of uses including bulk items, fresh produce and flat cartons.

To create a Pallet Crate:

Go to the **Make a new Shape** menu on the Pallet, Arrange, Design or KDF input screens and select **Make a new Pallet Crate**.



The following screen will appear:



Enter **Pallet Crate** as the description.


Select **48x40.pa4** from the pallet base style drop down list.

For the Crate length, enter **48**.

For the Crate Width, enter **40**.

For the Crate Height, enter **50**.

For the Crate weight, enter **53**.



Now click on the **Save** button.

Enter a file name for the crate. These file names cannot exceed 8 characters.


Your pallet crate has now been saved to the chosen file name. It is available to use from the Pallet Base Style list on the Pallet tab.

Designing Pallet Displays

Pallet Displays are a regular pallet base style that has a display case or tray secured to the top. This allows stores and discount clubs to use their pallet loads for customer shopping convenience, without having to unload the product from the pallet or case.

To create a Pallet Display:

Go to the **Make a new Shape** menu on the Pallet, Arrange, Design or KDF input screens and select **Make a new Pallet Display**.



The following screen will appear:

A screenshot of a 'Create a new Pallet Display' dialog box. The dialog has a title bar 'Create a new Pallet Display'. Inside, there is a text field 'Enter Description' with the placeholder 'Pallet Display' and a 'Save' button. Below it is a dropdown menu 'Select a Pallet base style for Pallet Display'. On the left, there are four numerical input fields: 'Display Length' (0.0000), 'Display Width' (0.0000), 'Display Height' (0.0000), and 'Display Weight' (0.0000). To the right of these inputs is a large, empty rectangular area for drawing or previewing the display case.

Enter **Pallet Display** as the description.

Select **48x40.pa4** from the pallet base style drop down list.


Select **TRAY2.CSF** as your Display Case.

For the Crate length, enter **48**.

For the Crate Width, enter **40**.

For the Crate Height, enter **50**.

For the Crate weight, enter **53**.



Now click on the **Save** button.

Enter a file name for the Display. These file names cannot exceed 8 characters.


Your pallet display has now been saved to the chosen file name. It is available to use from the Pallet Base Style list on the Pallet tab.

Making New Collada Files


We have added the ability to include your solid collada files in your Cape Pack analyses. You will import and save the file and then it can be used in any analysis. This is true for both primary and secondary package types.

Note: Visualizer quality Collada files are not yet supported due to the size of the files.


Click on the Make a New Shape menu and then Make a New Collada.




Select your collada file and click on Open.




If no graphic is included with the file, you will see the following screen.




If there is an image, it will appear in the viewer widow.




Select the type of shape your collada file represents. The dimensions will pull in from the file. You may overwrite them if you wish.




Click on Save and give your file a name for the library.




Click on Save and your file will be added to the list of shapes.




When selected the shape viewer and size information will be populated. You may overwrite these dimensions if you wish. In addition, you can use the Design Group to adjust the size to optimize your loading space.




Another example




When importing Secondary Packages, you will also need to specify the number of material thicknesses of the case or tray style.



Cape Pack will use these thicknesses to calculate from inside to outside dimensions of the package.



When uploaded, your Collada files will retain their original shape and coloring, including graphic images.



Making New Pallet Base Styles

Cape Pack allows you to create your own realistic pallets rather than requesting pallets from Customer Service, or using Pallet Blocks. Because this is a design tool, it is essential that you have accurate measurements for the pallet, and all the boards or blocks that make up this pallet style.

Each pallet is created in layers by selecting boards from a list and then placing them on the pallet in the desired location. Once the bottom layer is completed, you add a new layer and continue on until all of the pieces are placed. There are 2 basic pallet styles that you will want to consider when using this feature:

- Two-way entry pallets that are usually created with 3 layers of boards.
- Four-way entry pallets that are usually created with 4 layers of boards. In the case of four-way pallets, the stringers are split vertically to create 2 separate layers. The easiest way to see this is to open a 4-way pallet and look at the different layers of the pallet. The 48x40.pa4 file is an excellent example of this type of pallet.


You have 2 options with the pallet design feature:

- Create a new pallet base style. Use this if you have a brand new style, or if you need to change the sizes of individual boards in an existing pallet style.
- Modifying an existing pallet base style. Use this option if you are change the number of boards on an existing pallet, but the size of the boards is remaining constant.

We will discuss both options.


Designing New Pallets

You will need to have a fairly accurate picture, drawing or specification of the pallet that you want to build with dimensions of the boards and gaps.




Item	Description	Size	Quantity
A	Deck Boards	40" x 5.5" x .75"	5: 3 on the bottom and 2 on top
B	Deck Boards	40" x 3.5" x .75"	7: 2 on the bottom and 5 on top
C	Runners	48" x 1.75" x 2"	3. This is the top half of the runner.
D	Runners	6" x 1.75" x 1.5"	6. These will be placed on either end to help frame the "notch."
E	Runners	16" x 1.75" x 1.5"	3. These will be placed in the middle to complete the frame for the "notch."


On the Front Menu or the input screens for any program that uses pallets, choose the **Make a new Shape** menu, and **Make a new Pallet Base**.




The following screen will appear.




Select **New Pallet** and click on **OK**. You will see the next screen.




For this example we will be making a 48x40x5" pallet that weighs 50 pounds. So we need to select in/lb for our units of measure rather than metric and then enter our overall pallet size.




Click **OK** and you will see the following screen.




You can now begin to enter your boards for the pallet. Start with the first board in the table above.




Click on the **Another** button to clear the screen and allow you to enter an additional board. Repeat this process until all boards are entered. Then click **OK** to open the Pallet Builder program. Your screen will look the following.




The next step is to create a layer so that we can start placing our boards. Click on the **New Layer** button.



A line item for this layer will appear in the layers list, and you will see the outline of the pallet layer in red on the top view. Click on the first board that you want to place which will be number 1 in your board list. Then click on the **Select Board** button.



The first board will appear on your layer. However, it is oriented in the wrong direction. Click on the board, which will mark it with a large X, then click on the **Switch Direction On** indicator.




The board turns to the correct orientation. Using this procedure, add boards in the following order:

- Board 2
- Board 1


- Board 2

- Board 1


Your screen will look like this.




Click and drag the last board added to the far right side of the pallet. Then we will move on to layer 2 and leave final editing of this layer until later.



Click on **New Layer** to add layer 2. This will be the layer where we create the notches for the four-way entry.




First add a board number 4.




Add two more of these boards. Then we will center them equally across the width of the pallet.


Drag the top board to the top left corner of the pallet.




Now hold down the Shift key and click and drag from the top board to the bottom. A large X will be placed over the three boards.



Click on the **Format** menu, **Spacing Along Width, Make Equal**.




Repeat this process spacing all the rest of the boards for this layer equally in both the length and width of the pallet. Your pallet should look like the following.




Next we need to fix the spacing on the bottom layer. Click back on layer one, and make the spacing equal along the length of the pallet.

Then move the two smaller boards towards the center until all three center boards are equally spaced under the center runner piece.




Next we will add a new layer for the other half of the stringers. Click on **New Layer**.


Add 3 of board number 3 and space them equally along the width of the pallet.




And finally, we need to add the last layer, with the top boards. This layer has 1 board one on each end and then 5 board twos, all equally spaced along the length of the pallet. Your final pallet should look like this.



Finally, add a description in the area above the pallet top view.




Save your pallet by clicking on the **File** menu and **Save**. Pallet must have an 8-character name and must be saved into the **Tutor** folder. The program will add the PA4 extension to your file.



Features of the Pallet Builder

There are several features that have been built into this new feature that make it more user friendly if you are going to be building a lot of your own pallet styles. All of the can be access from the menus.

File Menu



New Pallet

Use this option to create a brand new pallet base style.


Open Pallet

Use this option to open and modify an existing pallet base style.

Or you can open with the new Thumbnail option.


View Menu

This menu gives you the option to view the pallet from different angles. Here are your options.




Format Menu

This menu gives you the ability to equally space the boards of your layer either along the length or width of the pallet. The program will equally space the objects that are highlighted. You can also remove the spacing using this feature.




Tools Menu

The Tools menu contains two options.




Board Table


This option gives you the ability to create a listing of boards that are commonly used to create pallets.



Click on add to **Add** a board to the table.



Enter in your dimensions and click on **OK** to place the board in the table.



Click on **Add to Board List** to use a particular board to your current pallet configuration.


Thumbnails

This option on the **Tools** menu activates a thumbnail listing of all the pallets in your program.

Click on any pallet you wish and then the **Open** button.

Colors Menu

This menu is used to change pallet color.




Economic Analysis

Introduction

We feel that it is a very important part of the packaging evaluation process to be able to substantiate your arguments for potential change or new packaging ideas with hard economic facts. The Economic Analysis program was designed as a tool to assist you in this task. Economic Analysis is used to compare the financial consequences of one selected solution against a maximum of three others.

The **Economic Analysis** option is only available from the **Tools** menu in the Pallet, Arrange and Design Groups.




The example we are describing is based on the results of running the Widget data file in the Pallet Group Tutorial. Our example also assumes that the secondary packages are corrugated cases.

From our analysis, we have established that the maximum number of cases that can be loaded with one dimension vertical is 42(6 layers of 7cases per layer with the case height dimension vertical in solution 1).

We will assume that the 42 cases achieved 7 more cases per load than an original pattern we used.


Numerical Solution Report (Pallet #1)												
Sol. No.	Pat Type	# Per Load	# Per Layer	# of Layers	D V	Cube Eff.	Area Eff.	Length Under	Length Over	Width Under	Width Over	
1	C	36	6	6	H	69.2	79.2	0.85	0.00	3.57	0.00	
2	I	36	6	6	H	69.2	79.2	0.35	0.00	4.57	0.00	
3	T	36	6	6	H	69.2	79.2	0.85	0.00	4.07	0.00	
4	S	36	6	6	H	69.2	79.2	8.57	0.00	4.07	0.00	
5	I	30	5	6	H	57.7	66.0	7.57	0.00	4.07	0.00	
6	T	30	5	6	H	57.7	66.0	7.57	0.00	4.57	0.00	
7	T	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
8	S	30	5	6	H	57.7	66.0	8.07	0.00	4.07	0.00	
9	C	24	4	6	H	46.1	52.8	7.57	0.00	4.57	0.00	
10	D	24	4	6	H	46.1	52.8	8.07	0.00	4.07	0.00	

To check the economic feasibility of these alternatives, click on **Economic Analysis** on the **Tools** menu. The following screen will appear.




You can evaluate up to four (4) alternatives during on analysis. We are going to enter 2.

To change the number of alternatives and enter solution information, click on the **Options** menu and **Input Settings**.




The following screen will appear.



Click on the *Use* field to activate the Alternative number, then select the solution number you want to use. In this case we will activate the first 2 alternatives and select solutions **1** and **11** respectively.

Now click on **OK** and you will see the following screen.



Input Data

For our example, the basic information relating to case size and number of case per pallet is already filled in for the 3 alternatives. The remaining data must now be entered manually.

Volume/Usage Data

Annual Volume (Cases/Year)	Enter the annual quantity of cases or whatever the secondary package was called. Type 50000 . Annual volume is a required data entry.
*Pallet Group	
Avg. Inventory (Cases/month)	Approximately how many cases do you hold in stock on a monthly basis? Let's assume we hold a minimum quantity of one month's supply in stock. Enter 4000 .
Cases/Pallet	The number of cases per pallet is entered automatically, taken from the Solution.
Pallets/Load (Pallet)	How many full pallets can we load onto our delivery truck? Let's say 24 . Click on the Options menu and Repeat (or control+R) to fill in this entry for all alternatives.
Cases/Load (Dead stack)	You have designated that full pallets are being loaded into the truck versus hand-loading or dead stacked (no pallets). You cannot enter both pallets/load and cases/load. Your screen should now look like this.
Primary Pack Annual Volume	Enter the annual quantity of primary packages used.
*Arrange/Design Group	

The screenshot shows the 'Economic Analysis' software interface. The 'Input 1' tab is active. At the top, there are fields for 'Annual volume (Cases/Year)' (50000.0) and 'Avg. inventory (Cases)' (4000). Below these are two tabs for 'Alternatives': '1' and '2'. Under Alternative 1, there is a table for 'Case size' with rows for Length (16.43), Width (15.43), and Height (6.48). Under Alternative 2, there is a similar table. Below the case size tables is a section for 'Loading information' with rows for 'Cases/pallet' (36), 'Pallets/Load (Pallet)' (24), and 'Cases/Load (Deadstack)' (0.00). The bottom of the window shows a menu bar with 'File', 'Options', and 'Help', and a status bar with system information.

Click on the **Input 2** tab to continue your data entry.

Logistics Costs

Costs can be depicted as any monetary unit. For this example, we are using US Dollars.

Handling (Cost/Pallet)	This cost should represent handling across the entire supply chain. Enter 18.10 for the alternatives based on the assumption that the case has the same handling costs.
Storage (Cost/Pallet/Month)	Enter 4.50 as the cost to store one pallet per month.
Transfer (Cost/Load)	If there are transfer costs incurred from factory to storage, enter the amount per truck as 60 for each.
Transport (Cost/Load)	Enter 250 for the average cost of delivering one truck to a given destination.

Material Costs

Cases (Cost/000)	In our example the case is the same size for all alternatives. Therefore a materials cost comparison would be of no value. If the case material cost were different we would need to enter a cost per thousand cases here.
Pallets (Cost/Pallet)	Pallets cost money, so enter the cost of one pallet for each alternative as 8.00 .
Miscellaneous Costs	Three fields are provided to include any other costs that might apply from one alternative or another. The cost is expressed as a total annual cost (e.g., 2000 for new printing or machinery costs, etc.).

Input 2 of the Economic Analysis should now look like this.

Economic Analysis

File Options Help


Input 1 Input 2

Alternatives	1	2
Logistics costs		
Handling (Cost /Pallet)	18.00	18.00
Storage (Cost/Pallet/Month)	4.50	4.50
Transfer (Cost /Load)	60.00	\$60.00
Transport (Cost /Load)	\$250.00	\$250.00
Material Costs		
Cost/000 Cases	\$25.00	\$25.00
Pallets (Cost/Pallet)	\$8.00	8.00
Miscellaneous costs		
	0.00	0.00
	0.00	0.00
	0.00	0.00

Select a Menu Item (in/lb) 9:56 AM CAPS NUM

Reviewing Results

Click on the **File** menu and **Calculate** to get your results.



Page 1 of the output will appear, which serves to recap your volume information.

Economic Analysis

File Options Help

Page 1 Page 2 Page 3 Page 4

Annual volume (Cases/Year)	50000.0	Avg. inventory (Cases)	4000.0
----------------------------	---------	------------------------	--------

Alternatives

	1	2
Length	16.43	16.43
Width	15.43	15.43
Height	6.48	6.48

Case size

Cases /pallet	36.00	24.00
Pallets /Load (Pallet)	24.00	24.00
Cases/Load (Deadstack)	0.00	0.00

Loading information

Select a Menu Item	(in/lb)	9:57 AM	CAPS	NUM
--------------------	---------	---------	------	-----

Here is Page 2 which is an analysis of the volume information.

Economic Analysis

File Options Help

Page 1 Page 2 Page 3 Page 4

Total case/year	50000	50000
Cases /pallet	36	24
% Change Cases/Pallet	0.00	-33.33
Cases /Load	864	576
% Change Cost/Load	0.00	-33.33

Total Pallets /year	1389	2084
% Change Pallets /year	0.00	50.04
Total Loads /year	58	87
% Change Loads/year	0.00	50.00

Select a Menu Item

Here is Page 3 which recaps the handling costs.

Economic Analysis

File Options Help

Page 1 Page 2 Page 3 Page 4

Alternatives	1	2
Material cost per year		
CASE	\$1,250.00	\$1,250.00
Pallets	\$11,112.00	\$16,672.00
Total material costs		
Total Material costs	\$12,362.00	\$17,922.00
Material Cost change	\$0.00	\$5,560.00
% Change material Cost	0.00	44.98
Miscellaneous Costs		
	\$0.00	\$0.00
	\$0.00	\$0.00
	\$0.00	\$0.00
Total Misc. Costs	\$0.00	\$0.00

Select a Menu Item (in/lb) 9:57 AM CAPS NUM

And finally, Page 4 which compares the two options.

Economic Analysis

File Options Help

Page 1 Page 2 Page 3 Page 4

Alternatives	1	2
Handling + Transfer cost		
H + T cost change	\$28,482.00	\$42,732.00
% Change H + T cost	\$0.00	\$14,250.00
	0.0	50.0
Total storage cost		
Total storage cost	\$6,048.00	\$9,018.00
Storage Cost Change	\$0.00	\$2,970.00
% Change Storage Cost	0.0	49.1
Total Transportation Costs		
Total Transportation Costs	\$14,500.00	\$21,750.00
Transportation costs change	\$0.00	\$7,250.00
% Change Transportation Cost	0.0	50.0
Total Output Costs		
Total Cost	\$61,392.00	\$91,422.00
Total Cost Change	\$0.00	\$30,030.00
% Change cost	0.0	48.9

Select a Menu Item (in/lb) 9:57 AM CAPS NUM

Our report shows that by using Alternative 1 we could save nearly 20% of our costs over Alternative 2.

Economic Analysis is a very simple, yet powerful way of comparing the financial implications of packaging changes.

Printing Results

Simply click on **File** menu and then **Print** to obtain a formatted report.

Tips and Background Information

The following formulas are used to calculate the Economic Analysis.

Handing & Transfer Cost = (Handling Cost * Total Pallets/Year) + (Transfer Cost * Total Loads/Year)

Pallet Program

Total Storage Cost = [Avg. Inventory/(# of Cases/Pallet)] * Storage Cost * 12

OR

Arrange/Design Programs

Total Storage Cost = [Avg. Inventory/(# of Cartons/Pallet)] * Storage Cost * 12

Total Transportation Costs = Transportation Cost * (Total Loads/Year)

Total Costs per Year = Total Materials Cost + Total Miscellaneous Costs + H & T Costs + Total Storage Costs + Total Transportation Costs

If you select **Close** from the **File** menu, exiting the Economic Analysis completely, the information regarding the chosen alternatives and the annual volumes, etc., on the first input screen must be re-entered. It is assumed that these will change for each Economic Analysis you execute. The cost information, however, will be saved from the last analysis run during the current work session.

Select **Print** to produce a two page printed copy of the full analysis.

Select **Close** from the **File** menu to exit Economic Analysis and return to the graphics section of the program (Pallet, Arrange or Design).

Cape's Web Page Publisher

Introduction

Cape users typically create "packaging/palletizing specs" which contain the primary and secondary pack information, the pallet load statistics and Cape's realistic diagrams of the loaded pallet and/or truck. These reports have either been printed or exported to other program applications. Yet the information contained in these reports is needed by co-workers, customers and suppliers who might be located anywhere in the world.

Now, Internet technology offers a new way to share the packaging or palletizing specs you generate in the Cape Pack programs. Instead of creating printed reports, you create web pages that can be viewed and printed from the Internet, at any time, anywhere in the world using a browser on a PC. You accomplish this through the Web Page Publisher.

A Cape web page is an HTML report. It is just like a printed report, but it is in a format that allows graphical reports to be viewed in a browser environment the same as when you visit a web site. Web pages offer an ideal way to share the visual part of the "packaging/palletizing specs" (graphical reports) you create in the Cape Pack. And, because they can be viewed in a browser it means the web pages can be deployed to a web site and viewed by anyone who has access to your web site address.

Web Page Structure

Think of a web page as a single report. So, one web page equals one report. To collate and manage a number of web pages in a meaningful way, the Internet industry has come up with the name "catalog" as the vehicle for storing web pages together. So a catalog is like a file within a filing system. You give the catalog a name, and then store the individual web pages and any associated numerical information belonging to the individual web pages, in that catalog. For example, a product group can be given a catalog name and then all the associated web page reports and numerical information for the products in that group, can be stored together for easy access and viewing.

Here is an example of a Cape catalog (shown in a browser) with 2 web pages.

The screenshot shows a Mozilla Firefox browser window with the title bar "Cape Pack Packaging Solutions Catalog - Mozilla Firefox". The address bar shows "file:///C:/cape216/webPages/cap/MyCatal". The page content is titled "MyCatalog" with the sub-instruction "Click on any link below to open a web page". Below this, it states "There are 6 web pages in this Catalog". A table lists the web pages:

No.	Description(s)	Date Created
1.	NEWCAT	9/7/2016
2.	Sample 1	9/7/2016
3.	Sample 2	9/7/2016
4.	A Generic Product Code(1)	9/7/2016
5.	Sample 3	9/7/2016
6.	Sample file 1	9/7/2016


You then deploy/upload the catalog(s) to a web site or web space. Give the address of that site to anyone who is authorized to view your information, and they can access the catalog to view the individual web pages or access the numerical information at anytime, from anywhere in the world.

Numerical Information (XML)

The numerical information describing the primary and secondary pack sizes, numbers per case, weights, type of pallet, number of cases per layer, layers per pallet, pallet weights, dimensions and cube information, etc., are generated and stored in a web-enabled file structure called XML.

Rather than have individual XML files for each web page, Cape's Web Page Publisher creates a single XML file containing all of the information for every web page within a single catalog. Therefore, all of the numerical information for each web page is stored in the same place. This approach means that it is far easier to manage and maintain a large amount of detailed information than to have numerous single solution files. It also means that another XML program can access that single solution file for the information associated with any or all of the web pages in one catalog.

Here is an example of a Cape XML Solution file.

A screenshot of a Microsoft Internet Explorer browser window. The address bar shows 'C:\cape216\webPages\'. The main content area displays an XML document with code highlighting. The XML structure includes a root element <webpages>, which contains a <webpage id='1'> element. This webpage has attributes like product_name='WPP Tutorial', product_code='NEWCAT', and solution_ref='1 I'. It also contains a <module> element with a <name> of 'Pallet - Cases/Trays/Ovals'. Inside this module is a <secondary_pack_1> element, which further contains details such as length_id=16.0, width_id=12.0, height_id=10.0, and weight values of 10.000 for net and gross weight.

Note: The XML information contained in the solution file is in a special format and is not intended to be viewed in the normal way. Your Web Master, MIS or IT people will understand how to use the file. Presenting the information in this way ensures that the Cape numerical information can be accessed by other XML files, e-commerce programs and web-enabled collaboration tools.

Catalog Site Map

In Internet terms you have a "site map" for each catalog. This is an XML file that contains a description of:

- The name of the catalog.
- The number of web pages in that catalog.

- The name of the XML Solution data file.
- The filename of each web page and the associated JPEG file.
- The description used in each web page.
- The date each web page was created.

Note: The XML information contained in the site map file is in a special format and is not intended to be viewed in the normal way. Your Web Master, MIS or IT people will understand how to use the file. Presenting the information in this way ensures that other XML files, e-commerce programs and web-enabled collaboration tools can understand the location and style of the Cape information within a catalog.

The **Document Type Definition** (DTD), which is provided in the standardized format, explains the tags and elements to locate each individual piece of numerical information within a web page.

The **XML Solution Data** is the detailed numerical information for each web page.

This XML style of information is not normally viewed and should only be used by your Web Master or IT colleagues to display or share the numerical information for individual Cape web page.

Document Type Description for the Site Map

Here is an example.

```
<!-- DTD for cape pack sitemap -->
<!-- original DTD is sitemap.dtd -->

<!ELEMENT sitemap (catalogue_name, catalogue_count,
                    solution_data_name, webpage+)>
<!ELEMENT webpage (no, name, link, caption,
                    creation_date, cape_loadfile)>

<!ELEMENT catalogue_name (#PCDATA)>
<!ELEMENT catalogue_count (#PCDATA)>
<!ELEMENT solution_data_name (#PCDATA)>
<!ELEMENT no (#PCDATA)>
<!ELEMENT name (#PCDATA)>
<!ELEMENT link (#PCDATA)>
<!ELEMENT caption (#PCDATA)>
<!ELEMENT creation_date (#PCDATA)>
<!ELEMENT cape_loadfile (#PCDATA)>
```

There are examples of XML data for each of the program groups given at the end of this chapter.

Web Page Publisher Paths

Your program has been designed to allow you a great deal of flexibility and control for your catalogs. You have three choices of paths for creating and maintaining your catalogs.

- A Private path on your local PC where you are the only person that can access that particular catalog, or
- A Shared path specifically for a network installation of the Cape Pack where you and your coworkers can access any catalogs in that shared path and each individual user can make any changes needed, or

- A Global path which means you can locate your catalogs anywhere you want to. This can be either on a local PC or a network that you have access to anywhere in the world.

This flexible approach means you can store your catalogs with their associated web pages on the hard disk of your PC (Private path for "private" work), or you can locate them in a more open network environment (a Shared path). Plus you can use the Global path to put your catalogs onto a designated server or hard disk that can be located anywhere you choose allowing you to share common work with your coworkers.


Note: A file locking mechanism is operated for the catalogs located in both the Shared and Global path. This "locking" mechanism is necessary to avoid another person making changes to a "shared catalog" at the same time that you are working on it. If someone else in your Cape network installation is working in that catalog and you attempt to open it and make any changes you will see a "warning" message. Essentially, only one person at a time can open and modify a catalog.

Location


Your Shared path for Web Page Publisher catalogs will be located in the main directory where your Cape Pack programs were originally installed.

Changing the Shared Path

This is a simple task and is executed in the Open Network Administrator area under the File menu on the Front Menu screen. See the *Network Administration* chapter for more information on the Network Administrator feature.



Click on the **Maintain Systems Parameters** button and you will see the following screen.




In the field named *WPP Shared Folder* enter the path of the location you have selected. For example, your chosen location might be on the network F: drive, in a directory called CapeWEB, and you have a "Catalogs" subdirectory. Thus your Shared Folder location would be:

F:\CapeWEB\Catalogs


The Shared path for storing your Web Page Publisher catalogs is specifically design for use by people working on the same network installation of the Cape Pack. If you are not on the same network installation but wish to have common catalogs with others, use the Global path option.

Unlocking Catalogs in Shared Paths


Click on the **Unlock Catalog** button.



You will see the following screen.




Select the **Unlock Shared Catalog** option and you will be presented with the following screen.



Simply highlight any catalog in the list and click on **OK**.

Unlocking Catalogs in a Global Path

If you choose the **Unlock Global Catalog** option, you will see the following screen.



Locate the catalog you want to unlock and click on **OK**.

The Web Page Publisher Options

There are two parts to Cape's Web Page Publisher, both found on the **File** menu in Multi-Viewer Graphics.

- Create a Web Page
- Web Page Publisher program

Create a Web Page

The idea is that you create a number of catalogs, run the Cape programs in the normal way, get to Multi-Viewer Graphics and then use this feature to create or select a catalog. Next you convert the on-screen graphics into a web page and then allocate it to a catalog of your choice.

Web Page Publisher Program


This program is located in Multi-Viewer Graphics on the **File** menu and also on the Publisher menu at the Front Menu screen. Use the Web Page Publisher program to store, manage, maintain and deploy your catalogs. You can keep your catalogs current by deleting old or unnecessary web pages, moving them up/down in the list, sorting them by date or description, changing the description or converting previously saved solutions into web pages.

You can also view the individual pages in a catalog or view the entire contents of a catalog in a browser. This will let you see how individual items will appear in each catalog and how each individual web page looks.

Once you are satisfied with a catalog and its contents you can deploy it to an Intranet, Extranet, web site -- to any environment where you can use a browser. It is a very simple concept.

Creating Web Pages

Create a Web Page is conveniently accessed from the **Publisher** menu in Multi-Viewer Graphics.




This feature allows you to create a single web page from the current on-screen solution, and then allocate it to a new or existing catalog. You can save your web page to a catalog located in:

- A Private path
- A Shared path
- A Global path

Using the Web Page Publisher Program

Cape's Web Page Publisher program is designed to help you store, manage and maintain the web pages and catalogs you create within the Cape Pack prior to deploying them to a web space or a web site address.



There are buttons on the right hand side of the screen that provide the following options.

Add/Create Web Page – create web pages from previously saved Cape solutions.

Delete Web Page – remove a selected web page from a catalog.

Edit Description – change the description that is displayed for individual web pages.

View Web Page – display a selected web page in a browser.

Move Up – move an individual web page up in the listing within a selected catalog.

Move Down - move an individual web page down in the listing within a selected catalog.


Refresh Catalog – a mechanism to make sure all the changes you make when *moving web pages up/down* within a catalog are correctly updated.

View Catalog – display a selected catalog in a browser environment.

View CLF – a mechanism to regenerate the actual Cape, on screen graphics.


There are further options available under the **File**, **Options**, **Sort**, **FTP** and **Help** menus.

File menu



Here you can create a **New Catalog**, **Open an Existing Catalog** in either your Private, Shared or Global locations, or you can use the **Close** option to return to Multi-Viewer Graphics screen or the Front Menu depending on where you launched the Web Page Publisher program.


Options menu



The **Options** menu gives you the following choices.


- **Add/Create Web Page** – create a web page from a previously saved Cape solution.
- **Refresh List Numbering** - refreshes the numbering sequence of individual web pages within a catalog after deleting any individual web pages.
- **Select/Unselect all** - allows you to select or deselect all web pages in a single catalog.
- **Set Description Column to** - lets you choose either the Product Name or Product Code as a setting to create the name that will appear in the description column when you display the web pages in a catalog. Thus you can have all of your web pages with either the Product Name or Product Code, or you can mix and match.
- **Web Page Settings** – this is like a Page Setup feature but, in this instance, it can only be used when you convert previously saved Cape solutions to web pages. And, the only thing you can changes is the language used for displaying the Cape names and headings for the numerical information.
- **View Current Catalog's XML** – allows you to view the XML data for the catalog currently open.
- **View Current Catalog's Site Map** -- allows you to view the Site Map for the catalog currently open.

Sort menu




Allows you to sort the web pages within a catalog, in ascending or descending order by either **Description** or **Date**.

FTP menu



Launches Cape's own FTP (File Transfer Protocol) program to deploy your current catalog to a web space address. You can also use this menu to check the address of your current web page. This feature is explained in more detail later in this chapter.


Help menu



- **Contents** – this chapter as an on-line Help file.
- **Search on Help** – search by subject.
- **How to Publish on the web** – a description of how to use a File Transfer Protocol (an FTP) to deploy your catalog(s) to a web space/address.
- **Help on XML Solution Data** – a Help file especially provided for your Web Master or IT people to extract numerical information.
- **Help on a Catalog Site Map** – a Help file especially provided for your Web Master or IT people to understand the entire contents of a Cape catalog.

Deleting Catalogs

Once you have selected the path and opened the list of catalogs in that path, there is a button for deleting a catalog from the overall list.



Simply highlight the catalog you want to remove and click on the **Delete** button.


Web Page Publisher Tutorial

Run the Cape Pack in the normal way and you will get to the Multi-Viewer Graphics screen.

Make the changes you need to the screen layout or individual panels and make sure you have set the **Export Settings** (under the **Export** menu) to suit the style of report you require.


Once you have set these options, they will remain as a "default" for future web pages you want to create. We are now ready to create a web page and add it to a new catalog.

From the **Publisher** menu, select **Add to Private Catalog** (or whichever catalog you want to use).




We want our web pages to be shown in a catalog using the Product Code as our description.


Click on the **Set Description Column** to option and then **Product Code**.



Now select **Create a New Catalog** and you will be asked to select the location of the new catalog as a **Private** path (your local PC), a **Shared** path (network drive) or a Global path. Select **Private**. You will now be prompted by an on-screen message.



Click on **OK**.




Cape provides a special **Private** path called **CAP**, which is located within the Cape Pack folder under the webpages directory.


Enter a name (ours is called Widgets) for the catalog and click on **Save**.

We have created a catalog called **MyCatalog** which contains our single web page. That web page name, or Description, is the Product Code of the file.


Now go to the **Publisher** menu and click on **Cape's Web Page Publisher**.




The following Web Page Publisher screen will appear.



Now go to the **File** menu and select **Open Existing Catalogs** and **Private**.




The following screen appears to display a list of the existing catalog names.



Highlight **Widgets** and click on **Open**.


The Web Page Publisher screen will appear displaying our **MyCatalog** catalog with a **single web page** listed. The name of that single web page is **Arrange Group**. That is the Product Name for this file, which was the Product Code of the file.



Now we can use some of the features of the **Web Page Publisher** to understand the value of the various functions that are available to you, on this screen.

Viewing Your Catalog in a Browser

To see how our catalog with its web page(s) will appear on a web site, click on the **View Catalog** button.



Viewing individual web pages in browser

Highlight the web page in the listing section, and click on the View Web Page button.

You will then see the web page displayed in a browser.

Preview Web Page



Print |




Wednesday, September 07, 2016

Product Name	WPP Tutorial
Product Code	NEWCAT
Datafile Name	(9/7/2016)
Load Ref.	1 I
Cube Used	89.9 %
Area Used	100.0 %
Pallet type	48x40
Length	16.000
Width	12.000
Height	10.000 in
Net	10.000 lb
Gross	10.000 lb
Volume	1.11 cuft
Case (OD)	40.000
Product	40.000
Load	48.000

Case Length Width Height Net Gross Volume
 Product 16.000 12.000 10.000 in 10.000 lb 10.000 lb 1.11 cuft
 Load 48.000 40.000 45.500 in 400.000 lb 400.000 lb 44.44 cuft
 Case 40.000 40.000 45.500 in 400.000 lb 450.000 lb 50.56 cuft



For more information
 Contact Customer Support
 888-888-8888


Printing Web Pages

To print web pages from your browser, click on the small Print button in the top left corner of the web page and the standard Windows Print Dialog screen will appear.

Click on OK to print the page.

Reviewing the Cape Graphics

To review the Cape Graphics for the web page click on the **View CLF** button.



Moving web pages up/down within a catalog

Let's assume that we want to move the Sample 1 web pages to the bottom of the list.

To move the web page we simply highlight it and then click on the **Move down** button until it is at the bottom of the list.

After moving web pages up or down, you will need to click on the **Refresh Catalog** button. This will update the catalog, the XML solution data and the XML site map.

Creating Web Pages from Cape Saved Solution files


Open an existing catalog or start new one.

Click on the **Add/Create web Page** button and a dialog box appears to display all your Cape load files (CLF).


The Web Page Publisher program can only use Cape load files that contain saved graphics to create new web pages. Therefore, if you select a number of Cape files, the Web Page Publisher will look at each file, determine if it has Saved

Graphics and, then create web pages with only the appropriate files. An on-screen progress bar will display how many web pages have been created from the available files.

Highlight the file(s) you want to use to create web pages.



Click on **Open** and the file(s) will be used to create a web page and added to the bottom of the list in your catalog.



You can see that creating web pages in the Multi-Viewer Graphics and then allocating them to a individual catalog are relatively easy tasks. As is using the Web Page Publisher to store, modify or maintain a particular catalog.

Now you want to deploy your catalog(s) to the Internet.

Deploying Catalogs to a Web Site Address

Deploy means to transfer the catalog, with its individual web pages, the catalog XML site map, XML solution data file and a special "catalog file" to a specific web site address.

You need a **File Transfer Protocol** program (referred to as an FTP). This allows you to identify the "source" location of the catalog on your PC and the "target area" on your web space, and then transfer the catalog from your PC to the web site address.

You need to know the location of the catalog on your local PC or network drive, and you will need to know or create the name and exact address of the web space that you want to use to store your catalog.

With these two pieces of information you can go "on-line", then launch your FTP program and transfer the catalog and all its associated files to your selected web space. If you do not have a specific address for your catalog you can create a new directory for it on the web space using the FTP program.

Each time you deploy a Cape catalog you must copy the ENTIRE CONTENTS of the "catalogue" directory within the named Catalog you have chosen.


Note: If you fail to copy the entire contents of this "catalogue" file, the information on your web space will not coincide with information in the catalog on your local computer.

In our example, we already have a web space, but we need to create a new directory for the catalog that we want to deploy.

Cape's FTP Program

We provide a simple FTP program to deploy any current catalog you have open. Cape's FTP program only deals with the transfer of a current catalog (the one you have open in Web Page Publisher) and is designed to make that transfer process as simple as possible and keeping your work to an absolute minimum. However, if you want to deploy/upload a catalog at another time, or when the Web Page Publisher program has been closed, you should use an alternate FTP program.

To use this feature, simply open a catalog and click on the FTP menu. Then select Deploy Current Catalog to launch Cape's FTP program. You will see the following screen.




There are only four fields you need to complete.

- Remote Target Site Folder: the folder on your web space where you want to locate your catalog. if the folder does not already exist, Cape's FTP program will create it for you.

- Host Name/Address: the server address (i.e. the web site address) where you want to locate the folder with the catalog inside it.
- User Name: the name you normally use for going on-line.
- Password: your normal password for getting on-line.

Here is an example.



Once you have entered the correct details, click on OK and the transfer process will begin. A dialog box will open to map the progress of the transfer.

Once the transfer has finished, you can go to your web address and view the catalog on line.

Examples of XML Data

XML Solution Data for the Pallet Group - Rectangle/Oval/Bag

File Type: XML

```
[Webpage id=] Web Page Number1
product_name=Product Name
product_code=Product Code
solution_ref=Solution Reference
load_file_name=Cape Load File Name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

[module]
no=Module Type (1 Pallet-Rectangle/Oval)
name=Program Module name
[module]

[secondary_pack_1]
name-Pack Name
type-Pack Type
length_id=Inside Dimension Length
width_id=Inside Dimension Width
height_id=Inside Dimension Height
length_od=Outside Dimension Length
width_od=Outside Dimesion Width
height_od=Outside Dimension Height
net_weight=Nett Weight
gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=Material Weight
sp_per_load=Number of Secondary Pack's per Load
```

```

sp_per_layer=Number of Secondary Pack's per Layer
sp_per_truck= Number of Secondary Pack's per Truck
[secondary_pack_1]

[pallet_base_1]^2
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

[pallet_Load_1]
load_length=Load Length
load_width=Load Width
load_height=Load Height
product_length=Product Length
product_width=Product Width
product_height=Product Height
net_weight=Nett Weight
gross_weight=Gross Weight
layers_per_load= Number of Layers per Load
layerpads_per_load= Number of LayerPads per Load
area_eff=Area Effiency
cube_eff=Cube Effiency
loads_per_truck= Number of Loads per Truck
[pallet_Load_1]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]
[Webpage]

```

- 1 All Other tags are nested within the WebPage Tag.
- 2 Pallet Base tags contains the dimensions and weight of the pallet as well as the name.Up to 3 of these may be present and listed as pallet_base_1, pallet_base_2 and pallet_base_3.

XML Solution Data for the Pallet Group – Cylinder/Bottle

File Type: XML

```

[Webpage id]=Web Page Number1
product_name=Product Name
product_code=Product Code
solution_ref=Solution Reference

```

```

load_file_name=Cape Load File Name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

[module]
no=Module Type (14 Pallet - Cylinder/Bottle)
name= Program Module name
[module]

[secondary_pack_1]
name=Pack Name
type-Pack Type
top_length=Outside Dimensions Top Length
top_width=Outside Dimensions Top Width
bottom_length=Outside Dimensions Bottom Length
bottom_width=Outside Dimensions Bottom Width
height_od=Outside Dimensions Height
net_weight=Net Weight
gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=Material Weight
sp_per_load=Number of Secondary Pack's per Load
sp_per_layer=Number of Secondary Pack's per Layer
sp_per_truck=Number of Secondary Pack's per Truck
[secondary_pack_1]

[pallet_base_1]2
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

[Pallet_Load_1]
load_length=Load Length
load_width=Load Width
load_height=Load Weight
product_length=Product Length
product_width=Product Width
product_height=Product Height
net_weight=Net Weight
gross_weight=Gross Weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
area_eff=Area effiency
cube_eff=Cube effiency
loads_per_truck= Number of Loads per Truck
[Pallet_Load_1]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

```

```

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]
[Webpage]

1 All Other tags are nested within the WebPage Tag.
2 Pallet Base tags contains the dimensions and weight of the pallet as well as the
name.Up to 3 of these may be present and listed as pallet_base_1, pallet_base_2
and pallet_base_3.

```

XML Solution Data for the Pallet Group – Trapezoid

File Type: XML

```

[Webpage id]=Web Page Number1
product_name=Product Name
product_code=Product Code
solution_ref=Solution Reference
load_file_name=Cape Load File Name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

```

```

[module]
no=Module Type (15 Pallet-Trapezoid)
name=Program Module name
[module]

```

```

[secondary_pack_1]
name-Pack Name
type-Pack Type
top_length=Top Dimensions Length
top_width=Top Dimensions Width
bottom_length=Bottom Dimensions Length
bottom_width=Bottom Dimensions width
height_od=Height Dimensions
net_weight=nett weight
gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=Material Weight
sp_per_load= Number of Secondary Pack's per Load
sp_per_layer= Number of Secondary Pack's per Layer
sp_per_truck= Number of Secondaty Pack's per Truck
[secondary_pack_1]

```

```

[pallet_base_1]2
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

```

```

[pallet_Load_1]
load_length=Load Length
load_width=Load Width

```

```

load_height=Load Height
product_length=Product Length
product_width=Product Width
product_height=Product Height
net_weight=Nett Weight
gross_weight=Gross Weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
area_eff=Area Efficiency
cube_eff=Cube Efficiency
loads_per_truck=Number of Loads per Truck


[pallet_Load_1]


```

```

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6

```

[usertext]

```

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4

```

[userfield]

[Webpage]

- 1 All Other tags are nested within the WebPage Tag.
- 2 Pallet Base tags contains the dimensions and weight of the pallet as well as the name.Up to 3 of these may be present and listed as `pallet_base_1`, `pallet_base_2` and `pallet_base_3`.

XML Solution Data for the Arrange/Design Group – Box/ Bag/Bottle

File Type: XML

```

[Webpage id]=Web Page Number1
product_name=Product Name
product_code=Product Code
solution_ref=Solution Reference
load_file_name=Load File Name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

```

```

[module]
no=Module Type (2 Arrange-BBB,3 Design-BBB)
name=Program Module name

```

[module]

```

[primary_pack_1]2
name=Primary Pack name
type=Primary Pack type
length_id=Inside Dimesions Length
width_id=Inside Dimesions Width
height_id=Inside Dimensions Height

```

```

length_od=Outside Dimension Length
width_od=Outside Dimension Width
height_od=Outside Dimension Height
nett_weight=Nett Weight
gross_weight=Gross Weight
arrangement_x=Number of Primary Packs in the x Plane of the Secondary Pack.
arrangement_y=Number of Primary Packs in the y Plane of the Secondary Pack.
arrangement_z=Number of Primary Packs in the z Plane of the Secondary Pack.
direction_x=Primary Pack Dimension in the x Plane of the Secondary Pack
direction_y=Primary Pack Dimension in the y Plane of the Secondary Pack
direction_z=Primary Pack Dimension in the z Plane of the Secondary Pack
pp_per_sp=Number of Primary Pack's per Secondary Pack
pp_per_load=Number of Primary Pack's per Load
material_thickness=Material Thickness
material_weight=Material Weight
[primary_pack_1]

```

```

[bundle_1]3
name=Bundle Name
length=Bundle Length
width=Bundle Width
height=Bundle Height
net_weight=net weight of Bundle
bundle_per_sp=Number of Bundles per Secondary Pack
bundle_per_load=Number of Bundles per Load
[bundle_1]

```

```

[secondary_pack_1]4
name=Secondary Pack Name
type=Secondary Pack Type
length_id=Inside Dimensions Length
width_id=Inside Dimensions Width
height_id=Inside Dimensions Height
length_od=Outside Dimensions Length
width_od=Outside Dimensions Width
height_od=Outside Dimensions Height
nett_weight=Nett Weight
gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=Material Weight
blank_area=Blank Area
div_blank_area=Divider Blank Area
divider_type=Divider Type
arrange_div_x=Number of dividers in the x plane
arrange_div_y=Number of dividers in the y plane
arrange_div_z=Number of dividers in the z plane
sp_per_load=Number of Secondary Pack's per Load
sp_per_layer=Number of Secondary Pack's per Layer
sp_per_truck=Number of Secondary Pack's per Truck
[secondary_pack_1]

```

```

[pallet_base_1]5
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

```

```

[pallet_Load_1]6
load_length=Load Length
load_width=Load Width
load_height=Load Height
product_length=Product Length
product_width=Product Width
product_height=Product Height
net_weight=Nett Weight
gross_weight=Gross Weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
area_eff=Area Efficiency
cube_eff=Cube Efficiency
loads_per_truck=Number of Loads per Truck
[pallet_Load_1]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]
[Webpage]

```

- 1 All Other tags are nested within the WebPage Tag.
- 2 There may be up to three Primary Packs Tags labeled primary_pack_1, primary_pack_2 and primary_pack_3.
- 3 Bundle tags represent each Secondary Pack Calculated. So bundle_1 is secondary_pack_1, bundle_2 is secondary_pack_2, and bundle_3 is secondary_pack_3.
- 4 There may be up to three Secondary Pack Tags, depending on how many pallet bases are defined. These will be named secondary_pack_1, secondary_pack_2 and secondary_pack_3.
- 5 Pallet Base tags contains the dimensions and weight of the pallet as well as the name. Up to 3 of these may be present and listed as pallet_base_1, pallet_base_2 and pallet_base_3.
- 6 Pallet Load tags contain information about the pallet load. There may be up to 3 Pallet Load tags labeled Pallet_Load_1, Pallet_Load_2, and Pallet_Load_3.

XML Solution Data for the Arrange/Design Group – Cylinder/Bottle

File Type: XML

```

[Webpage id]=Web Page Number1
product_nameh=Product Name
product_code=Product code
solution_ref=Solutions Reference
load_file_name=Cape Load File Name
filedate=Web Page Creation date.

```

```

unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

[Module]
no=Module Type (21 Arrange-Cylinder,31 Design-Cylinder)
name=Program Module Name

[Module]

[primary_pack_1]2
name=Primary Pack Name
type=Primary Pack Type
top_diameter=Outside Top Diameter
bottom_diameter=Outside Bottom Diameter
height_od=Outside Height
nett_weight=Nett Weight
gross_weight=Gross Weight
arrangement_x=Number of Primary Packs in the x Plane of the Secondary Pack
arrangement_y=Number of Primary Packs in the y Plane of the Secondary Pack
arrangement_z=Number of Primary Packs in the z Plane of the Secondary Pack
direction_x=Primary Pack Dimension in the x Plane of the Secondary Pack
direction_y=Primary Pack Dimension in the y Plane of the Secondary Pack
direction_z=Primary Pack Dimension in the z Plane of the Secondary Pack
pp_per_sp=Number of Primary Pack's per Secondary Pack.
pp_per_Load=Number of Primary Pack's per Load
material_thickness=Material Thickness
material_weight=Material Weight

[primary_pack_1]

[bundle_1]3
name=Bundle Name
length=Bundle Length
width=Bundle Width
height=Bundle Height
net_weight=net weight of Bundle
bundle_per_sp=Number of Bundles per Secondary Pack
bundle_per_load=Number of Bundles per Load

[bundle_1]

[secondary_pack_1]4
name=Secondary Pack Name
type=Secondary Pack Type
length_id=Inside Dimension Length
width_id=Inside Dimension Width
height_id=Inside Dimension height
length_od=Outside Dimension Length
width_od=Outside Dimension Width
height_od=Outside Dimension Height
net_weight=Net Weight
gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=Material weight
blank_area=blank_area
div_blank_area=divider blank area
divider_type=divider type
arrange_div_x=arrangement divider x
arrange_div_y=arrangement divider y
arrange_div_z=arrangement divider z
sp_per_load=Number of Secondary Pack per Load
sp_per_layer=Number of Secondary Pack per Layer
sp_per_truck=Number of Secondary Pack per Truck

```

```

[secondary_pack_1]

[pallet_base_1]5
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

[pallet_Load_1]6
load_length=Load length
load_width=Load_width
load_height=Load Height
product_length=Product Length
product_width=Product Width
product_height=Product Height
net_weight=Net Weight
gross_weight=Gross Weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
area_eff=Area efficiency
cube_eff=Cube efficiency
loads_per_truck=Number of Loads per Truck
[pallet_Load_1]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]
[Webpage]

```

- 1 All Other tags are nested within the WebPage Tag.
- 2 There may be up to three Primary Packs Tags labeled primary_pack_1, primary_pack_2 and primary_pack_3.
- 3 Bundle tags represent each Secondary Pack Calculated. So bundle_1 is secondary_pack_1, bundle_2 is secondary_pack_2, and bundle_3 is secondary_pack_3.
- 4 There may be up to three Secondary Pack Tags, depending on how many pallet bases are defined. These will be named secondary_pack_1, secondary_pack_2 and secondary_pack_3.
- 5 Pallet Base tags contains the dimensions and weight of the pallet as well as the name. Up to 3 of these may be present and listed as pallet_base_1, pallet_base_2 and pallet_base_3.
- 6 Pallet Load tags contain information about the pallet load. There may be up to 3 Pallet Load tags labeled Pallet_Load_1, Pallet_Load_2, and Pallet_Load_3.

XML Solution Data for the Arrange/Design Group - Trapezoid

File Type: XML

```
[Webpage id]=Web Page number1
product_name=Product Name
product_code=Product Code
solution_ref=Solution Reference
load_file_name=CLF name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

[module]
no=Module Type (22 Arrange-Trapezoid,32 Design-Trapezoid)
name=Program Module Name
[module]

[primary_pack_1]2
name=Primary Pack name
type=Primary Pack Type
bottom_length=Outside Dimensions Bottom Length
top_width=Outside Dimensions Top Width
bottom_width=Outside Dimensions Bottom Width
top_length=Outside Dimensions Top Length
height_od=Outside Dimensions Height
nett_weight=Nett Weight
gross_weight=Gross Weight
arrangement_x=Number of Primary Packs in the x Plane of the Secondary Pack
arrangement_y=Number of Primary Packs in the y Plane of the Secondary Pack
arrangement_z=Number of Primary Packs in the z Plane of the Secondary Pack
direction_x=Primary Pack Dimension in the x Plane of the Secondary Pack
direction_y=Primary Pack Dimension in the y Plane of the Secondary Pack
direction_z=Primary Pack Dimension in the z Plane of the Secondary Pack
pp_per_sp=Number of Primary Pack's per Secondary Pack.
pp_per_load=Number of Primary Pack's per Load
material_thickness=Material Thickness
material_weight=Material Weight
[primary_pack_1]

[bundle_1]3
name=Bundle Name
length=Bundle Length
width=Bundle Width
height=Bundle Height
net_weight=net weight of Bundle
bundle_per_sp=Number of Bundles per Secondary Pack
bundle_per_load=Number of Bundles per Load
[bundle_1]

[secondary_pack_1]4
name=Secondary Pack Name
type=Secondary Pack Type
length_id=Inside Length
width_id=Inside Width
height_id=Inside Height
length_od=Outside Length
width_od=Outside Width
height_od=Ouside Height
net_weight=Nett Weight
```

```

gross_weight=Gross Weight
material_thickness=Material Thickness
material_weight=material weight
blank_area=blank area
div_blank_area=divider blank area
divider_type=Divider Type
arrange_div_x=arrangement of dividers x
arrange_div_y=arrangement of dividers y
arrange_div_z=arrangement of dividers z
sp_per_load=Number of Secondary Pack's per Load
sp_per_layer=Number of Secondary Pack's per Layer
sp_per_truck=Number of Secondary Pack's per Truck
[secondary_pack_1]

[pallet_base_1]5
name=Pallet Base Name
length=Pallet Base Length
width=Pallet Base Width
height=Pallet Base Height
weight=Pallet Base Weight
[pallet_base_1]

[pallet_Load_1]6
load_length=Load length
load_width=Load_width
load_height=Load_height
product_length=product length
product_width=product width
product_height=Product height
net_weight=net weight
gross_weight=gross weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
area_eff=Area efficiency
cube_eff=Cube efficiency
loads_per_truck=Number of Pallet Loads per Truck
[pallet_Load_1]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]
[Webpage]

```

- 1 All Other tags are nested within the WebPage Tag.
- 2 There may be up to three Primary Packs Tags labeled primary_pack_1, primary_pack_2 and primary_pack_3.

- 3 Bundle tags represent each Secondary Pack Calculated. So bundle_1 is secondary_pack_1, bundle_2 is secondary_pack_2, and bundle_3 is secondary_pack_3.
- 4 There may be up to three Secondary Pack Tags, depending on how many pallet bases are defined. These will be named secondary_pack_1, secondary_pack_2 and secondary_pack_3.
- 5 Pallet Base tags contains the dimensions and weight of the pallet as well as the name. Up to 3 of these may be present and listed as pallet_base_1, pallet_base_2 and pallet_base_3.
- 6 Pallet Load tags contain information about the pallet load. There may be up to 3 Pallet Load tags labeled Pallet_Load_1, Pallet_Load_2, and Pallet_Load_3.

XML Solution Data for the Casefill Group – Box/Bag/Bottle

File Type: XML

```
[Webpage id]=Web Page Number1
product_name=Product Name (Max. 50 Characters)
product_code=Product Code (Max. 25 Characters)
load_file_name=Cape Load File Name
filedate=Web Page Creation date.
unit_of_measure=Units Of Measure (0=mm/kg, 1=in/lb)

[module]
no=Module Type (8 Casefill-BBB(Fixed),10 Casefill-BBB(Variable)
name=Program Module name
[module]

[primary_pack_1]
name=Pack Name
type=Pack Type
length_od=Outside Dimensions Length
width_od=Outside Dimensions Width
height_od=Outside Dimensions Height
nett_weight=Nett Weight
gross_weight=Gross Weight
items_per_pp=Number of items per Primary Pack
material_thickness=Material Thickness
material_weight=Material Weight
[primary_pack_1]

[casefill_object]
name=Pack Name
length_od=Outside Dimensions Length
width_od=Outside Dimensions Width
height_od=Outside Dimensions Height
length_id=Inside Dimensions Length
width_id=Inside Dimensions Width
height_id=Inside Dimensions Height
net_weight=Nett Weight
gross_weight=Gross Weight
layers_per_load=Number of Layers per Load
layerpads_per_load=Number of Layer Pads per Load
pp_per_case=Number of Primary Pack's per case
pp_per_load=Number of Primary Pack's per load
units_per_load=Number of Units per Load
area_eff=Area Efficiency
cube_eff=Cube Efficiency
```

```

[casefill_object]

[usertext]
ut=User Text Line 1
ut=User Text Line 2
ut=User Text Line 3
ut=User Text Line 4
ut=User Text Line 5
ut=User Text Line 6
[usertext]

[userfield]
uf=USER FIELD 1
uf=USER FIELD 2
uf=USER FIELD 3
uf=USER FIELD 4
[userfield]

[Webpage]

```

1 All Other tags are nested within the WebPage Tag.

XML Solution Data for the Casefill Group – Cylinder/Bottle

File Type: XML

```

[Webpage id]=Web Page Number1
product_name=Product Name (Max. 50 Characters)
product_code=Product code (Max. 25 Characters)
load_file_name=Cape Load file name
filedate=Web Page Creation date.
unit_of_measure=Unit of measure (0=mm/kg, 1=in/lb)

[module]
no=Module Type (Casefill-Cylinder/Bottle(Fixed))
name=Program Module name
[module]

[primary_pack_1]
name=Pack Name
type-Pack Type
top_diameter=Outside Top Diameter
bottom_diameter=Outside Bottom Diameter
height_od=Outside Dimensions Height
nett_weight=Nett Weight
gross_weight=Gross Weight
items_per_pp=i Number of tems per Primary Pack
material_thickness=Material Thickness
material_weight=Material Weight
[primary_pack_1]

[casefill_object]
name=Case name.
length_od=Outside Dimensions Length
width_od=Outside Dimensions Width
height_od=Outside Dimensions Height
length_id=Inside Dimensions Length
width_id=Inside Dimensions Width

```

```
height_id=Inside Dimensions Height  
net_weight=Nett Weight  
gross_weight=Gross Weight  
layers_per_load= Number of Layers per Load  
layerpads_per_load= Number of LayerPads per Load  
pp_per_case=Number of Primary Pack's per case  
pp_per_load=Number of Primary Pack's per load  
units_per_load=Number of Units per Load  
area_eff=Area Efficiency  
cube_eff=Cube Efficiency
```

[casefill_object]

[usertext]

```
ut=User Text Line 1  
ut=User Text Line 2  
ut=User Text Line 3  
ut=User Text Line 4  
ut=User Text Line 5  
ut=User Text Line 6
```

[usertext]

[userfield]

```
uf=USER FIELD 1  
uf=USER FIELD 2  
uf=USER FIELD 3  
uf=USER FIELD 4
```

[userfield]

[Webpage]

1 All Other tags are nested within the WebPage Tag.